Quality Control Manual

For

of

Highway Tanks and Portable Tanks

for the

Transportation of Dangerous Goods by Road

in accordance with CSA B620-14 or the most current version (based on Transport Canada TDG regulations)

Facility Address: 18 Dundee Avenue #1, Mount Pearl NL A1N 4R9



Prepared by / Approved by: Arash Navidan / Zanyar Farhadi

Control Number: NEE-QCM-NL-001

Date of Issue: 2019/04/12 **Rev. No.:** 05 **Page: 1** of 150

This manual is electronically controlled, if for any reason hard copies are produced they are: "NOT CONTROLLED IF PRINTED"

This manual must not be reproduced, distributed, amended or loaned, in whole or in part, without prior written consent of the National Quality Systems Manager or the Quality Assurance Specialist

This manual is in accordance with CSA B620-14 or the most current version (based on Transport Canada TDG regulations) and is for the following facility of National Energy Equipment Inc.

Facility Address	Registration No.	Activities:
18 Dundee Ave. #1, Mount Pearl NL A1N 4R9	25-0580	Modification Repair Assembly Inspection, Test, & Retest

National Energy Equipment Inc.'s National Quality Systems Manager ensures the quality system meets the requirements of the CSA B620-14 or the most current version.

In this manual anywhere mentioned CSA B620, it means CSA B620-14 or the most current version - (based on Transport Canada TDG regulations)

National Energy Equipment Inc. Authorization

Approved by:

Name: Zanyar Farhadi

Title: National Quality Systems Manager

Phone: (778) 588 7739

Email address: zfarhadi@nee.ca

Signature:

Date: 2019-04-12



Quality Control Manual in accordance with CSA B620

Prepared by / Approved by: Arash Navidan / Zanyar Farhadi

Control Number: NEE-OCM-NL-001

Date of Issue: 2019/04/12 **Rev. No.:** 05 **Page:** 2 of 150

	TABLE OF CONTENT				
Item No.	Subject	Page No.			
1	Scope	7			
2	Definitions and glossary of abbreviations				
3	Statement of authority	10			
3-1	Responsibilities	10			
3-2	Codes and Standards	10			
3-3	Signature	10			
4	Organization chart	11			
5	Manual control	11			
6	Drawing and design control	12			
7	Manufacture	NA			
8	Assembly	15			
8-1	Scope of work and authorizations	15			
8-2	Design review	15			
8-3	Inspection and testing	15			
8-4	ID plate and other required markings	16			
8-5	Tank certification	16			
8-6	References	16			
9	Modification	17			
9-1	Scope of work and authorizations	17			
9-2	Design review	17			
9-3	Inspection and testing	17			
9-4	ID plate and other required markings	17			



Quality Control Manual in accordance with CSA B620

Prepared by / Approved by: Arash Navidan / Zanyar Farhadi

Control Number: NEE-QCM-NL-001

Date of Issue: 2019/04/12 **Rev. No.:** 05 **Page:** 3 of 150

Item No.	Subject	Page No.				
9-5	Tank certification	18				
9-6	9-6 References					
10	Repairs	19				
10-1	Scope of work and authorizations	19				
10-2	Inspection and testing	20				
10-3	Reference	20				
11	Material Control	21				
12	Inspection and testing - examination	22				
12-1	Inspection program	23				
12-2	External visual inspection (V)	24				
12-3	Internal visual inspection(I)	46				
12-4	Upper Coupler inspection(U/C)	47				
12-5	Leakage inspection (K)	47				
12-6	Thickness test (T)	49				
12-7	Pressure tests (P)	50				
12-8	Product hose testing procedure	53				
12-9	Internal inspection by wet fluorescent magnetic particle inspection	54				
12-10	References	54				
13	Test and inspection marking	56				
14	Nonconformities – corrective action	57				
14-1	Identification of non-conformities	57				
14-2	Examples of tank non-conformities	57				
14-3	Retest	57				



Quality Contr	al Manual i	n accordance	with	CSA	R620
Chianiy Conir	OI WIANIIAI I	n accordance	wiin	LA	KNZU

Prepared by / Approved by: Arash Navidan / Zanyar Farhadi

Control Number: NEE-QCM-NL-001

Date of Issue: 2019/04/12 **Rev. No.:** 05 **Page:** 4 of 150

	TABLE OF CONTENT			
Item No.	Subject	Page No.		
14-4	Calibrated equipment	58		
14-5	References	58		
15	Welding control	59		
15-1	General	59		
15-2	Welding/ brazing qualification procedure	59		
15-3	Welding/ brazing procedure specification	60		
15-4	References	60		
16	Calibration	62		
16-1	General	62		
16-2	Procedure	62		
16-3	References			
17	Quality audits			
17-1	General	63		
17-2	References	63		
18	Registration – facilities and personnel	64		
18-1	Facility registration	64		
18-2	Personnel registration			
18-3	Reference			
19	Mobile units	66		
19-1	General	66		
19-2	Mobile Equipment 66			
20	Records retention	67		



C	nality	Control	Manual	in	accordance	with	CSA	B620

Arash Navidan / Zanyar Farhadi

Control Number: NEE-QCM-NL-001

Date of Issue: 2019/04/12 Rev. No.: 05 **Page:** 5 of 150

Item No.	Subject	Page No.
20-1	General	67
20-2	Reference	68
21	Exhibits	69
21-1	Reference forms and documents	69
21-2	Equipment, signs and decals	139
21-3	Samples of actual completed documents	141
22	Revision control sheet	149



Quality Control Manual in accordance with CSA B620

Prepared by / Approved by: Arash Navidan / Zanyar Farhadi

Control Number: NEE-QCM-NL-001

Date of Issue: 2019/04/12 **Rev. No.:** 05 **Page:** 6 of 150

NATIONAL ENERGY EQUIPMENT INC.	Quality Control Manual in accordance with CSA B620
Document Number: NEE-QCM- NL -001	Revision Number: 05
Prepared by / Approved by:	Arash Navidan / Zanyar Farhadi
Date of Issue: 2019/04/12	Page Number: 7 of 122

SECTION - 1 Scope

This manual applies to the National Energy Equipment Inc. (NEEI) facility with the registration number of 25-0580, located at 18 Dundee Avenue #1, Mount Pearl NL A1N 4R9, only to those Highway Transport tanks manufactured in accordance with the specifications contained in the CSA B620.

Work is including all or some of the followings: modification, repair, assembly, inspection, test and retest of highway tanks.

Tank Specification	Inspection - External	Inspection - Internal	Inspection - Lining	Inspection - Upper coupler	Test/Retest - Hydrostatic	Test/Retest - Pneumatic	Test/Retest - Leak Test	Test/Retest - Fluorescent Test	Test/Retest - Thickness Test	Tanks - Repair	Tanks - Manufacture	Tanks - Assembly	Tanks - Modification	Piping - Repair	Piping - Manufacture	Piping - Modification
TC 406	М	М		М	М	М	М	М	М	М		YES		М		
TC 407	М	М		М	М	М	М	М	М			YES				
TC 412	М	М		М	М		М	М	М							
TC 331	М	М		М	М		М	М	М			YES				
TC 51	М	М		М	М	М	М	М	М							
TC 60	M	M		M	M	M	M	M	M							
UPPER COUPLER I			INSPEC	TION	FL PAI	UORES RTICLE	SCENT	MAG. CTION		THI	CKNES	S TES	Γ			
ANY TANK	ГҮРЕ				$\sqrt{}$					$\sqrt{}$				$\sqrt{}$		

NATIONAL ENERGY EQUIPMENT INC.	Quality Control Manual in accordance with CSA B620
Document Number: NEE-QCM- NL -001	Revision Number: 05
Prepared by / Approved by:	Arash Navidan / Zanyar Farhadi
Date of Issue: 2019/04/12	Page Number: 8 of 122

SECTION - 2 **Definitions and Glossary of Abbreviations**

ASME American Society of Mechanical Engineers (generally refers to boiler and pressure vessel codes)

AWS American Welding Society

CODE The code or specification that the tank is built to (eg. MC 306, TC 406)

CSA Canadian Standards Association

CSA B620 The Canadian Standard that includes highway tank specifications and inspection and testing

requirements (Revision 14 or most current version)

DOT United States Department of Transportation

Field welding Any welding performed at locations other than the facility address

FRP Fiber-reinforced plastic.

HAWP Hose assembly working pressure (the anticipated working pressure of the hose assembly, which

does not exceed the maximum working pressure of the hose assembly's lowest-rated component.)

Hot work Any work involving welding, cutting, grinding, drilling, or exposure to open flame.

"T" The cargo tank marking that indicates an INTERNAL visual inspection

ISC Internal Self Closing (valve)

"K" The cargo tank marking that indicates a LEAK test

MAWP The maximum allowable working pressure of a cargo tank as indicated on the data plate

MDIN Manufactures Design Identification Number

MC Motor Carrier as used in code designations (eg. MC 306)

NEEI National Energy Equipment Inc.

"P" lining the cargo tank marking that indicates a PRESSURE test

Process owner Derek Hopkins, Branch Manager.

He is responsible for all requires documentations and the assigned activities of all inspectors,

testers, and welders.

PSI Pounds per square inch

Remount Mounting a previously certified highway tank onto a different vehicle chassis or vehicle

suspension component, or a change to the original means of securement or tank mounting

system. A remount is a modification.

Repair Returning a tank to its original design and specification by welding on the tank wall, on integral

structural components of the tank such as the rollover dam, tank sill, or baffles, and on any

components that contain lading. This term does not include:

(a) changes to motor vehicle equipment, such as lights, truck or tractor power train

components, steering and brake systems, and suspension parts;

NATIONAL ENERGY EQUIPMENT INC.	Quality Control Manual in accordance with CSA B620
Document Number: NEE-QCM- NL -001	Revision Number: 05
Prepared by / Approved by:	Arash Navidan / Zanyar Farhadi
Date of Issue: 2019/04/12	Page Number: 9 of 122

- (b) changes to appurtenances, such as fender attachments, lighting brackets, and ladder brackets;
- (c) replacement of components, such as valves, vents, or fittings, with components of a similar design and of the same size and capacity; and
- (d) replacement of an attachment other than an integral structural component of the tank by welding to a mounting pad.

Retrofit A change to a previously certified highway or portable tank that brings the tank into compliance

with the latest revision of the specification to which the tank was originally constructed.

Depending on the scope of the change, the retrofit can involve a modification of the highway or

portable tank (see Modification).

SRV Safety Relief Valve

"T" The cargo tank marking that indicates a THICKNESS test

TC Transport Canada

TDG Transportation of dangerous goods

TCRN Transport Canada Registration Number

UC Upper Coupler

"V" The cargo tank marking that indicates an EXTERNAL visual inspection

WPS Weld Procedure Specification

Quality Control Manual in accordance with CSA B620 Document Number: NEE-QCM- NL -001 Revision Number: 05 Prepared by / Approved by: Arash Navidan / Zanyar Farhadi Date of Issue: 2019/04/12 Page Number: 10 of 122

SECTION - 3 Statement of Authority

This manual outlines the requirements for the activities, as detailed in Section 1. In addition, this program addresses the National Quality Systems Manager's responsibility, which details the support of the management of National Energy Equipment Inc. (NEEI), for administrating the quality control program and the various related standards to be used for the activities.

3-1 Responsibilities:

All involved personnel are totally committed to meeting the requirements of CSA B620, NEEI policies, and the quality control system outlined in this manual.

The National Quality Systems Manager (NQSM) is responsible for the preparation, revision, approval and issuance of the quality control manual. The NQSM and Quality Assurance Specialist (QAS) are responsible for the administration and implementation of the quality control program in the shops. Each NEEI branch's Process Owner, shall help them in accordance with the quality control program. The NQSM has the responsibility and authority to control production, and the organizational freedom to:

- Identify quality control problems;
- Initiate action, which results in solutions to those problems;
- Verify implementation of solutions to those problems; and
- Control further processing, delivery or unsatisfactory condition until proper disposition has been made.

Process Owners will be responsible for their assigned activities. They may delegate the performance of their assigned duties to qualified individuals but they shall retain the responsibility for those assigned activities.

In the event of a disagreement between the responsible person and the Process Owner, the problem shall be brought to the NQSM for resolution. Any resolution shall not negate the requirements of CSA B620, or this Manual.


3-2 Codes and standards

The latest edition of codes and standards of Canadian Standards Association (CSA) which are specified in Transportation of Dangerous Goods of Transport Canada shall be applied for B620 program. Any other standards which are mentioned in Transport Canada website, also shall be used.

3-3 Signature

Signed:	Se	Title: National quality systems manager Date: 2019-04-12
_		

NATIONAL ENERGY EQUIPMENT INC.	Quality Control Manual in accordance with CSA B620
Document Number: NEE-QCM- NL -001	Revision Number: 05
Prepared by / Approved by:	Arash Navidan / Zanyar Farhadi
Date of Issue: 2019/04/12	Page Number: 11 of 122
SECTION- 4 Organization Chart	



SECTION- 5 Manual Control


This Manual and its revisions shall be prepared, issued, maintained, and approved by the National Quality Systems Manager. The approval and acceptance of the National Quality Systems Manager are shown on each page of the manual.

This Manual shall be reviewed at least once a year at the management review meeting to ensure all procedures are current and in conformance with CSA B620 or most current version and be revised at that time if required.

If revisions are required to this Manual they shall be implemented at the date the changes in regulation take effect. The only controlled copy of the latest revision of Manual is placed in NEEI's intranet.

Revision shall be described in the revision control sheet (section22) and noted on the Table of Contents and each page of the Quality Control Manual.

The National Quality Systems Manager shall issue, distribute and maintain copies of this Quality Control Manual and its revisions. The same person is responsible for removal of superseded versions from circulation.



SECTION - 6 Drawing and design control

Drawings, where required, shall be provided either by the equipment supplier, original equipment manufacturer, outside engineering sources or the Process Owner.

Approval of designs, design changes and where drawings effect a change in design shall be approved by a Registered Design Engineer.

Design of a new tank or modification to a tank, the issuance of an MDIN and/or TCRN, and the application process for a TCRN shall be reviewed and approved by the Process Owner.

The latest revision of all designs, drawings, and changes shall be used and the older revisions shall be superseded.

The calculations and drawings illustrating the design shall be signed by the Design Engineer to indicate that the design has been reviewed and approved; and one of the following shall apply:


- the calculations and drawings shall also be marked with the printed name of the Design Engineer, his or her registration number, and the MDIN; or
- a record shall be maintained listing all calculations, applicable drawings, and revision numbers used in a design. This record shall include the printed name of the Design Engineer, his or her signature, his or her registration number, and the MDIN.


For all specification tanks, NEEI shall retain the calculations and drawings for not less than 20 years after the date of assembly, or modification of the last tank of that design.

The process owner has to ensure that currently authorized drawings or designs are performed by the appropriate personnel and are in line with the requirements of CSA-B620. He is responsible for the proper approval of designs, design changes, and for reviewing the design of a new tank or a modification to a tank, the issuance of an MDIN and/or TCRN, and the application process for a TCRN, if applicable.

All drawings, calculations and design packages shall be kept in the facility based on the document control system of the facility. Electronic copy of Design packages shall be saved in NEEI online storage. In the document control system, documents process owner ensures that all designs, changes, and revisions are authorized and that only the currently authorized drawings or designs are used.

NATIONAL ENERGY EQUIPMENT INC.	Quality Control Manual in accordance with CSA B620
Document Number: NEE-QCM- NL -001	Revision Number: 05
Prepared by / Approved by:	Arash Navidan / Zanyar Farhadi
Date of Issue: 2019/04/12	Page Number: 13 of 122
SECTION- 7 Manufacture	N/A





SECTION - 8 Assembly

Assembly is the portion of the fabrication process of a highway tank that does not involve welding on the tank wall, welding on integral structural components of the tank (rollover dam, tank sill, baffles), and welding on any components that contain lading such as piping.

Assembly includes any of the following functions that are necessary to meet the specification requirements prior to the certification of a highway tank:

- A) The fabrication and installation of component parts of a highway tank.
- B) The mounting of one or more tanks onto a vehicle chassis or onto a vehicle suspension component.

All highway tanks purchased for assembly shall only be purchased from a facility registered with Transport Canada to perform the manufacturing function.

The person performing the process shall ensure that all precautions are taken to ensure that there is no hazard to the personnel performing it or to persons in the general vicinity. In this regard please follow NEEI's hazard assessment documents including but not limited to Confined space entry permit, program and procedures.

8-1 Scope of work and authorizations

The assembly of tanks is done in accordance with an approved design provided by the manufacturer; and the design of a portion of the assembly of a highway or portable tank.


All required assembly processes including but not limited to mounting tanks and installing fittings are done in accordance with the version of CSA B620 that is in force under the TDG Regulations and with the version of the ASME Code that is referenced in CSA B620. Assembly design drawings, calculations, and specifications, as applicable shall be prepared by NEEI if not provided by the manufacturer.

8-2 Design review

All preparation, revision, and distribution control of drawing, designs, documents and records shall comply with the requirements of Drawing and Design Controls Section 6.

8-3 Inspection and testing

The Process Owner is responsible for the inspection and testing required on completion of the assembly. All applicable type of inspections including but not limited to visual test, leakage test (if applicable), and pressure test (if applicable) are performed prior to certification and delivery of a highway or portable tank in the facility. On product-retaining components pneumatic retesting and inspection shall be required prior to further use of the tank. For the process, the Test and inspection travel sheet (Form No. NEE-FRM-011) shall be used. The inspection and testing will be carried out in the facility where the assembly has been performed.



8-4 ID plate and other required markings

Any tank wholly, or partially, assembled by NEEI must be accompanied by a Specification plate information sheet (Form No. NEE-FRM-003) and a Certificate of Compliance for New or Assembled Tanks (Form No. NEE-FRM-004) that is in a format authorized by the Transport Canada Dangerous Goods Directorate. This will be completed by NEEI as far as the work has been completed. Assembled tanks shall not be marked unless satisfactory pass mentioned inspections and tests.

The Process Owner shall ensure that a metal identification plate (Form No. NEE-FRM-001) is permanently affixed to the tank or its supporting structure either by brazing or welding around its perimeter, or with tamper resistant fasteners on the left side of the tank, near the front, in a place readily accessible for inspection. The plate may also be attached to a mounting pad welded directly to the tank, but not to the bodywork or skirting. The Process Owner also shall ensure that other required markings and decals has been done properly in accordance with CSA B620.

The final assembler has the responsibility to inscribe and mark the TC specification, and completion or/and certification date on the plate.

8-5 Tank Certification

The Process Owner shall ensure that NEEI has fulfilled the responsibility of issuing a Certificate of Compliance for New or Assembled Tanks (Form No. NEE-FRM-004) to the Owner for all manufactured and/or modified highway tanks in accordance to CSA B620 at or before the time of delivery

The requirements of the specification that has yet to be met must be indicated on the Certificate of Compliance for New or Assembled Tanks (Form No. NEE-FRM-004) and the metal identification plate may be affixed without the TC specification mark and the completion and certification date. The TC specification mark and completion and certification date shall not be applied until the tank is complete and all requirements of the CSA B620 standard have been met.

If NEEI does not complete the construction of a tank, the certification must be completed in accordance with the requirements of Clause 8 of CSA B620 for all construction that has been completed

NEEI as a final assembler shall be responsible for ensuring that all certification have been completed in compliance with CSA B620

8-6 References

- Confined space entry permit, program and procedures		(See 21.1)
NEE-FRM-001	Metal identification plate stamping	(See 21.1)
NEE-FRM-003	Specification plate information sheet for recertified tanks	(See 21.1)
NEE-FRM-004	Certificate of compliance for new & assembled tanks	(See 21.1)
NEE-FRM-011	Test and inspection travel sheet	(See 21.1)
	NEE-FRM-001 NEE-FRM-003 NEE-FRM-004	NEE-FRM-001 Metal identification plate stamping NEE-FRM-003 Specification plate information sheet for recertified tanks

NATIONAL ENERGY EQUIPMENT INC.	Quality Control Manual in accordance with CSA B620
Document Number: NEE-QCM- NL -001	Revision Number: 05
Prepared by / Approved by:	Arash Navidan / Zanyar Farhadi
Date of Issue: 2019/04/12	Page Number: 17 of 122

SECTION - 9 Modification

Modification is a change to the original design of a previously certified highway tank that affects its structural integrity or lading retention capability including, but not restricted to remounts, tank re-barreling, and tank stretching. Also is change to the design of the rear-end protection or accident damage protection or change to the size or ratings of piping, fittings and closures.

9-1 Scope of work and authorizations

All required modification processes are done in accordance with the version of CSA B620 that is in force under the TDG Regulations and with the version of the ASME Code that is referenced in CSA B620. Modifications which performed are including but not limited to: remounts, tank rebarrelling, tank stretching, a change to the design of the rear-end protection or accident damage protection, and a change to the size or ratings of piping, fittings, and closures. Assembly design drawings, calculations, and specifications, as applicable shall be prepared by NEEI if not provided by the manufacturer.

For all tanks that require modification, the person performing the process shall ensure that all precautions are taken to ensure that there is no hazard to the personnel performing it or to persons in the general vicinity. In this regard please follow NEEI's hazard assessment documents including but not limited to Confined space entry permit, program and procedures.

9-2 Design review

All preparation, revision, and distribution control of drawing, designs, documents and records shall comply with the requirements of Drawing and Design Controls Section 6.

9-3 Inspection and testing

The Process Owner is responsible for the inspection and testing required on completion of the modification. All applicable type of inspections and tests shall be performed prior to certification and delivery of a highway or portable tank in the same facility location which modification is performed.


On product-retaining components, pneumatic retesting and inspection shall be required prior to further use of the tank. If product-retaining components of piping have been modified or repaired, a leak test shall also be required. For the process, the Test and inspection travel sheet (Form No. NEE-FRM-011) shall be used.

The inspection and testing program for modification shall be the same as described in the Inspection and Testing Control Procedure in Section 12.

9-4 ID plate and other required markings

Any tank wholly, or partially, modified by NEEI must be accompanied by a Specification plate information sheet (Form No. NEE-FRM-003) and a Modification certificate of compliance (Form No. NEE-FRM-005) that is in a format authorized by the Transport Canada Dangerous Goods Directorate. This will be completed by NEEI as far as the work has been completed.

A modified tank shall be marked with an additional identification plate, titled "Modification Plate" only after successful testing. The Process Owner shall ensure that a Modification plate stamping (Form No. NEE-FRM-002) is permanently affixed to the tank or its supporting structure either by brazing or welding around its



perimeter, or with tamper resistant fasteners on the left side of the tank, near the front, in a place readily accessible for inspection. The plate may also be attached to a mounting pad welded directly to the tank, but not to the bodywork or skirting.

The final assembler has marked the TC specification and completion and certification date on the plate.

9-5 Tank Certification

The Process Owner shall ensure that NEEI has fulfilled the responsibility of issuing a Modification certificate of compliance (Form No. NEE-FRM-005) to the Owner for all modified tanks in accordance to CSA B620 at or before the time of delivery


The requirements of the specification that has yet to be met must be indicated on the Modification certificate of compliance (Form No. NEE-FRM-005) and the metal identification plate may be affixed without the TC specification mark and the completion and certification date. The TC specification mark and completion and certification date shall not be applied until the tank is complete and all requirements of the CSA B620 standard have been met.

The following requirements for a Certificate of Compliance shall apply:

- (a) On delivery of a tank, the registered facility shall issue a Certificate of Compliance to the tank purchaser or owner.
- (b) A Certificate of Compliance shall be filled (Form No. NEE-FRM-005);
- (c) A copy of the Certificate shall be retained for a minimum of 20 years from the date of delivery.
- (d) The Certificate shall be retained by the owner or the owner's designate throughout the ownership of the tank, and a copy shall be retained for at least one year thereafter.

9-6 References

-	Confined space e	ntry permit, program and procedures	(See 21.1)
-	NEE-FRM-002	Modification plate stamping	(See 21.1)
-	NEE-FRM-003	Specification plate information sheet for recertified tanks	(See 21.1)
-	NEE-FRM-005	Modification certificate of compliance	(See 21.1)
-	NEE-FRM-011	Test and inspection travel sheet	(See 21.1)



SECTION - 10 Repairs

10-1 Scope of work and authorizations

Repair to tank is any activity include welding/ brazing to a tank wall or lading retention and integral structural component (rollover dam, tank sill, baffles), or any other activity which returns a tank to its original design and specification, or retrofits a tank to the latest revision of the specification to which the tank was originally constructed. (Not all retrofits can be considered as repair, some may be modifications)

For all tanks that require repairs, the person performing repairs shall ensure that all precautions are taken to ensure that there is no hazard to the personnel performing the repairs or to persons in the general vicinity. In this regard please follow NEEI's hazard assessment documents including but not limited to Confined space entry permit, program and procedures.

A repair may not be work that is foreseen. The occurrence and the need for repair may be required during periodic inspections, modifications, or assembly. As such, these unforeseen occurrences of repair work shall be reviewed on a per case basis by the process owner.

Before starting work, the process owner shall ensure that warranty by the original manufacturer is not in effect. If it is, approval from the original manufacturer must be obtained.

All repairs shall be in accordance with the requirements of CSA B620 and the current edition of ASME Section VIII Division 1 at the time of the repair, with the exception of the following:

- Tanks will not be repaired or altered in a way that may cause an increase in the probability of leakage or cracks by areas of stress concentration due to shrinkage of cooling metal, and shall not be repaired with overlay-type patches.

Repairs of TC 406 Crude and any FRP Highway tanks (including piping) are not authorized.


All materials used in the repair of tank shell and heads shall be purchased and controlled in accordance with Section 11 of this Manual.

Materials used to repair tank shell or heads shall be identical to the material on the Identification Plate of the tank being repaired, unless specifically authorized by the Engineering Manager and with approval of a Registered Design Engineer. Where this results in a modification to the tank it shall be performed in accordance with Section 9 of this Manual.

Any welding/ brazing performed during the repair process shall be performed in accordance with Section 15 of this Manual.

Any Manhole Cover, Vent or valve directly attached to the tank or manhole cover shall be replaced with the identical components unless specifically authorized by the Service Manager. Where replacement effects a change in design they shall be approved by a Registered Design Engineer. Where this results in a modification of the tank it shall be performed only at a facility registered with Transport Canada for this scope.

When repair is complete it shall be recorded on the Repir Report (NEE-FRM-006)



10-2 Inspection and testing

Upon completion of repairs, the Process Owner shall ensure the tank is inspected and tested for repair in the facility. On product-retaining components, pneumatic retesting and inspection in the facility shall be required prior to further use of the tank. If product-retaining components of piping have been modified or repaired, a leak test shall also be required in the facility. The inspection process shall be the same as described in the Inspection and Testing Control Procedure in Section 12.

For inspection of repairs, the nature and severity of defects found should be stated, if any, and by what method the damage or defect was discovered. In particular, information shall be furnished to indicate the location of defects detected. If no defect or damage was discovered, that fact shall be reported.

Required markings are to be installed only after successful tests in accordance with Section 13 of this Manual.


Upon completion of any repairs, the facility shall prepare a repair report included in 'Test and inspection report' or 'welding inspection report'.

10-3 References

- Confined space entry permit, program and procedures (S	See 21.1)
--	-----------

- NEE-FRM-006 Repair Report (See 21.1)

- NEE-FRM-013 Welding Inspection Report (See 21.1)



SECTION - 11 Material Control

This section describes the requirements for provision of materials to be used in manufacture, modification, repair, or assembly of TC highway tanks and portable tanks, and outlines the system for purchase, receipt, identification and maintaining traceability of Code material to ensure compliance with the CSA B620 and the ASME Codes and design specifications.

All material receiving, identification and Code requirements defined in this section apply to Owner-supplied material as well. When the Owner supplies material, it shall be checked by the Process Owner upon receipt against the Owner's material list.

Material that is defective, damaged or otherwise not in compliance with the code of construction shall be considered non-conforming and handled in accordance with Section 14 of this Manual.

Any material substitutions shall be referred back to the Design Engineer for approval. For TC331 tank, approval from a Design Review Agency may be required.

Material will be stored in a location designated for controlled material only.

Upon receipt of materials, Process Owner shall:

- 1) Verify that materials are in conformance with requirements of purchase order,
- 2) Ensure that the Mill Test Report (MTR) matches the material and the Purchase Order, and is in compliance with the design specifications, drawings, and ASME. Section II for Chemical and Mechanical Properties. The Process Owner shall indicate this by initialing the MTR.
- 3) Ensure that all specified tests were performed and the material specification, grade, heat number, and slab numbers are legible and coincide with that of the MTR,
- 4) Ensure that the original or copies of MTR are placed in the Job File.
- 5) Ensure that mill test results conform to ASME Section II requirements and indicate acceptance by signature and date on the Mill Test Reports.

NATIONAL ENERGY EQUIPMENT INC.	Quality Control Manual in accordance with CSA B620
Document Number: NEE-QCM- NL -001	Revision Number: 05
Prepared by / Approved by:	Arash Navidan / Zanyar Farhadi
Date of Issue: 2019/04/12	Page Number: 22 of 122

SECTION - 12 Inspection and testing – Examination

For each tank design, all drawings, design calculations, and specifications shall be in accordance with CSA B620, and selected by B621 or B622 Standards (the most current version),

As applicable, NEEI plans and carries out production and service provisions under controlled conditions. Controlled conditions include:


- 1) the availability of information that describes the characteristics of the product,
- 2) the availability of work instructions, as necessary,
- 3) the use of suitable equipment,
- 4) the availability and use of monitoring and measuring devices,
- 5) the implementation of monitoring and measurement activities, and
- 6) the implementation of product release, delivery and post-delivery activities.

The Inspector shall have free access to such parts of all plants involved in the repair/modification. These shall include, but shall not be limited to the following:

- a) Shop (Plant)
- b) Quality Control Manual
- c) Warehousing

The Process Owner shall be responsible for:

- 1) Ensuring that all required examinations and inspections are performed in compliance with the current edition of CSA B620 and TDG regulations and shall ensure that these examinations and inspections are done in accordance with approved procedures,
- 2) Collecting all related documentation such as design changes, calculations, specifications, repairs, examination and test reports, travel sheets into the Job File for each Highway Tank being recertified,
- 3) Maintaining the Job File (by job number and/or serial number).
- 4) Inspection prior to assembly of a new Tank, or reassembly of a modified tank,
- 5) Collecting the Manufacturer's Partial Certificate of Compliance, plus any test reports generated during manufacture or modification, and verify that all functions have been completed.
- 6) Maintenance of reports and certificates to be kept in the Job File and final copies issued to tank owner.



For all tanks that are to be inspected or tested, the inspector or tester shall ensure that all precautions are taken to ensure that there is no hazard to personnel performing the inspection and test.

Prior to any examination or inspection being performed, each tank shall be cleaned and decontaminated.

12.1 Inspection Program

All tanks shall be inspected and tested in accordance with CSA-B620 subject to the annotations to the tables. (Section 21.1)

The inspection reports shall be documented on the Test and Inspection Report (Form No. NEE-FRM-007).

12.1.1 Periodic and obligatory inspection and testing.

Periodic inspection and test intervals are based on tables 7.1 and 7.2 of CSA-B620. (Section 21.1)

If more than one test or inspection interval is prescribed for a given tank in a particular service, then the shortest interval shall apply. The due dates for the first periodic retest and inspection are measured from the original test and inspection date marked on the tank, or if no test date is marked, the certification date.

In addition to the periodic retesting or inspection requirements, hydrostatic or pneumatic retesting and inspection shall be required prior to further use if:


- 1) a tank shows evidence of bad dents, corroded or abraded areas, leakage, or any other condition that might render the tank unsafe for transportation service;
- 2) the tank has been involved in an accident in which it may have been dented, torn, or otherwise damaged so as to affect its lading retention capability;
- 3) the tank has not been used for transporting dangerous goods for 1 year or more; or
- 4) the tank is new or modified from its original design, and the modification involves work on product-retaining components.

NATIONAL ENERGY EQUIPMENT INC.	Quality Control Manual in accordance with CSA B620
Document Number: NEE-QCM- NL -001	Revision Number: 05
Prepared by / Approved by:	Arash Navidan / Zanyar Farhadi
Date of Issue: 2019/04/12	Page Number: 24 of 122

12.2 External Visual Inspection (V) - Typical interval is every year (annually)

12.2.1 Highway tanks for the transportation of dangerous goods other than liquefied compressed gases TC406(306), TC407(307)

TC406, Older version:TC306



Highway tank for flammable liquids and low hazard chemicals (e.g. gasoline, diesel);

Steel or aluminum shell or reinforced plastic;


MAWP between 18 and 28 kPa (2.65 and 4 psi);

If transporting crude, MAWP between 18 and 100 kPa (2.65 and 14.7 psi);

- 1) Inspect all tank markings for legibility. Markings must not be faded, defaced or torn.
- 2) Inspect to ensure that all information on the tank data plate are concise and legible. If data plate or on the tank is illegible or information is incomplete, note on the Inspection Report and reject tank. For complete list of the required information, refer to 'Required information on the Identification Plate checklist'.
- 3) Inspect to ensure each manhole cover is permanently marked with
 - a. the manufacturer's name;
 - b. the test pressure XXX kPa (psi); and
 - c. a statement certifying that the manhole cover meets the testing requirements of
 - i. clause 5.6.6 of CSA B620; or
 - ii. §178.345-5 of 49 CFR
- 4) Inspect entire exterior surface area including heads for signs of corrosion, abrasion, gouges, dents or repairs made using overlay patches. Inspect surfaces of all welds for signs of defects or cracks visually by checking with hand and using flashlight if needed, especially in areas around tank nozzles.
- 5) Corroded or abraded areas of the tank shell will be thickness tested.
- <u>Measure with the thickness tester</u>: 1. Remove rubber cap from probe; 2. Single drop of couplant (Gel) must be applied to the surface to be tested; 3. Zero the probe according to the manufacturer instructions; 4. Place the probe flat on the surface and use moderate pressure to press against the top of the probe with the thumb or index finger and read the result on the display, which shall be indicated on, or attached to the report.
- 6) Ensure manhole tightening devices are operative, and the covers are leak-tight, with no signs of product stains.
- 7) Ensuring proper functioning of all valves, vents, and emergency devices, including pressure relief valves, self-closing stop-valves, excess-flow valves, and remote closure devices, and connections are properly identified (emergency closure, liquid and vapour, etc.) ensuring that they are free of corrosion, distortion, or any other damage that would prevent their normal operation.

MATIONAL ENERGY EQUIPMENT INC.	Quality Control Manual in accordance with CSA B620
Document Number: NEE-QCM- NL -001	Revision Number: 05
Prepared by / Approved by:	Arash Navidan / Zanyar Farhadi
Date of Issue: 2019/04/12	Page Number: 25 of 122

- 8) All reclosing pressure relief valves (PRV):
 - Shall be externally inspected for any corrosion or damage that might prevent their safe operation.
 - On tanks that carry lading corrosive to the valves, either replace or test to ensure that they open at the required set to discharge pressure for the tank's MAWP and reseat them to a leak-tight condition at not less than 90% of that pressure, or to the re-seat pressure prescribed for the tank specification.
- 9) Ensuring that all bolts or nuts on any flanged connection or blank flange are in place and properly tightened by checking with a proper wrench.
- 10) Ensuring that all major appurtenances, piping, attachments, connecting structures, and those elements of the upper coupler assembly (if applicable) that can be inspected without dismantling the assembly are not damaged or corroded so as to affect safe operation of the vehicle.
- 11) If upper coupler is due for removal, drop upper coupler and inspect areas covered by upper coupler for corrosion, abrasion dents, distortion, weld defects or any other condition that might render the tank unsafe. Inspect upper coupler for cracks or distortions.
- 12) Ensure that hose assemblies mounted on or accompanying the tank do not display any defects, have legible markings, and where required, have been pressure tested, indicating that they were pressure tested.
- 13) Ensure any void drains are unplugged and inspect for signs of product residue or leakage.
- 14) Ensure that all bolts used to secure tank to the frame are present. Use a proper wrench to confirm bolts are tight.
- 15) Rollover protection facilities are properly installed on the tank. The welding of any appurtenance to the shell or head must be made by attachment of a mounting pad.
- 16) Bumpers of the cargo tank is properly installed to the specified dimensions, and it will successfully absorb the impact of the vehicle with rated payload. The clearance between the effective bottom of the bumpers or devices and the ground is less than 76cm (30in) when the vehicle is empty;
- 17) The original metal identification plate in any condition shall not be removed.
- 18) When the metal ID plate is illegible or missing, a replacement metal ID plate shall be installed as per the following procedure in accordance with clauses 7.7.2, 7.7.3, and 7.7.4 of CSA-B620-14:
- 18-1) <u>Supporting document</u>: The original or replacement Certificate of Compliance shall be obtained prior to installation of the replacement plate. If no documentation can be obtained, a replacement plate shall not be applied. The facility who is installing the replacement plate is responsible for verifying that the tank in its present condition meets the specification to which it was originally certified and is indeed the tank listed in the supporting document obtained.
- 18-2) <u>Installation</u>: The re-stamping of the plate shall be done by the tank's original manufacturer or assembler, or his/her representative. When the original tank manufacturer or assembler is no longer able to provide the replacement plate, it shall be stamped and installed by this facility in accordance with clauses 5.1.6.1.1, 5.1.6.1.3, and 5.1.6.1.4 of CSA-B620-14.




The replacement plate shall be marked "Replacement" and contain all of the information that appeared on the original plate or as a minimum the items originally specified in the version of CSA-B620 standard in effect at the time of the tank fabrication (See section 21.1.27 'Required information on the ID plate checklist'). It shall also include the name and registration number of the facility installing the plate and the date of the installation. It shall be installed as near as possible to the original metal ID plate. The requirements of 18-3 apply to these procedures and are continued on the next item.

- 18-3) <u>Form</u>: Metal identification plate replacement form, NEE-FRM-008, (See Section 21.1.8) shall be completed and signed by the compliance officer at the facility and by the tank owner. This form and a copy of the metal ID plate image shall be kept by the owner or the owner's designate throughout the ownership of the tank. A copy of that shall be retained for at least 1 year thereafter. Copies shall be retained by the facility installing the plate for a minimum of 20 years from the date of delivery.
- 19) Ensure that the tank is equipped with one or more dry chemical fire extinguishers accessible from the ground, with a combined total effective rating of not less than 40BC. Each of them shall be recharged immediately after each use.
- 20) Ensure that the tank is equipped with an automatic engine air intake shut off device that prevent engine runaway in case of exposure to flammable vapours. The device shall activate automatically if engine runaway is detected and remain activated until manually reset.
- 21) In addition to the rejection criteria (as stated in Clause 7.2.1.8 of CSA B620), reject the tanks when the following defects are found during an external inspection:
 - When the thickness remaining under a cut, dig, or gouge is either below the minimum thickness specified on the nameplate; or
 - Any dent with a depth of more than 12.7 mm (0.5 in) where it includes a weld;
 - Any dent with a depth of greater than 10% of the length of the dent,
 - Any weld defect, including a crack, pinhole, or incomplete fusion of the weld;
 - Any structural defect; and
 - Any source of leakage, or
 - Repairs made to liquid-retaining components using overlay patches.
 - When any noted CSA B620 design requirements are not met such as impact protection or rear bumper restrictions, etc.
- 22) Ensure all outlets, valves, closures, piping, or any devices that if damaged in an accident could result in a loss of lading, are protected by accident damage protection.

NATIONAL ENERGY EQUIPMENT INC.	Quality Control Manual in accordance with CSA B620
Document Number: NEE-QCM- NL -001	Revision Number: 05
Prepared by / Approved by:	Arash Navidan / Zanyar Farhadi
Date of Issue: 2019/04/12	Page Number: 27 of 122

TC407, Older version:TC307



Highway tank for toxic, corrosive and flammable liquids;

Circular cross-section;

Steel, aluminum or reinforced plastic (FRP tanks is not in the scope);

MAWP of at least 172 kPa (25 psi);

Over 235 kPa (35 psi) or vacuum loaded, must be ASME;


May be vacuum loaded if external design pressure is at least 103 kPa (15 psi) and internal design pressure is at least 173 kPa (25 psi);

- 1) Inspect all tank markings for legibility. Markings must not be faded, defaced or torn.
- 2) Inspect to ensure that all information on the tank data plate are concise and legible. If data plate or on the tank is illegible or information is incomplete, note on the Inspection Report and reject tank. For complete list of the required information, refer to 'Required information on the Identification Plate checklist'.
- 3) Inspect to ensure each manhole cover is permanently marked with
 - a. the manufacturer's name;
 - b. the test pressure XXX kPa (psi); and
 - c. a statement certifying that the manhole cover meets the testing requirements of
 - i. clause 5.6.6 of CSA B620; or
 - ii. §178.345-5 of 49 CFR
- 4) On non-insulated tanks, Inspect entire exterior surface area including heads for signs of corrosion, abrasion, gouges, dents or repairs made using overlay patches. Inspect surfaces of all welds for signs of defects or cracks visually by checking with hand and using flashlight if needed, especially in areas around tank nozzles.
- 5) On insulated tanks note all signs of exterior damage and signs of leakage for reference during internal visual inspection. Check for loose and damaged jacketing material. No occurrence of leakage from the drain or void space satisfies the external inspection requirements for the tank wall in that void space.
- 6) Corroded or abraded areas of the tank shell will be thickness tested.

 Measure with the thickness tester: 1. Remove rubber cap from probe; 2. Single drop of couplant (Gel) must be applied to the surface to be tested; 3. Zero the probe according to the manufacturer instructions; 4. Place the probe flat on the surface and use moderate pressure to press against the top of the probe with the thumb or index finger and read the result on the display, which shall be indicated on, or attached to the report.

NATIONAL ENERGY EQUIPMENT INC.	in accordance with CSA B620
Document Number: NEE-QCM- NL -001	Revision Number: 05
Prepared by / Approved by:	Arash Navidan / Zanyar Farhadi
Date of Issue: 2019/04/12	Page Number: 28 of 122

- 7) Ensure manhole tightening devices are operative, and that the covers are leak-tight, with no signs of product stains.
- 8) Ensuring proper functioning of all valves, vents, and emergency devices, including pressure relief valves (PRV), self-closing stop-valves, excess-flow valves, and remote closure devices, and connections are properly identified (emergency closure, liquid and vapour, etc.) ensuring that they are free of corrosion, distortion, or any other damage that would prevent their normal operation.
- 9) All reclosing pressure relief valves (PRV):
 - Shall be externally inspected for any corrosion or damage that might prevent their safe operation.
 - On tanks that carry lading corrosive to the valves, either replace or test to ensure that they open at the required set to discharge pressure for the tank's MAWP and reseat them to a leak-tight condition at not less than 90% of that pressure, or to the re-seat pressure prescribed for the tank specification.
- 10) On tanks that carry lading corrosive to the valves, either replace or test to ensure that they open at the required set to discharge pressure for the tank's MAWP and reseat them to a leak-tight condition at not less than 90% of that pressure, or to the re-seat pressure prescribed for the tank specification..
- 11) Ensuring that all bolts or nuts on any flanged connection or blank flange are in place and properly tightened by checking with a proper wrench.
- 12) Ensuring that all major appurtenances, piping, attachments, connecting structures, and those elements of the upper coupler assembly (if applicable) that can be inspected without dismantling the assembly are not damaged or corroded so as to affect safe operation of the vehicle.
- 13) If upper coupler is due for removal, drop upper coupler and inspect areas covered by upper coupler for corrosion, abrasion dents, distortion, weld defects or any other condition that might render the tank unsafe. Inspect upper coupler area for cracks or distortions.
- 14) Ensure that hose assemblies mounted on or accompanying the tank do not display any defects, have legible markings, and where required, have been pressure tested, indicating that they were pressure tested.
- 15) Ensure any void drains are unplugged and inspect for signs of product residue or leakage.
- 16) Ensure that all bolts used to secure tank to the frame are present. Use a proper wrench to confirm bolts are tight.
- 17) Rollover protection facilities are properly installed on the tank. The welding of any appurtenance to the shell or head must be made by attachment of a mounting pad.
- 18) Bumpers of the cargo tank is properly installed to the specified dimensions, and it will successfully absorb the impact of the vehicle with rated payload. The clearance between the effective bottom of the bumpers or devices and the ground is less than 76cm (30in) when the vehicle is empty;
- 19) The original metal identification plate in any condition shall not be removed.
- 20) NEEI Mount Pearl's Certificate of Registration does not include manufacture, assembly, modify, or repair on TC407/TC307 tank specifications. Therefore, NEEI Mount Pearl cannot stamp or install a replacement metal ID plate on a TC407/TC307 tank as outlined in clause 7.7.3.1 of CSA-B620-14.




- 21) Ensure that the tank is equipped with one or more dry chemical fire extinguishers accessible from the ground, with a combined total effective rating of not less than 40BC. Each of them shall be recharged immediately after each use.
- 22) Ensure that the tank is equipped with an automatic engine air intake shut off device that prevent engine runaway in case of exposure to flammable vapours. The device shall activate automatically if engine runaway is detected and remain activated until manually reset.
- 23) In addition to the rejection criteria (as stated in Clause 7.2.1.8 of CSA B620), reject the tanks when the following defects are found during an external inspection:
 - When the thickness remaining under a cut, dig, or gouge is either below the minimum thickness specified on the nameplate; or
 - Any dent with a depth of more than 12.7 mm (0.5 in) where it includes a weld;
 - Any dent with a depth of greater than 10% of the length of the dent,
 - Any weld defect, including a crack, pinhole, or incomplete fusion of the weld;
 - Any structural defect; and
 - Any source of leakage, or
 - Repairs made to liquid-retaining components using overlay patches.
 - When any noted CSA B620 design requirements are not met such as impact protection or rear bumper restrictions, etc.
- 24) Visually inspect the gaskets on any full opening rear head tanks for cuts, cracks, or splits, and replaced if cuts, cracks, or splits that are likely to cause leakage, or are a depth of 12.7 mm (0.5 in) or more, are found.
- 25) Ensure all outlets, valves, closures, piping, or any devices that if damaged in an accident could result in a loss of lading, are protected by accident damage protection.

NATIONAL ENERGY EQUIPMENT INC.	Quality Control Manual in accordance with CSA B620
Document Number: NEE-QCM- NL -001	Revision Number: 05
Prepared by / Approved by:	Arash Navidan / Zanyar Farhadi
Date of Issue: 2019/04/12	Page Number: 30 of 122

12.2.2 Highway tanks for the transportation of liquefied compressed gases and refrigerated liquefied gases TC331

TC331



Highway tank for liquefied compressed gases (e.g. LPG, NH3);

Steel or aluminum:

Design pressure shall be at least 690 kPa (100 psi) and not more than 3450 kPa (500 psi);

- 1) Inspect all tank markings for legibility. Markings must not be faded, defaced or torn.
- 2) Inspect to ensure that all information on the tank data plate are concise and legible. If data plate or on the tank is illegible or information is incomplete, note on the Inspection Report and reject tank. For complete list of the required information, refer to 'Required information on the Identification Plate checklist'.
- 3) On non-insulated tanks, Inspect entire exterior surface area including heads for signs of corrosion, abrasion, gouges, dents or repairs made using overlay patches. Inspect surfaces of all welds for signs of defects or cracks visually by checking with hand and using flashlight if needed, especially in areas around tank nozzles.
- 4) Corroded or abraded areas of the tank shell will be thickness tested.

 Measure with the thickness tester: 1. Remove rubber cap from probe; 2. Single drop of couplant (Gel) must be applied to the surface to be tested; 3. Zero the probe according to the manufacturer instructions; 4. Place the probe flat on the surface and use moderate pressure to press against the top of the probe with the thumb or index finger and read the result on the display, which shall be indicated on, or attached to the report.
- 5) Ensure manhole tightening devices are operative, and that the covers are leak-tight, with no signs of product stains.
- 6) Ensuring proper functioning of all valves, vents, and emergency devices, including pressure relief valves, selfclosing stop-valves, excess-flow valves, and remote closure devices, and connections are properly identified (emergency closure, liquid and vapour, etc.) ensuring that they are free of corrosion, distortion, or any other damage that would prevent their normal operation.
- 7) All reclosing pressure relief valves (PRV):
 - Shall be externally inspected for any corrosion or damage that might prevent their safe operation.
 - On tanks that carry lading corrosive to the valves, either replace or test to ensure that they open at the required set to discharge pressure for the tank's MAWP and reseat them to a leak-tight condition at not less than 90% of that pressure, or to the re-seat pressure prescribed for the tank specification.
- 8) Ensuring that all bolts or nuts on any flanged connection or blank flange are in place and properly tightened by checking with a proper wrench.

PATIONAL ENERGY EQUIPMENT INC.	Quality Control Manual in accordance with CSA B620
Document Number: NEE-QCM- NL -001	Revision Number: 05
Prepared by / Approved by:	Arash Navidan / Zanyar Farhadi
Date of Issue: 2019/04/12	Page Number: 31 of 122

- 9) Ensuring that all major appurtenances, piping, attachments, connecting structures, and those elements of the upper coupler assembly (if applicable) that can be inspected without dismantling the assembly are not damaged or corroded so as to affect safe operation of the vehicle.
- 10) If upper coupler is due for removal, drop upper coupler and inspect areas covered by upper coupler for corrosion, abrasion dents, distortion, weld defects or any other condition that might render the tank unsafe. Inspect upper coupler for cracks or distortions.
- 11) Ensure that hose assemblies mounted on or accompanying the tank do not display any defects, have legible markings, and where required, have been pressure tested, indicating that they were pressure tested.
- 12) Ensure any void drains are unplugged and inspect for signs of product residue or leakage.
- 13) Ensure that all bolts used to secure tank to the frame are present. Use a proper wrench to confirm bolts are tight.
- 14) Rollover protection facilities are properly installed on the tank. The welding of any appurtenance to the shell or head must be made by attachment of a mounting pad.
- 15) Bumpers of the cargo tank is properly installed to the specified dimensions, and it will successfully absorb the impact of the vehicle with rated payload. The clearance between the effective bottom of the bumpers or devices and the ground is less than 76cm (30in) when the vehicle is empty;
- 16) The original metal identification plate in any condition shall not be removed.
- 17) When the metal ID plate is illegible or missing, a replacement metal ID plate may be installed, provided that certain conditions are met. First, the installation must be performed in accordance with the applicable pressure vessel authorities. In Newfoundland and Labrador, the pressure vessel authority is Service NL, and they must be contacted. Their phone contact number is 709.729.4834. Secondly, as NEEI Mount Pearl's Certificate of Registration for TC 331 tanks is limited to Assembly, a plate shall not be installed if the installation involves welding to the tank wall. Provided that the installation is performed in accordance with the Pressure Vessel Authority, the replacement metal ID plate could be installed by means of tamper-resistant fasteners as per the following procedure, in accordance with clauses 7.7.2, 7.7.3, and 7.7.4 of CSA-B620-14.
- 17-1) <u>Supporting document</u>: In addition to the required supporting document, the pressure vessel authority requires U1A form. The original or replacement Certificate of Compliance and the U1A Form for the pressure vessel shall be obtained prior to installation of the replacement plate. If no documentation can be obtained, a replacement plate shall not be applied. The facility who is installing the replacement plate is responsible for verifying that the tank in its present condition meets the specification to which it was originally certified and is indeed the tank listed in the supporting document obtained.
- 17-2) <u>Installation</u>: The re-stamping of the plate shall be done by the tank's original manufacturer or assembler, or his/her representative. When the original tank manufacturer or assembler is no longer able to provide the replacement plate, it shall be stamped and installed by this facility in accordance with clauses 5.1.6.1.1, 5.1.6.1.3, and 5.1.6.1.4 of CSA-B620-14.

The replacement plate shall be marked "Replacement" and contain all of the information that appeared on the original plate or as a minimum the items originally specified in the version of CSA-B620 standard in

NATIONAL ENERGY EQUIPMENT INC.	Quality Control Manual in accordance with CSA B620
Document Number: NEE-QCM- NL -001	Revision Number: 05
Prepared by / Approved by:	Arash Navidan / Zanyar Farhadi
Date of Issue: 2019/04/12	Page Number: 32 of 122

effect at the time of the tank fabrication (See section 21.1.27 'Required information on the ID plate checklist'). It shall also include the name and registration number of the facility installing the plate and the date of the installation. It shall be installed as near as possible to the original metal ID plate.

- 17-3) <u>Form</u>: Metal identification plate replacement form, NEE-FRM-008, (See Section 21.1.8) shall be completed and signed by the compliance officer at the facility and by the tank owner. This form and a copy of the metal ID plate image shall be kept by the owner or the owner's designate throughout the ownership of the tank. A copy of that shall be retained for at least 1 year thereafter. Copies shall be retained by the facility installing the plate for a minimum of 20 years from the date of delivery.NEEI Mount Pearl's Certificate of Registration does not include manufacture, assembly, modify, or repair on TC331 tank specifications. Therefore, NEEI Mount Pearl cannot stamp or install a replacement metal ID plate on a TC331 tank as outlined in clause 7.7.3.1 of CSA-B620-14.
- 18) Ensure that the tank is equipped with one or more dry chemical fire extinguishers accessible from the ground, with a combined total effective rating of not less than 40BC. Each of them shall be recharged immediately after each use.
- 19) Ensure that the tank is equipped with an automatic engine air intake shut off device that prevent engine runaway in case of exposure to flammable vapours. The device shall activate automatically if engine runaway is detected and remain activated until manually reset.
- 20) In addition to the rejection criteria (as stated in Clause 7.2.1.8 of CSA B620), reject the tanks when the following defects are found during an external inspection:
 - When the thickness remaining under a cut, dig, or gouge is either below the minimum thickness specified on the nameplate; or
 - Any dent with a depth of more than 12.7 mm (0.5 in) where it includes a weld;
 - Any dent with a depth of greater than 10% of the length of the dent,
 - Any weld defect, including a crack, pinhole, or incomplete fusion of the weld;
 - Any structural defect; and
 - Any source of leakage, or
 - Repairs made to liquid-retaining components using overlay patches.
 - When any noted CSA B620 design requirements are not met such as impact protection or rear bumper restrictions, etc.
- 21) Ensure all outlets, valves, closures, piping, or any devices that if damaged in an accident could result in a loss of lading, are protected by accident damage protection.
- 22) Off-truck emergency shutdown systems, shall be tested as per form number NEE-FRM-010 Inspection Check List for TC-331 mentioned in section 21.1.
- 23) Control will be tested at the time of inspection as follows:
 - TC 331 tanks that transport liquefied compressed gas (LPG) are required to have Emergency discharge controls, except designed to transport Class 2.2, non-flammable and non-toxic gases.


NATIONAL ENERGY EQUIPMENT INC.	Quality Control Manual in accordance with CSA B620
Document Number: NEE-QCM- NL -001	Revision Number: 05
Prepared by / Approved by:	Arash Navidan / Zanyar Farhadi
Date of Issue: 2019/04/12	Page Number: 33 of 122

- Tanks that are 13,250L or less, equipped for metered Service, need an off-truck emergency shutdown system.
- Tanks that are 13,250L or more, equipped for metered service, will need either a monitoring feature or a passive emergency shutdown system in addition to an off-truck emergency shut down system.
- With product running at normal flow rate throughout the metering system, activate the off-truck Emergency shutdown system (normally this would be a BASE Engineering product). Observe the meter to determine how long it takes to stop the product flow. The meter should stop the flow and close the ISC within 30 seconds or sooner. No meter creep after 5 seconds.
- The same process for testing the Emergency Discharge Controls shall be used on both ON and OFF truck applications.
- The emergency shut down system shall function reliably at a distance of 46 m (150ft)
- When the Emergency shutdown has been activated, the ISC can't be reactivated remotely.
- Indicate results on Test and Inspection Report (Form No. NEE-FRM-007).
- For non-metered tanks, all ISC valves shall be open. Each emergency discharge control remote actuator (on-truck and off-truck) shall be operated to ensure each ISC valve indicator has moved to the closed position. Once all ISC valves are closed, all of the material in the downstream piping shall be evacuated, and the piping shall be returned to atmospheric temperature and pressure. The outlet shall then be monitored for 30 seconds to ensure that there is no detectable leakage.
- 24) Piping or hose used for loading/unloading liquefied gas shall be provided with a manual bleed valve or other means of relieving pressure before the hose is disconnected.

NATIONAL ENERGY EQUIPMENT INC.	Quality Control Manual in accordance with CSA B620
Document Number: NEE-QCM- NL -001	Revision Number: 05
Prepared by / Approved by:	Arash Navidan / Zanyar Farhadi
Date of Issue: 2019/04/12	Page Number: 34 of 122

12.2.3 TC portable tanks TC51, TC60

TC51



Portable tank for liquefied compressed gases (e.g. LPG, NH3); Steel;

Seamless or welded or both;

Water capacity greater than or equal to 450 L (119 USG);

Design pressure of at least 690 kPa (100 psi) and no more than 3450 kPa (500 psi);

- 1) Inspect all tank markings for legibility, faded, defaced and torn.
- 2) Inspect to ensure that all information on the tank data plate are concise and legible. If data plate or on the tank is illegible or information is incomplete, note on the Inspection Report and reject tank. For complete list of the required information, refer to 'Required information on the Identification Plate checklist'.
- 3) Inspect entire exterior surface area including heads for signs of corrosion, abrasion, gouges, dents or repairs made using overlay patches. Inspect surfaces of all welds for signs of defects or cracks visually by checking with hand and using flashlight if needed, especially in areas around tank nozzles.
- 4) Corroded or abraded areas of the tank shell will be thickness tested.


 Measure with the thickness tester: 1. Remove rubber cap from probe; 2. Single drop of couplant (Gel) must be applied to the surface to be tested; 3. Zero the probe according to the manufacturer instructions; 4. Place the probe flat on the surface and use moderate pressure to press against the top of the probe with the thumb or index finger and read the result on the display, which shall be indicated on, or attached to the report.
- 5) Ensure manhole tightening devices are operative, and the covers are leak-tight, with no signs of product stains.
- 6) Ensuring proper functioning of all valves, vents, and emergency devices, including pressure relief valves, selfclosing stop-valves, excess-flow valves, and remote closure devices, and connections are properly identified (emergency closure, liquid and vapour, etc.) ensuring that they are free of corrosion, distortion, or any other damage that would prevent their normal operation.
- 7) All reclosing pressure relief valves (PRV):
 - Shall be externally inspected for any corrosion or damage that might prevent their safe operation.
 - On tanks that carry lading corrosive to the valves, either replace or test to ensure that they open at the required set to discharge pressure for the tank's MAWP and reseat them to a leak-tight condition at not less than 90% of that pressure, or to the re-seat pressure prescribed for the tank specification.

NATIONAL ENERGY EQUIPMENT INC.	Quality Control Manual in accordance with CSA B620
Document Number: NEE-QCM- NL -001	Revision Number: 05
Prepared by / Approved by:	Arash Navidan / Zanyar Farhadi
Date of Issue: 2019/04/12	Page Number: 35 of 122

- 8) Ensuring that all bolts or nuts on any flanged connection or blank flange are in place and properly tightened by checking with a proper wrench.
- 9) Ensuring that all major appurtenances, piping, attachments, and connecting structures that can be inspected without dismantling the assembly are not damaged or corroded so as to affect safe operation of the tank.
- 10) Ensure that hose assemblies mounted on or accompanying the tank do not display any defects, have legible markings, and where required, have been pressure tested, indicating that they were pressure tested.
- 11) The original metal identification plate in any condition shall not be removed.
- 12) NEEI Mount Pearl's Certificate of Registration does not include manufacture, assembly, modify, or repair on TC51 tank specifications. Therefore, NEEI Mount Pearl cannot stamp or install a replacement metal ID plate on a TC51 tank as outlined in clause 7.7.3.1 of CSA-B620-14.
- 13) In addition to the rejection criteria (as stated in Clause 7.2.1.8 of CSA B620), reject the tanks when the following defects are found during an external inspection:
 - When the thickness remaining under a cut, dig, or gouge is either below the minimum thickness specified on the nameplate; or
 - Any dent with a depth of more than 12.7 mm (0.5 in) where it includes a weld;
 - Any dent with a depth of greater than 10% of the length of the dent,
 - Any weld defect, including a crack, pinhole, or incomplete fusion of the weld;
 - Any structural defect; and
 - Any source of leakage, or
 - Repairs made to liquid-retaining components using overlay patches.

NATIONAL ENERGY EQUIPMENT INC.	Quality Control Manual in accordance with CSA B620
Document Number: NEE-QCM- NL -001	Revision Number: 05
Prepared by / Approved by:	Arash Navidan / Zanyar Farhadi
Date of Issue: 2019/04/12	Page Number: 36 of 122

TC60



Portable tank for corrosive and some other liquids;

Fusion welded;

Cylindrical shape


MAWP not less than 276 kPa (40 psi);


- 1) Inspect all tank markings for legibility, faded, defaced and torn.
- 2) Inspect to ensure that all information on the tank data plate are concise and legible. If data plate or on the tank is illegible or information is incomplete, note on the Inspection Report and reject tank. For complete list of the required information, refer to 'Required information on the Identification Plate checklist'.
- 3) Inspect entire exterior surface area including heads for signs of corrosion, abrasion, gouges, dents or repairs made using overlay patches. Inspect surfaces of all welds for signs of defects or cracks visually by checking with hand and using flashlight if needed, especially in areas around tank nozzles.
- 4) Corroded or abraded areas of the tank shell will be thickness tested. Measure with the thickness tester: 1. Remove rubber cap from probe; 2. Single drop of couplant (Gel) must be applied to the surface to be tested; 3. Zero the probe according to the manufacturer instructions; 4. Place the probe flat on the surface and use moderate pressure to press against the top of the probe with the thumb or index finger and read the result on the display, which shall be indicated on, or attached to the report.
- 5) Ensure manhole tightening devices are operative, and the covers are leak-tight, with no signs of product stains.
- 6) Ensure that if manhole cover attachments not permanently attached to the tank by a hinge or other device, the manhole cover shall be fastened to the tank by a 3 mm (1/8 in) chain or its equivalent.
- 7) Ensuring proper functioning of all valves, vents, and emergency devices, including pressure relief valves, self-closing stop-valves, excess-flow valves, and remote closure devices, and connections are properly identified (emergency closure, liquid and vapour, etc.) ensuring that they are free of corrosion, distortion, or any other damage that would prevent their normal operation.
- 8) All reclosing pressure relief valves (PRV):
 - Shall be externally inspected for any corrosion or damage that might prevent their safe operation.
 - On tanks that carry lading corrosive to the valves, either replace or test to ensure that they open at the required set to discharge pressure for the tank's MAWP and reseat them to a leak-tight condition at not less than 90% of that pressure, or to the re-seat pressure prescribed for the tank specification.


NATIONAL ENERGY EQUIPMENT INC.	Quality Control Manual in accordance with CSA B620
Document Number: NEE-QCM- NL -001	Revision Number: 05
Prepared by / Approved by:	Arash Navidan / Zanyar Farhadi
Date of Issue: 2019/04/12	Page Number: 37 of 122

- 9) Ensuring that all bolts or nuts on any flanged connection or blank flange are in place and properly tightened by checking with a proper wrench.
- 10) Ensuring that all major appurtenances, piping, attachments, connecting structures are not damaged or corroded so as to affect safe operation of the tank.
- 11) Ensure that hose assemblies mounted on or accompanying the tank do not display any defects, have legible markings, and where required, have been pressure tested, indicating that they were pressure tested.
- 12) The original metal identification plate in any condition shall not be removed.
- 13) NEEI Mount Pearl's Certificate of Registration does not include manufacture, assembly, modify, or repair on TC60 tank specifications. Therefore, NEEI Mount Pearl cannot stamp or install a replacement metal ID plate on a TC60 tank as outlined in clause 7.7.3.1 of CSA-B620-14.
- 14) In addition to the rejection criteria (as stated in Clause 7.2.1.8 of CSA B620), reject the tanks when the following defects are found during an external inspection:
 - When the thickness remaining under a cut, dig, or gouge is either below the minimum thickness specified on the nameplate; or
 - Any dent with a depth of more than 12.7 mm (0.5 in) where it includes a weld;
 - Any dent with a depth of greater than 10% of the length of the dent,
 - Any weld defect, including a crack, pinhole, or incomplete fusion of the weld;
 - Any structural defect; and
 - Any source of leakage, or
 - Repairs made to liquid-retaining components using overlay patches.
- 15) Where bottom openings are permitted by CSA B621, bottom discharge outlets or bottom washout chambers shall be:
 - (a) constructed of metal that is not subject to rapid deterioration by the lading;
 - (b) equipped with a:
 - (i) valve or plug at the upper end; and
 - (ii) liquidtight closure at the lower end;
 - (c) adequately protected against handling damage; and
 - (d) designed and constructed so that they or their attachments and appurtenances are located at least 2.5 cm (1 in) from the ground when the tank is placed directly on a level surface.

The valve or plug referred to in Item (b)(i) shall be designed to prevent unseating due to stresses or shocks arising from transportation.









NATIONAL ENERGY EQUIPMENT INC.	Quality Control Manual in accordance with CSA B620
ocument Number: NEE-QCM- NL -001	Revision Number: 05
repared by / Approved by:	Arash Navidan / Zanyar Farhadi
ate of Issue: 2019/04/12	Page Number: 41 of 122
This Page in i	ntentionally left blank

L

7 NATIONAL ENERGY EQUIPMENT INC.	Quality Control Manual in accordance with CSA B620
ocument Number: NEE-QCM- NL -001	Revision Number: 05
repared by / Approved by:	Arash Navidan / Zanyar Farhadi
ate of Issue: 2019/04/12	Page Number: 42 of 122
This Page in i	ntentionally left blank

L





Document Number: NEE-QCM- NL -001 Revision Number: 05 Prepared by / Approved by: Arash Navidan / Zanyar Farhadi	Document Number: NEE-QCM- NL -001 Prepared by / Approved by: Arash Navidan / Zanyar Farhadi Date of Issue: 2019/04/12 Page Number: 45 of 122	NATIONAL ENERGY EQUIPMENT INC.	Quality Control Manual in accordance with CSA B620
Page Number: 45 of 122	Page Number: 45 of 122		Revision Number: 05
		repared by / Approved by:	Arash Navidan / Zanyar Farhadi
This Page in intentionally left blank	This Page in intentionally left blank	ate of Issue: 2019/04/12	Page Number: 45 of 122
		This Page in i	ntentionally left blank

L

MATIONAL ENERGY EQUIPMENT INC.	Quality Control Manual in accordance with CSA B620
Document Number: NEE-QCM- NL -001	Revision Number: 05
Prepared by / Approved by:	Arash Navidan / Zanyar Farhadi
Date of Issue: 2019/04/12	Page Number: 46 of 122

12.3 Internal Visual Inspection (I) - Typical interval is every five years

Only trained personnel familiar with NEEI confined space code of practice will enter the tank to perform the Internal Visual Inspection.

- 1) Inspect entire interior surface area including tank shell, heads, and baffles for signs of corrosion or pitting, gouges, cracks, dents, distortion, or repairs made using overlay patches. Corroded or abraded areas of the tank shell will be thickness tested and the results of the thickness test shall be indicated on, or attached to the report. Measure with the thickness tester: 1. Remove rubber cap from probe; 2. Single drop of couplant (Gel) must be applied to the surface to be tested; 3. Zero the probe according to the manufacturer instructions; 4. Place the probe flat on the surface and use moderate pressure to press against the top of the probe with the thumb or index finger; and read the result on the display, which shall be indicated on, or attached to the report.
- 2) Inspect area above upper coupler, landing gear legs and running gear sub frame for indications of distortion or cracks.
- 3) Inspect surfaces of welds for signs of defects or cracks, particularly around tank nozzles, such as sumps and manholes.
- 4) Inspect welds for signs of cracking, especially on previous repair welds.
- 5) In tanks with baffles, check baffle to shell welds, paying close attention to areas above tank. Inspect areas around all baffle openings for signs of distortion or cracks.
- 6) Inspect internal supports and attachments where installed, for indications of distortion or cracking and any attachment fasteners for tightness.
- 7) If mechanically operated venting is installed, inspect connecting rods and attachments. Inspect internal valves, internal piping and operable vents for proper function.
- 8) Inspect valves, seats, gaskets and mating surfaces for corrosion or damage (including valve, where installed), and for any foreign matter in valves and sumps.
- 9) If tank has lining, note on inspection report "Lining to be inspected by a facility registered with Transport Canada for this scope".
- 10) Indicate all defects found and methods used to repair on the Test and Inspection Report (Form No.: NEE-FRM-007) in accordance with clause 7.3 of CSA B620.

The criteria for rejections of tank condition:

- When the thickness remaining under a cut, dig, or gouge is below:
 - o the minimum thickness specified on the nameplate;
 - o for MC/TC306, MC/TC307 and MC/TC312 tanks, with no thickness specified on the nameplate, the "in service minimum thickness" specified in Table 7.4 or 7.5 of CSA B620.
 - o for other tanks, with no minimum thickness specified on the nameplate, 10% less than the nominal thickness
- Any dent with a depth of more than 12.7 mm (0.5 in) where it includes a weld,

NATIONAL ENERGY EQUIPMENT INC.	Quality Control Manual in accordance with CSA B620
Document Number: NEE-QCM- NL -001	Revision Number: 05
Prepared by / Approved by:	Arash Navidan / Zanyar Farhadi
Date of Issue: 2019/04/12	Page Number: 47 of 122

- Any dent with a depth of greater than 10% of the length of the dent,
- Any weld defect, including a crack, pinhole, or incomplete fusion of the weld,
- Any use of overlay patches
- Any structural defect; and
- Any source of leakage.

12.4 Upper Coupler Area Inspection (UC) - Typical interval is every five years

Areas covered by the upper coupler (fifth wheel) or turn table assembly shall be inspected for corroded or abraded areas, cracks, dents, distortions, defects in welds, and any other condition that might render the tank unsafe for use in transportation.

The upper coupler assembly shall be removed for the upper coupler area inspection. The turntable assembly does not need to be removed if the areas of the tank where it is attached are clearly visible for inspection.

A written Test and Inspection Report (Form No.: NEE-FRM-007) in accordance with clause 7.3 of CSA B620.

12.5 Leakage Test (K) - Typical interval is every year (annually)

The tank shall successfully pass an External Visual Inspection prior to performing this test and if this test is being conducted at the frequency a pressure re-test is due, the pressure re-test shall be conducted first.

All product piping valves and accessories shall be in place with the exception of any normal breathing vents (vents set to release at less than test pressure), which shall be rendered inoperative.

Test pressure shall be not less than 80% of the tank design test pressure or MAWP, whichever is less, and marked on the certification plate, except if a tank with a MAWP of 690 kPa (100 psig) or more is used in dedicated service or services, the test pressure shall be the maximum normal operating pressure of the tank.


- 1) Put in place a Pressure Safety Relief valve and set at MAWP.
- 2) Test each valve and closure in sequence, with the tank laden under normal operating conditions
- 3) Close internal valve and open manifold valve (if equipped) and all other valves in discharge line, including external valve.
- 4) Ensure any adjacent compartments and void spaces are empty and open to atmosphere i.e. double walled tanks.
- 5) Fill compartment with enough test medium to cover the valve sump and fill the piping. Close all remaining openings.
 - One of the following shall be used as the test medium:

NATIONAL ENERGY EQUIPMENT INC.	Quality Control Manual in accordance with CSA B620
Document Number: NEE-QCM- NL -001	Revision Number: 05
Prepared by / Approved by:	Arash Navidan / Zanyar Farhadi
Date of Issue: 2019/04/12	Page Number: 48 of 122

- (i) the normal lading of the tank;
- (ii) a less hazardous lading of equal or less viscosity;
- (iii) water;
- (iv) inert gas;
- (v) air; or
- (vi) vacuum.

Note: When using air as a test medium, the tester should be aware of the need for proper purging and ensure that there is no possibility of creating a mixture of product and air within the explosive limits of the product.

- 6) Pressurize the tank to the correct pressure with regulated air. Once the test pressure is reached shut off the supply. Hold the tank pressurized for 5 minutes. Test pressure must hold with a 0 psig pressure drop. If a tank is in dedicated service and over 100 psi the normally lading of the product will be used at the maximum of the normal operating pressure. MC 330, MC 331 or TC 331 in LPG or NH3 service shall be tested at no less than 60 PSI.
- 7) With tank under pressure, check all weld seams with soap and water mix. check for signs of any leakage. Inspect gaskets at internal valves and manhole covers, and venting devices.
- 8) Close first valve or closure in discharge system and open internal valve, leaving all other valves in discharge line open including external valve. Adjust pressure to the correct pressure for the tank being tested and shut off the supply. The piping and the first valve in discharge system will now be pressurized in addition to the tank shell; test pressure must hold with a 0 psig drop. Hold the pressure for 5 minutes.
- 9) Repeat the above procedure (8) for each valve and closure in discharge line, until all valves and closures have been tested. If piping includes pumps and meters these should be tested at the tank leak test pressure in sequence with the immediate downstream valve or closure closed and all upstream valves and closures open. Carefully inspect all joints in pumps and meter for signs of leakage. If piping system includes hose reel, unreel the hose to its full length and carefully inspect hose connections for leakage.
- 10) Relieve pressure in tank and ensure normal breathing vent is returned to operative status.
- 11) Indicate all defects found and methods used to repair on the Test and Inspection Report (Form No.: NEE-FRM-007) in accordance with clause 7.3 of CSA B620.
- 12) All leaks to be repaired prior to marking tank.
- 13) During the test, precautions shall be taken to prevent overpressurization of the tank as follows:
 - Using manometer for testing in the shop or using air dryer/ filter for mobile testing between the source of supply and the gauge.



12.6 Thickness Test (T) (Only at periodic inspections)

All personnel performing Ultrasonic thickness tests shall have been properly trained in the calibration and use of the equipment in accordance with the thickness tester manufacturer's instructions.

Corroded/ abraded areas found during the external and internal inspextion shall be thickness tested as per its user manual/ procedure. Thickness Tester shall be accurate within +/- .002" (0.05mm) and shall be calibrated against the appropriate thickness and material step block prior to thickness testing regarding the user manual of the equipment.

The areas of the tank shell, heads and piping that contain lading to be thickness tested shall be removed from rust /flakes and the minimum areas shall be as follows:

- (i) around any piping that retains lading;
- (ii) high-stress areas of the shell such as the bottom of the tank;
- (iii) around openings, weld joints, shell reinforcements, and where appurtenances are attached;
- (iv) near the upper coupler (fifth wheel), suspension system attachments, and any connecting structures;
- (v) any known thin areas in the tank and nominal liquid level lines;
- (vi) structures joining multiple carbon steel tanks on a self-supporting transport unit.

Review the results of the test with:

- The minimum thickness specified on the nameplate
- For MC/TC306 tanks, with no thickness specified on the nameplate, the "in service minimum thickness" specified in Table 7.4 or 7.5 of CSA B620
- For other tanks, with no minimum thickness specified on the nameplate, 10% less than the nominal thickness

Any readings less than the above shall cause the tank to be rejected and the tank shall not be used in dangerous goods service and not display TC, MC or DOT on the plate (unless modified as per Clause 8.2 and 8.4 of CSA B620.)

A written Test and Inspection Report (Form No.: NEE-FRM-007) in accordance with clause 7.3 of CSA B620.

NATIONAL ENERGY EQUIPMENT INC.	Quality Control Manual in accordance with CSA B620
Document Number: NEE-QCM- NL -001	Revision Number: 05
Prepared by / Approved by:	Arash Navidan / Zanyar Farhadi
Date of Issue: 2019/04/12	Page Number: 50 of 122

12.7 Pressure Tests (P) - Typical interval is every five years

- 1) Prior to a pressure test, the tank shall have successfully passed the External and Internal visual inspection.
- 2) Tank shall have sign that reads "TANK UNDER PRESSURE" hanging at both ends of vessel.
- 3) Level and adequately support the tank. If tank is equipped with upper coupler, remove the coupler.
- 4) In a multi-compartment tank configuration ensure all adjacent compartments and void spaces are empty and open to atmosphere. All compartments are to be tested individually.
- 5) Verify that the calibration of all pressure gauges being utilized is current by checking the calibration decal.
- 6) If the indicating gauge is not readily visible to the operator controlling the pressure applied, an additional indicating gauge shall be provided where it will be visible to the operator throughout the duration of the test.
- 7) Replace all reclosing pressure-relief devices or test them to ensure that they open at the required set-to-discharge pressure for the tank's MAWP and reseat at not less than 90% of that pressure or at the reseat pressure prescribed for the tank specification.
- 8) Clamped, plugged, or otherwise rendered inoperative all other relief devices and close internal valve.
- 9) The tank insulation, if any, and its jacket, need not be removed from isolated tanks, unless it is found to be impossible to reach test pressure or maintain a condition of pressure equilibrium after the test pressure is reached.
- 10) Ensure all remaining closures rated at or above the test pressure are in place and adequately secured.

Hydrostatic test (12.7.1) and pneumatic test (12.7.2) are included in pressure tests.

12.7.1 Hydrostatic Test

Hang signs that reads "TANK UNDER PRESSURE" at both ends of vessel. Precautions shall be taken to prevent over pressurization of the tank.

- 1) Level and adequately support the tank.
- 2) Fill tank completely with water.
- 3) Install pressurization line with regulator set no greater than 110% of test pressure (pressure regulator on remote test gauge cart) and two pressure gauges, one at top of tank and one at the remote test gauge cart.
- 4) Slowly increase pressure in tank to the proper test pressure for that tank type, indicated in the Table 7.3 of CSA B620 located in section 21.1.
- 5) Upon reaching test pressure shut off source of supply and hold test pressure for a minimum of 10 minutes. The source of supply shell be disconnected from tank and gauging
- 6) With tank under pressure, visually inspect exterior of tank for signs of leak, defects or distortion.

PATIONAL ENERGY EQUIPMENT INC.	in accordance with CSA B620
Document Number: NEE-QCM- NL -001	Revision Number: 05
Prepared by / Approved by:	Arash Navidan / Zanyar Farhadi
Date of Issue: 2019/04/12	Page Number: 51 of 122

- 7) Relieve pressure in tank.
- 8) Close first valve in discharge system and open internal valve, leaving all other valves in discharge line open. Adjust pressure to 80% of the test pressure for the tank being tested and shut off the supply. The piping and the first valve in discharge system will now be pressurized in addition to the tank shell; test pressure must hold with no psig drop. Hold pressure for 10 minutes.
- 9) Repeat above-mentioned item for each valve in discharge line, until all valves have been tested.
- 10) Relieve pressure in tank and drain tank.
- 11) All piping and accessories shall be pressure tested at not more than 80% of MAWP.
- 12) Reinstall or return to working condition all relief devices.
- 13) A written Test and Inspection Report (Form No.: NEE-FRM-007) in accordance with clause 7.3 of CSA B620

12.7.2 Pneumatic Test


Pneumatic test to be performed only when there is no suspicion of weakness in the tank, and the presence of water in the tank would react with the lading, tank or lading retention components, or result in ice forming, adversely affecting the functioning of the tank.

During the pressurization and test pressure hold periods, the tank tester shall read the pressure from a protected location or from a safe distance.

All piping and accessories shall be pressure tested at not more than 80% of MAWP.

During the test, follow the current test procedure to:

- not over pressurize of the tank;
- protect persons in the vicinity of the test or control their access to the tank during pressurization and test pressure hold periods.
- advise all personnel in shop that a pneumatic pressure test is to be performed and they must stay clear of tank being tested. No personal shall be on the top of the vessel, and must remain in a safe distance away from the vessel.
- 1) Tank shall have sign that reads "TANK UNDER PRESSURE" hanging at both ends of vessel.
- 2) Install pressurization line and manometer gauge at the top of tank from remote test location.



- 3) Slowly increase pressure in the tank to the proper test pressure for that tank type which is indicated in table 7.3 of CSA B620 (see section 21.1.23).
- 4) Upon reaching test pressure, shut off source of supply and disconnect from tank and gauging device.
- 5) After test pressure has held for a minimum of 60 minutes, reduce pressure to MAWP and visually inspect exterior of tank for indications of leak, defects or distortion; or
- 6) As an alternative to above mentioned item, when conditions permit, after the pressure has held for a minimum of 10 minutes, reduce test pressure to MAWP than check all weld seams with soap and water mix.
- 7) Relieve pressure in tank.
- 8) Close first valve in discharge system and open internal valve, leaving all other valves in discharge line open. Adjust the pressure to 80% of the test pressure for the tank being tested and shut off the supply. The piping and the first valve in discharge system will now be pressurized in addition to the tank shell; test pressure must hold with no psig drop. Hold pressure for 10 minutes.
- 9) Repeat above-mentioned item for each valve in discharge line, until all valves have been tested.
- 10) Relieve pressure in tank.
- 11) Reinstall or return to working condition all relief devices.
- 12) A written Test and Inspection Report (Form No.: NEE-FRM-007) in accordance with clause 7.3 of CSA B620

NATIONAL ENERGY EQUIPMENT INC.	Quality Control Manual in accordance with CSA B620
Document Number: NEE-QCM- NL -001	Revision Number: 05
Prepared by / Approved by:	Arash Navidan / Zanyar Farhadi
Date of Issue: 2019/04/12	Page Number: 53 of 122

12.8 Product hose testing procedure

12.8.1 Scope This procedure covers hose testing requirements in accordance to B620, Clause 7.2.10., and

applies to hose assemblies connected to the tank or any tank-mounted accessory during loading or off-loading, but do not apply to hose assemblies less than 1.5 m (5 ft) in length that are part of the piping system and are pressure tested in accordance with Clause 7.2.7.

Hoses may be tested annually on or off the vehicle.

Hoses may be tested by other qualified hose testing organizations.

12.8.2 Frequency All hoses shall be tested once per year

12.8.3 Safety Hose testing shall be performed in a manner that ensures provisions will be made to protect

personnel during testing in the event of a hose failure.

12.8.4 Training All employees involved in hose testing shall be trained in testing procedures and rejection

criteria. Records of training shall be kept in the related employment files.

12.8.5 Procedure (a) A hose assembly having any damage identified in Clause 7.2.10.4 shall be taken out of service and not be pressure tested until repaired.

1

(b) The test pressure shall be

- (i) for CSA-certified hose assemblies, not less than 2400 kPa (350 psi);
- (ii) for gravity off-load hose assemblies (drop hoses), not less than 69 kPa (10 psi);
- (iii) for vapour recovery hose assemblies on TC 406 tanks and the equivalent and substitute tanks identified in CSA B621, not less than 69 kPa (10 psi);
- (iv) for vacuum hose assemblies on tanks loaded by vacuum, used exclusively for vacuum loading, and marked "vacuum only" in place of HAWP as specified in Clause 7.2.10.6, not be less than 69 kPa (10 psi); and
- (v) not applicable to vacuum hoses that are
 - (1) an integral part of a boom assembly or vacuum system on tanks loaded by vacuum;
 - (2) used exclusively for vacuum loading; and
- (vi) for all other hose assemblies, the greater of 120% of the marked HAWP of the hose assembly and 518 kPa (75 psi).
- (c) The following shall not be used to pressurize the hose assembly:
- (i) compressed gas;
- (ii) compressed air;
- (iii) flammable liquid; or
- (iv) corrosive liquid.

Note: Water is the recommended test fluid.

- (d) The requirements of Item (c) shall not apply to
 - (i) hose assemblies used to handle aircraft fuel;
 - (ii) CSA-certified hose assemblies; or
 - (iii) hose assemblies used in refrigerated liquefied gas service that are manufactured and documented as conforming to CSA B51 or ASME B31.3 and marked "CSA B51" or "ASME B31.3" by the hose assembly manufacturer.
- (e) Provisions shall be made to protect personnel during testing should failure occur.

NATIONAL ENERGY EQUIPMENT INC.	Quality Control Manual in accordance with CSA B620
Document Number: NEE-QCM- NL -001	Revision Number: 05
Prepared by / Approved by:	Arash Navidan / Zanyar Farhadi
Date of Issue: 2019/04/12	Page Number: 54 of 122

(f) To pass the pressure test, the hose assembly shall hold the pressure without bulging, distortion, or leaks for at least 5 min when isolated from the pressure supply.

12.8.6 Hose Markings

Upon successful completion of the Hose Inspection and Testing hose assemblies shall be either tagged with a metal tag or stamped on the coupling, in such a way not to affect the integrity of the hose, with letters/numbers of not less that 5mm high, with the month and year of the test. The HAWP for a hose assembly that is not already marked may be determined by referring to documentation provided by the hose and coupling manufacturer or supplier or by inspecting the hose and couplings for markings applied during manufacturing that indicate the maximum working pressure for the component. A HAWP shall be marked on a hose that is successfully tested. Hose assemblies for which ratings cannot be determined shall not be marked. If not already marked on the hose assembly, markings shall also be applied to indicate the serial number or identification number of the hose assembly.

12.8.7 Test Report

A test report shall be completed indicating name of the facility conducting the test, the hose assembly serial or identification number, the HAWP, the date and nature of inspection or test. The report shall be maintained for a minimum of 2 years. These records may be maintained electronically.

12.9 Internal inspection by wet fluorescent magnetic particle inspection

For TC 331, or applicable equivalent or substitute tank referred to in CSA B622 with the following conditions shall be internally inspected by the wet fluorescent magnetic particle method immediately prior to and in conjunction with the performance of the pressure test:


- 1) constructed of quenched and tempered steel, or
- 2) constructed of other than quenched and tempered steel but without postweld heat treatment,
- 3) used for the transportation of anhydrous ammonia, liquefied petroleum gas, or any other material that can cause stress corrosion cracking.

Refer to Magnetic Particle Inspection Procedure (Document No.: NEE-MPI-WF-001).

12.10 References

Confined space entry permit, program and procedures		(See 21.1)
NEE-FRM-001	Metal identification plate stamping	(See 21.1)
NEE-FRM-007	Test and Inspection Report	(See 21.1)
NEE-FRM-008	Metal identification plate Replacement	(See 21.1)
NEE-FRM-010	TC331 Tank 1-year Inspection Check List	(See 21.1)

Document Number: NEE-QCM- NL -001 Prepared by / Approved by:		Quality Control Manual in accordance with CSA B620 Revision Number: 05	
		Date of Issue: 2019/04/12	
NEE-FRM-012	Hose Assembly Test	Hose Assembly Test and Inspection Report	
Table 7.1 of CSA B620	Periodic inspection a	Periodic inspection and test intervals	
Table 7.2 of CSA B620	Additional periodic in	nspection and test intervals	(See 21.1)
Table 7.3 of CSA B620	Pressures for periodic	cretesting	(See 21.1)
Table 7.4 of CSA B620		Minimum thickness for TC and MC 306, 307, and 312 specification manufactured with steel and steel alloys.	
Table 7.5 of CSA B620	Minimum thickness for TC and MC306,307, and 312 specification manufactured with aluminum and aluminum alloys.		ification tanks (See 21.1)
NEE-MPI-WF-001	Magnetic Particle Ins	Magnetic Particle Inspection Procedure	
Required information on the Identification Plate checklist		(See 21.1)	



SECTION - 13 Test and inspection marking

Upon successful completion of a test or registered activities in compliance with CSA B620, the tank inspector shall mark the tank in accordance with this section.

The markings shall be a minimum of 32mm high and clearly contrast with the background and shall be located on the tank front head or jacketing or above the identification plate, or anywhere on the front head where it is clearly visible from the ground. The markings shall be printed on durable labels and affixed to tanks firmly.

The markings shall consist of:

- The month and year of the inspection or test
- The letter indicating the type of inspection or test performed (in accordance with Clause 7.4 of CSA B620)
- The last four digits of the Facility Registration Number, as shown on the TC Certificate of Registration for the facility

The letters indicating the types of test of inspection shall be as follows:

"V" - External Visual Inspection

"I" - Internal Visual Inspection

"K" - Leakage Test

"P" - Pressure Test

"T" - Thickness Test

"UC" - Upper Coupler Inspection

Typical Marking: 02/18 VK 0580

where: 02/18 indicates Inspection and Test performed February 2018; VK indicates External Visual and

Leakage Tests were successfully completed; 0580 indicates the last digits of the Transport Canada

Facility Registration number

NATIONAL ENERGY EQUIPMENT INC.	Quality Control Manual in accordance with CSA B620
Document Number: NEE-QCM- NL -001	Revision Number: 05
Prepared by / Approved by:	Arash Navidan / Zanyar Farhadi
Date of Issue: 2019/04/12	Page Number: 57 of 122

SECTION - 14 Nonconformities – Corrective action

A non-conformity is any condition in process, equipment, material, fabrication or attachment that does not meet all the requirements of the specifications the Highway Tank is constructed to, or the requirements of this Quality Control Manual.

When a nonconformity or a quality control problem happens or is probable to happen, it will be reported to the national quality system manager, who makes sure the specified root cause analysis and the related corrective / preventive action(s) are taken to avoid repetition of the nonconformity.


14.1 Identification of Nonconformities

It is the duty of all employees to report non-conformities to their supervisors. Non-conforming condition shall be notified to the national quality systems manager. All corrective actions start with an investigation to determine the root cause(s) of the problem. A thorough analysis of all related processes, operations, quality records, and specifications, which may have contributed to the deficiency, is conducted by the responsible function(s). All potential corrective actions are identified and the action(s) most likely to eliminate the problem and to prevent recurrence is selected. The investigation and analysis of the root cause and preventive measures shall be documented in Non Conformance Corrective and Preventative Action Report form (Form No. NEE-FRM-017). The analysis shall include review of all applicable data to determine the extent and cause of the problem and analysis of trends in processes or performance of work to prevent nonconformities.

All problems are evaluated in terms of potential impact on quality, performance, reliability, safety, and customer satisfaction. Resolutions to all corrective and preventive actions are to a degree appropriate to the magnitude and the risk of the problem. Resolutions are reviewed and approved by the national quality systems manager **or** his designated representative.

14.2 Examples of Tank Nonconformities

- Routine maintenance Items when the non-conformity is of a routine maintenance nature (eg. leaking gasket seized remote release, etc.)
- Repair or rework when the non-conformity requires repair work (eg. severe corrosion between dissimilar materials, distortion in the tank shell or abrasions, etc.), the procedures for repair will be discussed with the Process Owner. No repairs or rework shall be performed on non-metallic tanks.
- Repairs of the tank liquid retention components by welding/ brazing where defects are found that require welding/ brazing it will be written on a Welding Inspection Report, which include details of area welded, welding/ brazing procedure and welder/ brazer identification.
- All repairs shall be performed in compliance with the specification of the original design of the tank, in a facility registered with Transport Canada to perform that scope of work.
- All repairs shall be such that there will be no increase in the probability of cracking due to areas of increased stress due to shrinkage of cooling weldments.
- All welding/ brazing of lading retention components shall only be performed on tanks with design pressures less than 103 kpa (15 psig). Upon completion a welding/ brazing inspection shall be completed.
- Any non-conformance that becomes recurring shall be brought to the attention of the Process Owner who shall bring it to the attention of a Registered Design Engineer where appropriate.



- Any non-conformance that is discovered related to Test and Inspection activities shall be brought to the attention of the Process Owner. The non-conformance shall be reviewed.

14.3 Retest

Upon correction of any tank non-conformity, the tank shall be re-tested in accordance with the requirements for the new construction of a tank of the same specification or by pressure testing of repaired lading retention components.

14.4 Calibrated Equipment

Any non-conformity discovered in the Calibrated Equipment shall be resolved in accordance with Section 16 (Calibration) of this Manual.

14.5 Reference

-	NEE-FRM-017	Nonconformance corrective and	preventative action report	form (So	ee 21.1 _.)

NATIONAL ENERGY EQUIPMENT INC.	Quality Control Manual in accordance with CSA B620
Document Number: NEE-QCM- NL -001	Revision Number: 05
Prepared by / Approved by:	Arash Navidan / Zanyar Farhadi
Date of Issue: 2019/04/12	Page Number: 59 of 122

SECTION - 15 Welding control

15.1 General

Test Coupon

Weld

The Process Owner or his designate shall ensure that all welding/ brazing on highway tanks and portable tanks shall be performed using appropriate Welding/ brazing Procedure, and is responsible for the followings:

- personnel meet the requirements for the work performed
- ensuring that welders/ brazers are properly qualified for each weld
- maintaining a record of the qualification of each welder/ brazer on a Welder Continuity Log (Form No.: NEE-FRM-016)
- ensuring that Welding inspection reports (Form No.: NEE-FRM-013) are properly filled

The Process Owner or his designate shall inspect all welding/ brazing materials at time of receipt to ensure that each spool or container is marked with the manufacturer's name, diameter, AWS classification, SFA number and heat, lot or control number.

All welding electrodes and wires are stored under proper environmental conditions and protected from damage. Welding/ brazing material received in damaged containers or later damaged shall be thoroughly examined. Defective material shall not be used.

15.2 Welder/ brazer qualification procedure


Scope	This procedure covers the requirements of welders/ brazers qualification to weld, in
	accordance with a qualified weld procedure specification, except for tanks mentioned in
	clause 5.1.1.2 of CSA B620, which should be certified in accordance with the ASME code
	or the provincial pressure vessel jurisdiction.

Procedure

Welders must qualify to each weld procedure they are to perform. All welding/ brazing must be performed to the qualified weld procedures consisting of a Weld Procedure Specification (WPS) and a Procedure Qualification Record (PQR). The purpose of qualifying the person who will use a welding process is to demonstrate that person's ability to produce an acceptable joint when using a procedure specification. In order to get the qualification, each welder need to send 3 different plates for each WPS in different positions to be tested.


The test coupon's material shall be in the same P number group with the same thickness as the base metal on the procedure is. Material shall be taken from a plate that can clearly be identified with the mill test report for that plate. Test coupon should comprise of two pieces 3" x 6" with one 6" edge of each piece prepared for welding/ brazing in accordance with the Procedure Qualification Record. Test specimens shall be marked with the unique welder/ brazer identifier.

The weld should be performed for following positions using the parameters for welding/brazing the Procedure Qualification Record.



Positions

Welders/ brazers who are going to perform welding on tanks, should be qualified for all positions weldments. To qualify for all position the coupons must be welded/ brazed in 2G, 3G, and 4G positions.



Identification Each welder/ brazer shall be assigned a unique identifier, which shall be used to identify the

work of that welder/ brazer.

Records The result of welder/ brazer performance qualification tests with the related coupons shall

be kept in the shop.

Continuity Each welder/ brazer shall be listed on a Welders Continuity Log, which contains a record of

each occasion that the welder/ brazer has welded/ brazed to each procedure. This log shall be

used to determine if the qualifications have expired.

Requalification If welders/ brazers have not welded/ brazed with a process during a period of 6 months or

more, or if there is specific reason to question their ability that meet the specification, their qualification for that process shall expire. Renewal of an expired qualification can be done

according to the aforementioned qualification procedure.

15.3 Welding/ brazing Procedure Specification

The Welding Procedure Specification (WPS) states all the allowable variable parameters for the weld/ braze, which includes base material, usually identified as a "P" number, filler material, shielding gasses and or "slag" material, number of passes, thickness qualified, weld speed/ braze speed, pre-heat and inter pass temperature requirements and voltage amperage settings of welding/ brazing machine. These are generally stated in a range on the WPS allowing for some fluctuations based on the actual weldment being performed. It is important to understand that qualifying a WPS does not mean that welding/ brazing can be performed using any mix of these ranges.


Welders/ brazers should have the knowledge and experience to determine that the weld they are making is sound and free of defects such as incomplete penetration, inclusions, undercut or any other defect that would render a weld defective.


15.4 References

-	GMAW-AL-01	WPS, PQR and its related tests	(See 21.1)
---	------------	--------------------------------	------------

- NEE-FRM-013 Welding inspection report (See 21.1)

- NEE-FRM-016 Welder Continuity Log (See 21.1)





SECTION - 16 Calibration

16.1 General

All test and inspection equipment used in Inspection and Testing procedures of this Manual shall be calibrated in accordance with this section.

The Process Owner is responsible for maintaining all equipment in calibration.

Calibration may be performed by the Process Owner, or a qualified individual who has been assigned to the task and trained,

Pressure gauges or Digital Manometer used for pressure tests are calibrated to a certified calibrated master gauge weekly, or when there is reason to question their accuracy. The master gauge shall also be re-calibrated annually and the certificate keep on file. All gauge calibrations shall be documented on the Gauge Calibration Log (Form No. NEE-FRM-014). All equipment calibrations shall be documented on the Equipment Calibration Log (Form No. NEE-FRM-015)

The frequency of calibration for other equipment is as recommended by the equipment manufacturer or from experience with the equipment.

Material thickness shall be gauged using a micrometer, or ultrasonic thickness tester. The micrometer shall be calibrated prior to each use against a coupon or step block of known thickness. The ultrasonic thickness tester shall be calibrated against a step block of known thickness and compared against the micrometer. The step block shall be verified every 5 years or at any indication of damage or wear by a qualified inspection service.

When equipment requiring calibration is found to be out of calibration it shall be removed from the work area, repaired, re-calibrated or replaced.

All items checked without calibration equipment shall be considered as non-conforming until the Process Owner verifies that they meet all Specification requirements or, the items have been re-checked with appropriately calibrated equipment.

16.2 Procedure

Connect the gauge to be calibrated to the master gauge and pressure source.

Apply the pressure to the gauge to be calibrated in increments over the full range of the gauge.

Compare the value of pressure indicated by the master gauge with the corresponding value of the pressure indicated by the gauge being calibrated for each pressure increment. The values should be same with accuracy class of 1.6. limits of permissible error of this class is $\pm 1.6\%$ of gauge's full scale.

If necessary, adjust the gauge and repeat the above paragraph until the values are same in accuracy class 1.6.

After three trials, if the values are not same, the gauge is rejected and shall be removed from the work area.

16.3 References

- NEE-FRM-014 Gauge Calibration Log (See 21.1)

- NEE-FRM-015 Equipment Calibration Log (See 21.1)

NATIONAL ENERGY EQUIPMENT INC.	Quality Control Manual in accordance with CSA B620
Document Number: NEE-QCM- NL -001	Revision Number: 05
Prepared by / Approved by:	Arash Navidan / Zanyar Farhadi
Date of Issue: 2019/04/12	Page Number: 63 of 122

SECTION - 17 Quality Audits

17.1 General

National quality systems manager is responsible for coordinating with Process Owners of facilities to plan a regular quality audit and closure corrective actions required to eliminate the recorded nonconformities based on the internal audits and the Non Conformance Corrective and Preventative Action Report form (From No.: NEE-FRM-017).

Certificates, forms and related documents which are listed in 'Mandatory document list' (see section 17.2).shall be completed in accordance with the related process.

Where these audits indicate that tanks may be out of compliance, those tanks shall be recalled and brought into conformance.

Where repair or re-work is required, the effectiveness of the repair or re-work shall be verified by performing the appropriate tests and inspections after work is completed.

Where these audits reveal repeated non-conformance, the relevant procedures in this manual shall be reviewed and where required, training initiated to eliminate non-conformance.

The national quality systems manager shall annually review the complete process to ensure it is in conformance with this Quality Control Manual in the management review meeting. This Management Review Meetings shall include, but is not limited to:

- Results of audits
- Facility Registration documents
- Inspector/Tester/Welder (or brazer) qualifications
- Material procurement and control
- Quality Control process performance
- Identification plate stamping and tank marking
- Status of non conformities, preventive and corrective actions
- Follow-up actions from previous management review meeting
- Recommendations for improvement

17.2 References

- NEE-FRM-017 Nonconformance corrective and preventative action report (See 21.1)

- Mandatory Document List (See 21.1)

NATIONAL ENERGY EQUIPMENT INC.	Quality Control Manual in accordance with CSA B620
Document Number: NEE-QCM- NL -001	Revision Number: 05
Prepared by / Approved by:	Arash Navidan / Zanyar Farhadi
Date of Issue: 2019/04/12	Page Number: 64 of 122

SECTION - 18 Registration – Facilities and Personnel

18.1 Facility Registration

Facility registration is the responsibility of the National quality systems manager (NQSM).

NQSM is responsible for ensuring the certificates of registration is current and covers all functions performed at the facility with the registration number of 25-0580, located at 18 Dundee Avenue #1, Mount Pearl NL A1N 4R9.

The scope of the registered NEEI Facility is located in section one (1) of this quality control manual.

18.2 Personnel Registration

It is the responsibility of the Process Owner to ensure that Design Engineer is registered with TDG list of registered authorized personnel. See the registered personnel in the end of this section. All personnel are qualified by NEEI after a proper training and get the certificate of qualification (see section 18.3) for only those functions, which they have been qualified. Employee qualification records must be retained throughout the duration of employment and for five (5) years after employment. The minimum qualification requirements of CSA B620 Clause 8 as follows:

Design Engineers

Every Design Engineer shall

- (a) be an engineer and shall hold a current license by the appropriate authorities of his or her residence in Canada or the United States to practise engineering; and
- (b) have at least one year of experience in the design of highway tanks in accordance with CSA B620 or 49 CFR.

National Energy Equipment Inc. may use (but are not limited to) the following firms (See the registered personnel in the end of this section) when engineering duties are required.

Tank Inspector

Tank inspector shall have

- (a) the knowledge and ability to determine if a tank conforms to a particular specification; and
- (b) education and experience in the construction, inspection, testing, or retesting of tanks of that specification, as follows:
 - (i) an engineering degree or professional engineer status in a province of Canada, and one year of experience;
 - (ii) a technical diploma and two years of experience;
 - (iii) a high-school diploma and three years of experience; or
 - (iv) five years of experience or more.

NATIONAL ENERGY EQUIPMENT INC.	Quality Control Manual in accordance with CSA B620
Document Number: NEE-QCM- NL -001	Revision Number: 05
Prepared by / Approved by:	Arash Navidan / Zanyar Farhadi
Date of Issue: 2019/04/12	Page Number: 65 of 122

Tester

Every tester shall

- (a) be familiar with the specification tank on which the test is performed;
- (b) be familiar with the test procedure and pass/fail criteria;
- (c) have at least one year of experience performing the test; and
- (d) be trained and experienced in the use of the testing equipment.

Welders/ brazers

Every welder/ brazer shall:

• Qualified by this Facility authority in accordance with B620

Hose Testers and Inspectors

Every hose testers and inspector shall:

• Have training in product and hose safety, inspection and test procedures, and rejection criteria.

18.3 References

- List of registered design engineers (See 21.1)
--

- List of B620 personnel and their qualifications (See 21.1)

- Certificate of qualification (See 21.1)

NATIONAL ENERGY EQUIPMENT INC.	Quality Control Manual in accordance with CSA B620
Document Number: NEE-QCM- NL -001	Revision Number: 05
Prepared by / Approved by:	Arash Navidan / Zanyar Farhadi
Date of Issue: 2019/04/12	Page Number: 66 of 122

SECTION - 19 Mobile Units

19.1 General

The process owner shall control service vehicles and related equipment at the registered facility 25-0580, located at 18 Dundee Avenue #1, Mount Pearl NL A1N 4R9.


One service vehicle is available for mobile service.

All records of mobile Inspections and Testing shall be maintained at the registered facility (25-0580) where the mobile equipment is located.

19.2 Mobile Equipment

The tank inspector shall gather the following required equipment and documents from the shop and transfer them to the service vehicle. He should make sure that all of the following equipment are available on the service vehicle for mobile service:

- Controlled copy of this Quality Control Manual and CSA-B620 standard currently in place,
- Laptop, used to record inspection
- Inspection check list
- Camera
- Explosion-proof Flash Light
- Hose Inspection tags
- Tanks Inspection stickers
- TANK UNDER PRESSURE Sign x 2
- Zip Ties
- Regulator
- Test fittings and Adaptors
- Air Compressor
 - o Gas Powered
 - o Electric
 - o Customer supplied
- Air Lines
- Soapy Water
- Wire Brush
- 10 Fill Betts Test Lid
- Hose Tester
 - Aviation
 - o Gasoline/Diesel
- Calibrated Gauges



SECTION - 20 Records Retention

20.1 General

Records referred to in this manual may be maintained and stored electronically.

The Process Owner shall review all records referred to in this manual for completeness prior to filing.

All following records shall be retained on NEEI property for a period of at least 20 years. They shall be circulated as described in the documents, where applicable.

- 1) Copy of the identification plate by the facility installing the plate
- 2) Copy of the certificate by the manufacturer, assembler or modifier
- 3) Calculations, drawings plus all superseded ones by the modifier
- 4) Inspection and test reports by the inspector or tester facility
- 5) Pressure test reports,
- 6) Hose test reports,
- 7) Calibration records,
- 8) Certificates of compliance from NEEI as well as those from other manufacturers
- 9) Repair reports

The national quality system manager is responsible for ensuring that above mentioned records, quality control manual, certificates and other related documents required by CSA B620 and applicable codes are properly circulated and retained for the required periods.

In the event of a change in ownership, retention by the prior Owner of non-fading copies of the records shall be deemed to satisfy the requirements of the above mentioned items.


For tanks that have been manufactured, assembled, or repaired by NEEI, non-fading copies of the entire Job File, including the Certificate of Compliance, will be kept for a period of 20 years upon delivery of a manufactured or assembled tank to a tank Owner or purchaser, NEEI will issue a Certificate of Compliance for New & Assembled Tanks (Form No. NEE-FRM-004).

For tanks that have been modified by NEEI, non-fading copies of the entire Job File, including the Certificate of Compliance, will be kept for a period of 20 years. Upon delivery of a modified tank to a tank Owner or purchaser, NEEI will issue a Modification Certificate of Compliance (Form No. NEE-FRM-005).

These Certificates of Compliance shall be retained by the Owner throughout the ownership of the tank and for at least one year thereafter.

The Job File, with all contents, shall be delivered at the time of sale by the seller of a tank to the purchaser, with non-fading copies of the contents being retained by the seller.

The Owner and the motor carrier, if they are not the Owner must each retain a copy of the test and inspection reports until the next major inspection.



On delivery of a tank, a copy of the test and inspection report (Form No.: NEE-FRM-007), Hose assembly test and inspection report (Form No.: NEE-FRM-012) shall be provided to the Owner or Owner's designate, who shall retain them throughout the ownership of the tank and for at least one year thereafter.

20.2 References

- NEE-FRM-004 Certificate of compliance for new & assembled tanks (See 21)	-	NEE-FRM-004	Certificate of com	pliance for new	& assembled tanks	(See 21	.1)
--	---	-------------	--------------------	-----------------	-------------------	---------	-----

- NEE-FRM-005 Modification certificate of compliance (See 21.1)

- NEE-FRM-007 Test and inspection report (See 21.1)

- NEE-FRM-012 Hose assembly test and inspection report (See 21.1)



Quality Control Manual in accordance with CSA B620

Document Number: NEE-QCM- NL -001	Revision Number: 05
Prepared by / Approved by:	Arash Navidan / Zanyar Farhadi
Date of Issue: 2019/04/12	Page Number: 69 of 122

SECTION - 21 Exhibits

21.1 I	Reference forms and	d documents	Page
21.1.1 N	NEE-FRM-001	Metal identification plate stamping	70
21.1.2 N	NEE-FRM-002	Modification plate stamping	71
21.1.3 N	NEE-FRM-003	Specification plate information sheet for recertified tanks	72
21.1.4 N	NEE-FRM-004	Certificate of compliance for new & assembled tanks	73
21.1.5 N	NEE-FRM-005	Modification certificate of compliance	75
21.1.6 N	NEE-FRM-006	Repair Report	76
21.1.7 N	NEE-FRM-007	Test and inspection report	77
21.1.8 N	NEE-FRM-008	Metal identification plate replacement	81
21.1.9	GMAW-AL-01	Welding procedure specifications (WPS) and, Performance qualification records (PQR) and related tests	82
21.1.10	NEE-FRM-010	TC331 Tank 1-year Inspection Check List	90
21.1.11	NEE-FRM-011	Test and inspection travel sheet	92
21.1.12	NEE-FRM-012	Hose assembly test and inspection report	93
21.1.13	NEE-FRM-013	Welding inspection report	94
21.1.14	NEE-FRM-014	Gauge Calibration Log	95
21.1.15	NEE-FRM-015	Equipment Calibration Log	96
21.1.16	NEE-FRM-016	Welder Continuity Log	97
21.1.17	NEE-FRM-017	Nonconformance corrective and preventative action report	98
21.1.18	Mandatory Docume	ent List	99
21.1.19	List of registered de	esign engineers	100
21.1.20	List of B620 person	nnel and their qualifications	101
21.1.21	Certificate of qualifi	fication	102
21.1.22	Table 7.1 of CSA B Table 7.2 of CSA B	· · · · · · · · · · · · · · · · · · ·	103
	Table 7.3 of CSA B		107
21.1.24	Table 7.4 of CSA B	Minimum thickness for TC and MC 306, 307, and 312 specification manufactured with steel and steel alloys	tanks 108
21.1.25	Table 7.5 of CSA B	·	
21.1.26	NEE-FR-L-102	Confined space entry permit	110
21.1.27	NEE-CSEP-MB-00	Of Confined space entry program	111
21.1.28	Required information	on on the Identification Plate checklist	118
21.1.29	NEE-MPI-WF-001	Magnetic Particle Inspection Procedure	119
21.1.30	Testing in-service ca	cargo tank manway covers procedure	132

NATIONAL ENERGY EQUIPMENT INC.	Quality Control Manual in accordance with CSA B620
Document Number: NEE-QCM- NL -001	Revision Number: 05
Prepared by / Approved by:	Arash Navidan / Zanyar Farhadi
Date of Issue: 2019/04/12	Page Number: 70 of 122

21.1.1

5. 18. 14. 1. V. (1. V. (1. L. (1. L. (1. V. V. (1. L. (1. V. (1. L. (1. V. (1. V. (1. L. (1. V. (1. V. (1. V.	Tal Chick Car
orm Number:NEE-FR-L-001	Revision: 0
NOTE* - All characters are to be a minimum 5mm (3/16	5") high and be stamped or embossed.
Tank Manufacturer:	Date of Manufacture:
Specification TC:	MDIN:
Assembler:	Date of Assembly:
TCRN:	Serial No.:
VIN:	Certification Date:
Org. Test Date:	
Design Temp. Range:to°C	Max. Lading Density:kg/L
MAWP:kPa	Test Pressure:kPa
Lining Material:	Shell Material:
Head Material:	Weld Material:
Min. Shell Thickness: Top	Sides Bottom
Min. Head Thickness: Top	Sides Bottom
Compartment: 1 2	3 4 5
Volume Cap (L)	
Exposed Surface Area (sq. meters)	
Max. Payload:kg	Max. Load Rate:L/min@kPa
Max. Unload Rate:L/min@kPa	
Mfd. Shell Thickness: mm	Mfd. Head Thickness: mm
Heating System Pressure:kPa	Heating System Temperature: °C

NATIONAL ENERGY EQUIPMENT INC.	Quality Control Manual in accordance with CSA B620
Document Number: NEE-QCM- NL -001	Revision Number: 05
Prepared by / Approved by:	Arash Navidan / Zanyar Farhadi
Date of Issue: 2019/04/12	Page Number: 71 of 122

21.1.2

Form Number	::NEE-FRM-002	Revision: 1
Note*- All	characters to be a minimum 5mm (3/1	6") high
	(0.2	,g
	Indicate ALL items modif	ied from original Specification
	MO	
		DIFIED BY
	SI NAT	TONAL ENERGY
	7 EQU	TIONAL ENERGY IPMENT INC.
	7 PAI	TONAL ENERGY
	25 Manufacturer	TIONAL ENERGY IPMENT INC
	25 Manufacturer	Serial No
	25 - Manufacturer Modification Date	Serial No Re-certification Date
	25	Serial No

Plate as per CSA B620, Clause 7.6.9

NATIONAL ENERGY EQUIPMENT INC.	Quality Control Manual in accordance with CSA B620
Document Number: NEE-QCM- NL -001	Revision Number: 05
Prepared by / Approved by:	Arash Navidan / Zanyar Farhadi
Date of Issue: 2019/04/12	Page Number: 72 of 122

21.1.3

Record all required information from the Specification Pla		
Owner: Ur Record all required information from the Specification Pla nade and the information may be used for the test and ins		
Record all required information from the Specification Pla		
	A STATE OF THE PROPERTY OF THE	
Required Information:		
TC Specification	Vessel Material Spec # Shell	
Tank Manufacturer	Manufactured Shell Thickness	
Tank Vehicle Serial Number	Vessel Material Spec #Head	
Tank Vehicle Assembler	Manufactured Head Thickness	
Completion/Manufacture Date	Weld Material	
Certificate Date	Volumetric Capacity (Litres)	
Original Test Date	Max Pay/Product Load (kilograms)/(lbs)	
Tank Test Pressure (kpa)	Max Loading Limit/Rate (Ipm@kpa)	
MAWP/Design Pressure	Max Unloading Limit/Rate (Ipm@kpa)	
Lining Material (when applicable)		
IC 406 SPEC TANKS ONLY		
Manufacturer Design ID #	Max Lading Density	
Tank Design Temp Range (degrees C)	Min Allowable Shell Thickness	
Min Allowable Head Thickness	Exposed Surface Shell Thickness	
Heating System Design (kpa)	Heating System Design Temp (C)	
IC/TC 330/331 SPEC TANKS TC 331 SPEC TANKS		
TCRN/CRN Number	Mark QT or NQT at/near ID Plate	
Single Plate Duplicate Plate		
Fechnician (print): Sig		

NATIONAL ENERGY EQUIPMENT INC.	Quality Control Manual in accordance with CSA B620
Document Number: NEE-QCM- NL -001	Revision Number: 05
Prepared by / Approved by:	Arash Navidan / Zanyar Farhadi
Date of Issue: 2019/04/12	Page Number: 73 of 122

NATIONAL E EQUIPMENT	NERGY INC.		npliance for New o pled Tanks
orm Number:NEE-FRM-004		Revision: 1	
(page 1 of 2)			
Registration No 25			
Highway Tank Serial No.		Specification TC	
VIN No.		TCRN	
Tank Manufacturer		MDIN	
Manufacturer Address			
Tank Assembler			
We certify that the tank, flittings, valves, piping work performed. Full Spec Sh		omply with the applicable specifications MDINMDIN	
Date of Manufacture: Month:	Year:	Certification Date: Month:	Year:
Original Test Date: Month:		The second second of seconds	- 1117°=
MAWP: kPa Test P:		n Temperature Range:	todegrees C
Tank Material: Shell:			
Manufacturer Thickness: Shell:	Head	s;	
Minimum Thickness: Shell:	Heads:		
Top: Sides:			
Weld Material:			
Heating System Pressure:	kPa Head	ing System Temperature:	°C
Compartment Number 1	2 3	4 5 6	Total
Volumetric Cap. (Liters)			
Exposed Surface			
Pressure Relief Device Set Pre	essure: Ra	ting:Scfh at	
Quantity: Per compt			
Max. Lading: DensityKg/L	Max. Payload: _	_	
Max. Load Rate:L/min at	kPa Ma	x. Unload Rate:L/min a	nt <u>k</u> Pa
Lining Material:		A	_
This Certification Includes: Tank - Chass Assembly Piping & Val		Damage Protection Valve Operating Devices Relief Devices	
Bumper			
100			

NATIONAL ENERGY EQUIPMENT INC.	Quality Control Manual in accordance with CSA B620		
cument Number: NEE-QCM- NL -001	Revision Number: 05		
pared by / Approved by:	Arash Navidan / Zanyar Farhadi		
te of Issue: 2019/04/12	Page Number: 74 of 122		
NATIONAL ENERGY EQUIPMENT INC.	Certificate of Compliance for New or Assembled Tanks		
Form Number:NEE-FRM-004	Revision: 1		
(page 2 of 2)			
This Certification Excludes: Tank - Chassis Assembly Piping & Valves Bumper	Damage Protection Valve Operating Devices Relief Devices		
Tank Tester (Print):	Signature:		
Date:			
Certified By (Print): Date:	Signature:		

NATIONAL ENERGY EQUIPMENT INC.	Quality Control Manual in accordance with CSA B620
Document Number: NEE-QCM- NL -001	Revision Number: 05
Prepared by / Approved by:	Arash Navidan / Zanyar Farhadi
Date of Issue: 2019/04/12	Page Number: 75 of 122

orm Number:NEE-FRM-0	05			Revision: 0			
Modified by: Facility No: 25-	NATIONAL ET	NE.			Address:		
Specification TC:				Modificat	ion Date:		
Manufactured by:				Tank Mar	ufacture Da	te:	
Highway Tank Serial No.	:				Unit No.:		
Original Cert. Date:					TCRN:		MDIN:
Test Pressure:					MAWP:		
Tank Material - Shell	Top:			Sides:		Bott	om:
Min. Thickness:	Shell:			Heads:			
Original Thickness:	Shell:			Heads:			
Weld Shell / Heads:							
Weld Material:							
Compartment No.:	1	2	3	4	5	6	Total
Nominal Capacity:							
Vent No.:	1	2	3	4	5	6	
Ratings of Vent:							
Max. Lading Payload:							
Max. Load Rate:		LPM		Max. Unlo	oad Rate:		LPM
Modifications Description	on:						
Notes:							
Remount — Des	sign change				Remount — I	No Design	change
All modifications have I	een performe	ed in complia	nce wi	th the requi	rements of C	SA-B620	
Certified by:				Date:			
Signature:							

NATIONAL ENERGY EQUIPMENT INC.	Quality Control Manual in accordance with CSA B620
Document Number: NEE-QCM- NL -001	Revision Number: 05
Prepared by / Approved by:	Arash Navidan / Zanyar Farhadi
Date of Issue: 2019/04/12	Page Number: 76 of 122

NATIONAL ENERGY EQUIPMENT INC.	Repair report
orm Number:NEE-FRM-006	Revision: 0
Registration #: 25-	
Facility Address:	
Owner's Name:	Owner's Tel. No.:
Owner's Address:	
Manufacture:	Serial #:
MFR Date: Material:	Tank Spec:
Date of Repair:	
Description of Repair (Provide sketch if re	auired)
Weld Procedures used:	
Weld Procedures used:	
Weld Procedures used:	

NATIONAL ENERGY EQUIPMENT INC.	Quality Control Manual in accordance with CSA B620
Document Number: NEE-QCM- NL -001	Revision Number: 05
Prepared by / Approved by:	Arash Navidan / Zanyar Farhadi
Date of Issue: 2019/04/12	Page Number: 77 of 122


Form Number:NEE FRM 007			Test and Inspection Report	
and the PC and a second	and the state of the state of		Revision: 4	(Page 1of 4)
Facility Name: N	vational Energy E	quipment Inc.	Test Date:	
Address:				
Telephone			Facility Registration No.:	
Tank Owner				
Address:				
Telephone			Work Order Location	
OWNERS UNIT No.:			SERIAL No.:	
MANUFACTURER:			MAWP:	
CERT. DATE:		MATERIAL:		TANK SPEC:
For TC/MC331 & TC51	QT	MATERIAL	NQT	PWHT
Stress relievedafter repair:	Complete		Local	N/A
	1			
473.0.0.0.000	3			
COMP. CAPACITY (IG/L):	4			
	5			
TESTS PERFORMED	6			100
I ES IS PERFORNIED	V.,		"K"	"L"
	"P"		"T"	"UC"
EXTERNAL VISUAL INSPECTIO			QC Man. Reference:	12.2
Data plate and other markings, present		1.16. 1	Complies	Retest complies
Shell & heads corrosion, abrasion, den mus on any flanged/blank connection,	The Control of the Co	s, leaks, loose bolts and	Complies	Retest complies
Structural members, outriggers, cross i			Complies	Retest complies
Piping and valves for leakage, damage	e, corrosion		Complies	Retest complies
Remote closures, thermal devices			Complies	Retest complies
Hoses for defects, identification and to		AU	Complies	Retest complies
Tank attachments to frame or running, can be inspected without dismantling	gear, elements of t	he UC assembly that	Complies	Retest complies
Ladders, walkways, etc.			Complies	Retest complies
Fill covers, manways and closure devi-	ces		Complies	Retest complies
Relief valves and vents (replace or test corrosive to relief device)	if tank in service	where lading	Complies	Retest complies
Accident damage protection			Complies	Retest complies
Engine air intake shut off device and d (Transport Canada's requirement)	lry chemical fire e	stinguishers	Complies	(It is not a rejection)
Note: Rejection Criteria for Visual Less than minimum material thickness Any dent with a depth greater than 16% Any dent with a depth greater than 10% Any weld defect including a crack, pin Any structural defect or any source of Any repairs made using overlay patched Defective, unidentified or out of test H	under any cut, dig where it includes % of the length of shole, or incomplet leakage es	a weld the dent		
Inspector Name:		Signature:	After Reles	t Signature:
Tank Tester Name (If applicable):		Date		Date:

NATIONAL ENERGY EQUIPMENT INC.	Quality Control Manual in accordance with CSA B620
Document Number: NEE-QCM- NL -001	Revision Number: 05
Prepared by / Approved by:	Arash Navidan / Zanyar Farhadi
Date of Issue: 2019/04/12	Page Number: 78 of 122

NATIONAL ENERGY EQUIPMENT INC.		Test a	Test and Inspection Report	
Form Number:NEE-FRM-007		Revision: 4	(Page 2 of 4)	
Facility Name: National Ene	ergy Equipment Inc.	Test Date:		
Address:				
Telephone		Facility Registration No.:		
Tank Owner				
Address:				
Telephone		Work Order Location:		
OWNERS UNIT No.:		SERIAL No.:		
MANUFACTURER:		MAWP:		
CERT. DATE:	MATERIAL:		TANK SPEC:	
INTERNAL VISUAL INSPECTION "I"		QC Man. Reference:	12.3	
Interior surface, corrosion, distortion overlay patch	es, cracking etc.	Complies	Retest complies	
Interior welds for defects, cracking etc.		Complies	Retest complies	
Internal supports and attachments		Complies	Retest complies	
Internal valves, piping and vents for leakage, dama; Note: Rejection Criteria for Visual Inspections	ge, etc.	Complies	Retest complies	
Any repairs made using overlay patches Defective, unidentified or out of test Hose Assembl Inspector Name:	lies Signature:	After Ret	est Signature:	
Fank Tester Nume (If applicable):		Date:	Date:	
UPPER COUPLER AREA INSPECTION *UC		QC Man. Reference:	124	
Upper coupler removed from tank and inspected in	War Zahardan	Complies	Retest complies	
I'um table assembly inspected in place		Complies		
			Retest complies	
			Retest complies	
Inspected elements		V. Salah		
Inspected elements	Signature:	V. Salah	Retest complies	
Inspected elements:		V. Section 1		
Inspected elements: Inspector Name: Fank Tester Name (If applicable): LEAKAGE TEST "K"		After Ret Date: QC Man. Reference:	est Signature:	
Inspected elements: Inspector Name: Tank Tester Name (If applicable): LEAKAGE TEST "K" TEST PRESSURE (80% of MAWP MIN):		After Ret Date: QC Man. Reference: TEST MEDIUM:	est Signature: Date: 12.5	
Inspected elements: Inspector Name: Inspector Name (If applicable): LEAKAGE TEST "K" TEST PRESSURE (80% of MAWP MIN): Compartment No. 1 Leakage Tested		After Ret Date: QC Man. Reference: TEST MEDIUM: Passes	est Signature: Date: 12.5 Retest complies	
Inspected elements: Inspector Name: Fank TesterName (If applicable): LEAKAGE TEST "K" TEST PRESSURE (80% of MAWP MIN): Compartment No. 1 Leakage Tested Compartment No. 2 Leakage Tested		After Ret Oate: C Man. Reference: TEST MEDIUM: Passes Passes	est Signature: Date: 12.5 Retest complies Retest complies	
Inspected elements: Inspector Name: Fank TesterName (If applicable): LEAKAGE TEST "K" TEST PRESSURE (80% of MAWP MIN): Compartment No. 1 Leakage Tested Compartment No. 2 Leakage Tested Compartment No. 3 Leakage Tested		After Ret Oate: QC Man. Reference: TEST MEDIUM: Passes Passes Passes	Date: Date: 12.5 Retest complies Retest complies Retest complies	
Inspected elements: Inspector Name: Fank Tester Name (If applicable): LEAKAGE TEST "K" TEST PRESSURE (80% of MAWP MIN): Compartment No. 1 Leakage Tested Compartment No. 2 Leakage Tested Compartment No. 3 Leakage Tested Compartment No. 4 Leakage Tested		After Ret Oate: QC Man. Reference: TEST MEDIUM: Passes Passes Passes Passes	Date: Date: 12.5 Retest complies Retest complies Retest complies Retest complies	
Inspected elements: Inspector Name: Fank Tester Name (If applicable): LEAKAGE TEST "K" TEST PRESSURE (80% of MAWP MIN): Compartment No. 1 Leakage Tested Compartment No. 2 Leakage Tested Compartment No. 3 Leakage Tested Compartment No. 4 Leakage Tested Compartment No. 5 Leakage Tested Compartment No. 5 Leakage Tested		After Ret Oate: QC Man. Reference: TEST MEDIUM: Passes Passes Passes Passes Passes Passes	Date: 12.5 Retest complies Retest complies Retest complies Retest complies Retest complies Retest complies	
Inspected elements Inspector Name: Fank Tester Name (If applicable): LEAKAGE TEST "K" FEST PRESSURE (80% of MAWP MIN): Compartment No. 1 Leakage Tested Compartment No. 2 Leakage Tested Compartment No. 3 Leakage Tested Compartment No. 4 Leakage Tested Compartment No. 5 Leakage Tested Compartment No. 5 Leakage Tested Compartment No. 6 Leakage Tested		After Ret Oate: OC Man. Reference: TEST MEDIUM: Passes Passes Passes Passes Passes Passes Passes Passes	Date: 12.5 Retest complies	
Inspected elements: Inspector Name: Fank TesterName (If applicable): LEAKAGE TEST "K" TEST PRESSURE (80% of MAWP MIN): Compartment No. 1 Leakage Tested Compartment No. 2 Leakage Tested Compartment No. 3 Leakage Tested Compartment No. 4 Leakage Tested Compartment No. 5 Leakage Tested Compartment No. 6 Leakage Tested Compartment No. 6 Leakage Tested Compartment No. 1 Piping Leakage Tested		After Ret Oate: OC Man. Reference: TEST MEDIUM: Passes Passes Passes Passes Passes Passes Passes Passes Passes	Date: 12.5 Retest complies	
Inspected elements: Inspector Name: Fank Tester Name (If applicable): LEAKAGE TEST "K" TEST PRESSURE (80% of MAWP MIN): Compartment No. 1 Leakage Tested Compartment No. 2 Leakage Tested Compartment No. 3 Leakage Tested Compartment No. 4 Leakage Tested Compartment No. 5 Leakage Tested Compartment No. 6 Leakage Tested Compartment No. 1 Piping Leakage Tested Compartment No. 1 Piping Leakage Tested Compartment No. 2 Piping Leakage Tested		After Ret Date: QC Man. Reference: TEST MEDIUM: Passes	Date: 12.5 Retest complies	
Inspected elements: Inspector Name: ITank Tester Name (If applicable): LEAKAGE TEST "K" TEST PRESSURE (80% of MAWP MIN): Compartment No. 1 Leakage Tested Compartment No. 2 Leakage Tested Compartment No. 3 Leakage Tested Compartment No. 4 Leakage Tested Compartment No. 5 Leakage Tested Compartment No. 6 Leakage Tested Compartment No. 1 Piping Leakage Tested Compartment No. 1 Piping Leakage Tested Compartment No. 2 Piping Leakage Tested Compartment No. 3 Piping Leakage Tested		After Ret Oate: QC Man. Reference: TEST MEDIUM: Passes	Date: T2.5 Retest complies	
Inspected elements: Inspector Name: LEAKAGE TEST "K" TEST PRESSURE (80% of MAWP MIN): Compartment No. 1 Leakage Tested Compartment No. 2 Leakage Tested Compartment No. 3 Leakage Tested Compartment No. 4 Leakage Tested Compartment No. 5 Leakage Tested Compartment No. 6 Leakage Tested Compartment No. 6 Piping Leakage Tested Compartment No. 1 Piping Leakage Tested Compartment No. 2 Piping Leakage Tested Compartment No. 3 Piping Leakage Tested Compartment No. 3 Piping Leakage Tested Compartment No. 4 Piping Leakage Tested Compartment No. 4 Piping Leakage Tested		After Ret Oate: CC Man. Reference: TEST MEDIUM: Passes	Date: 12.5 Retest complies	
Inspected elements: Inspector Name: Cank Tester Name (If applicable): LEAKAGE TEST "K" TEST PRESSURE (80% of MAWP MIN): Compartment No. 1 Leakage Tested Compartment No. 2 Leakage Tested Compartment No. 3 Leakage Tested Compartment No. 4 Leakage Tested Compartment No. 5 Leakage Tested Compartment No. 6 Leakage Tested Compartment No. 1 Piping Leakage Tested Compartment No. 2 Piping Leakage Tested Compartment No. 3 Piping Leakage Tested Compartment No. 4 Piping Leakage Tested Compartment No. 5 Piping Leakage Tested Compartment No. 5 Piping Leakage Tested		After Ret Oate: QC Man. Reference: TEST MEDIUM: Passes	Date: 12.5 Retest complies	
Inspected elements: Inspector Name: Cank Tester Name (If applicable): LEAKAGE TEST "K" TEST PRESSURE (80% of MAWP MIN): Compartment No. 1 Leakage Tested Compartment No. 2 Leakage Tested Compartment No. 3 Leakage Tested Compartment No. 4 Leakage Tested Compartment No. 5 Leakage Tested Compartment No. 6 Leakage Tested Compartment No. 1 Piping Leakage Tested Compartment No. 2 Piping Leakage Tested Compartment No. 3 Piping Leakage Tested Compartment No. 4 Piping Leakage Tested Compartment No. 5 Piping Leakage Tested Compartment No. 5 Piping Leakage Tested		After Ret Oate: OC Man. Reference: TEST MEDIUM: Passes	Date: 12.5 Retest complies	
Inspected elements: Inspector Name: Tank Tester Name (If applicable): LEAKAGE TEST "K" TEST PRESSURE (80% of MAWP MIN): Compartment No. 1 Leakage Tested Compartment No. 2 Leakage Tested Compartment No. 3 Leakage Tested Compartment No. 4 Leakage Tested Compartment No. 5 Leakage Tested Compartment No. 6 Leakage Tested Compartment No. 6 Leakage Tested Compartment No. 1 Piping Leakage Tested Compartment No. 2 Piping Leakage Tested		After Ret Oate: OC Man. Reference: TEST MEDIUM: Passes	Date: 12.5 Retest complies	

NATIONAL ENERGY EQUIPMENT INC.	Quality Control Manual in accordance with CSA B620
Document Number: NEE-QCM- NL -001	Revision Number: 05
Prepared by / Approved by:	Arash Navidan / Zanyar Farhadi
Date of Issue: 2019/04/12	Page Number: 79 of 122

NATIONAL ENERGY EQUIPMENT INC.			Test and Inspection Report			
Form Number:NEE-FRM-007	1		Revision: 4		(Page 3of 4)	
Facility Name:	National Energy Equ	ipment Inc.	Test Date:		29,122	
Address:						
Telephone			Facility Registration N	lo.:		
Fank Owner						
Address:						
Гelephone			Work Order Location:			
OWNERS UNIT No.:			SERIAL No.:			
MANUFACTURER:			MAWP:			
CERT. DATE:		MATERIAL:	2000,000		TANK SPEC:	
THICKNESS TEST "T"			QC Man. Reference;		12.6	
Thickness tester calibrated?					Front Head	
Front of the tank	12:00	3:00	6:00	9:00		
Shell's position number 1						
Shell's position number 2						
Shell's position number 3						
Shell's position number 4						
Shell's position number 5					Rear Head	
Shell's position number 6						
Shell's position number 7						
Shell's position number 8						
Shell's position number 9						
Shell's position number 10						
Shell's position number 11					Manway	
Shell's position number 12						
Shell's position number 13						
Shell's position number 14						
Shell's position number 15						
Shell's position number 16						
Shell's position number 17					Sump	
Shell's position number 18						
Shell's position number 19						
Shell's position number 20						
Shell's position number 21						
Shell's position number 22						
Shell's position number 23					Nozzle 1	
Shell's position number 24						
Shell's position number 25						
Shell's position number 26						
Shell's position number 27						
Shell's position number 28						
Shell's position number 29					Nozzle 2	
Shell's position number 30						
Rear of the tank	12:00	3:00	6:00	9:00		
	2777	13010	10000	2 87 7	\dashv \land \land	
	Complies		Redo complies			
Гester Name;		Signature:		After Retest Siş	onature.	
, coldi Ivaliic,				THE IVEREST OF		
		Da	ate:		Date:	



NATIONAL ENERGY EQUIPMENT INC.		Test and Inspection Report			
Form Number:NEE-FRM-007		Revision: 4 (Pa			
	rgy Equipment Inc.	Test Date:			
Address:		and the same of th			
Telephone		Facility Registration	No.:		
Tank Owner					
Address:		5-7-7-5-A			
Telephone		Work Order Location	nt .		
OWNERS UNIT No.		SERIAL No.:			
MANUFACTURER:		MAWP;			
CERT, DATE:	MATERIAL:		TANK SPEC:		
PRESSURE TEST *P"	Markeya Makle 7.2	QC Man. Reference		12.7	
Test Pressure (Tank) TEST PRESSURE (80% of MAWP MIN):	(Refer to Table 7.3	of CSA B620 for appro TEST MEDIUM:	priate (est pressure)		
Compartment No. 1 Leakage Tested		Passes	Retest complies	i)	
Compartment No. 2 Leakage Tested		Passes	Retest complies		
Compartment No. 3 Leakage Tested		Passes	Retest complies	•	
Compartment No. 4 Leakage Tested		Passes	Retest complies	3	
Compartment No. 5 Leakage Tested		Passes	Retest complies	1	
Compartment No. 6 Leakage Tested		Passes	Retest complies		
Compartment No. 1 Piping Leakage Tested		Passes	Retest complies	•	
Compartment No. 2 Piping Leakage Tested		Passes	Retest complies	3	
Compartment No. 3 Piping Leakage Tested		Passes	Retest complies	1	
Compartment No. 4 Piping Leakage Tested		Passes	Retest complies	:	
Compartment No. 5 Piping Leakage Tested		Passes	Retest complies	•	
Compartment No. 6 Piping Leakage Tested		Passes	Retest complies	3	
Tester Name:	Signature:		After Retest Signature:		
	Dat	e:		Date:	
CONCLUSION					
Any defect or damage discovered on tank?		Yes or	r No		

Tank successfully retested after repair Not Applicable Yes or No Written repair weld inspection report attached Not Applicable Yes or No Expired Inspection Markings removed Yes or No Removed from Service Yes or No TANK DISPOSITION Safety Mark (Specification Indication) removed Yes or No Returned to Service Yes or No PWHTafter repair of a TC/MC331 & TC51 Not Applicable Yes or No Wet Florescent Markings applied and report attached Yes or No Not Applicable Inspection Markings applied Yes or No FAILED INSPECTION PASSED INSPECTION Inspector Name: After Retest Signature: Signature:

Date:

Date:

NATIONAL ENERGY EQUIPMENT INC.	Quality Control Manual in accordance with CSA B620
Document Number: NEE-QCM- NL -001	Revision Number: 05
Prepared by / Approved by:	Arash Navidan / Zanyar Farhadi
Date of Issue: 2019/04/12	Page Number: 81 of 122

NATIONAL ENERGY EQUIPMENT INC.	Metal identification plate replacement			
Form Number:NEE-FRM-008	Revision: 0			
Obtained tank's original or replacement Certificate	e of Compliance			
The present condition of the tank meets the specific tank listed in the above supporting documentation.	cation to which it was originally certified and is indeed the			
Tank Specification:				
Notes:				
- Replacement metal ID plate shall be permanently aff	ixed to the tank or its supporting structure by brazing or			
welding around its perimeter or by means of tamper-	resistant fasteners.			
- NEEI's current scope does not include manufacture,	assembly, modify, or repair functions for the following tanks:			
	Therefore, we cannot stamp or install a replacement metal ID			
plate for these type of tanks.				
- For TC331 tank specifications, the replacement of a				
requirements of the Manitoba pressure vessel authori				
	331 tanks is limited to Assembly, a plate shall not be installed i			
	e replacement metal ID plate could be installed by means of			
tamper-resistant fasteners as per page 33, item 17 of	QC manual, pertaining to TC331tanks.			
Original Tank Manufacturer:	Original Date of Manufacture:			
Original Tank Vehicle Assembler:	Date of Assembly:			
	Vehicle Identification Number:			
Owner's Name:				
Owner's address:				
Owner's Signature:				
Registered Facility Installing Replacement Plate Name:				
Installing Dieta Facility Number				
Installing Plate Facility Number:				
Registered Facility address:				
Name of Compliance Officer at Registered Facility:				
Signature of Compliance Officer at Registered Facility:				
Date of Installment of the Plate:				
	14 database database da constituido			
	nk's original or replacement Certificate of Compliance)			
Attach a full copy of a facsimile or rubbing of the r	replacement plate. (Full image of the plate)			
his/her designate throughout the ownership of the tank	replacement metal ID plate shall be kept by the owner or s, and a copy shall be retained for at least 1 year, thereafter. the plate for a minimum of 20 years from the date of delivery.			

NATIONAL ENERGY EQUIPMENT INC.	Quality Control Manual in accordance with CSA B620
Document Number: NEE-QCM- NL -001	Revision Number: 05
Prepared by / Approved by:	Arash Navidan / Zanyar Farhadi
Date of Issue: 2019/04/12	Page Number: 82 of 122
24.4.0	

	QW-482 suggested fo (see QW-200.1, Sect	ion IX, ASME Boi				
Company Name:		By SKC ENGINEERING				
Welding Procedure Specification No.:		GMAW-AL-01		Revision:)
Supporting PQR No.(s):		GMAW-AL-01		Issue Date:	4-Fe	b-19
Welding Process(es)		GMAW		wo:	W139	39-D2
Type(s):		Semi-Automatic				6.4.0.
JOINTS (QW-402)		3 - 11 1 1 1 1 1 1		Details		
Junt design Refer D	letalls Root Specing*	1/32 in - 1/8 in	All A	ASME VIII Div 1 & E	31.3 Standard	
Racking With or V		No Retainers	Groove Weld Joint Design & Fillets			
Backing Material P no.		2000 0000				
Metal Non-metalic	Nonfüsing Metal	Pille - I	AU 010	om both sides with		
			or w	elded from one sid	le with backing	
* For welds with backing use Root Spaci Sketches, production drawings, weld syr should show the general arrangement of applicable, the root spacing and the deta BASE METALS (QW-403)	mbols or written description f the parts to be welded, Where	d.				
P no 22	Grain N/A	fc	Pina	22	Gmup no	N/A
or	Charge the states	400				
			.F 100	22	Ghayan	19163
			.710	22	GINDAUL	Mea
Specification type and grade	-		.7110	22	ASIMANIAL	N/A
Specification type and grade to Specification type and grade or			-510	22	STREAM	Ma
Specification type and grade o Specification type and grade			.5182	22	GNIGHT	And the second
Specification type and grade o Specification type and grade or Chem. Analysis and Mech. Properties			.5182	66	GINLATITE	All A
Specification type and grade o Specification type and grade or Chem Analysis and Mech Properties o Chem Analysis and Mech Properties	<u>-</u>		.5186	26	Smartine	
Specification type and grade o Specification type and grade or Chem. Analysis and Mech. Properties o Otiem. Analysis and Mech. Properties	1/16 in	(1.5 mm) to 0.5 in (12		File!		messes
Specification type and grade o Specification type and grade or Chem. Analysis and Mech. Properties o Othern. Analysis and Mech. Properties Thickness Range	1/16 in	(1.5 mm) to 0.5 in (12 All			All thic	
Specification type and grade o Specification type and grade or Chem Analysis and Mech Properties o Obern Analysis and Mech Properties Thickness Range Hase Metal Groove	1/16 in			Filel	All thic	messes
Specification type and grade o Specification type and grade or Specification type and grade Othern Analysis and Mech Properties Othern Analysis and Mech Properties Pickness Range Hase Metal Groove Pipe Diameter Groove	1/16 in	AII N/A None		Filel	All thic	messes
Specification type and grade o Specification type and grade or Chem. Analysis and Mech. Properties of Open. Analysis and Mech. Properties. Phickness Range Hase Metal Grozze Pipe Diameter Grozze T Limits (mad.) Limits (Scarc and.)	1/16 in	AII N/A		Filel	All thic	messes
Specification type and grade o Specification type and grade or Chem. Analysis and Mech. Properties of Grem. Analysis and Mech. Properties. Phickness Range Hase Metal Grozze Pipe Diameter Grozze T Limits (mpact. (13 mm) 1 Limits (Scarc and.)	1/16 in	All N/A None N/A		Filel	All thic	messes
Specification type and grade o Specification type and grade or Chem. Analysis and Mech. Properties of Grem. Analysis and Mech. Properties. Phickness Range Hase Metal Grozze Pipe Diameter Grozze T Limits (mpact. (13 mm) 1 Limits (Scarc and.)	1/16 in	All N/A None N/A		Filel	All thic	messes
Specification type and grade o Specification type and grade o Specification type and grade or Chem. Analysis and Mech. Properties of Grem. Analysis and Mech. Properties. Phickness Range Hase Metal Grove Pipe Diameter Growe T Limits Impact (Pass > 1/2 in (13 mm)) T Limits (5 our and) FILLER METALS (QW-404) Melding Process iller Metal I. No.	1/16 in	All N/A None N/A GMAW F22		Filel	All thic	messes
Specification type and grade of Specification type and grade of Chem. Analysis and Mech. Properties of Chem. Analysis analysis of Chem. Analysis analy	1/16 in	All N/A None N/A GMAW F22 ER5356		Filel	All thic	messes
Specification type and grade of Specification type and grade of Chem. Analysis and Mech. Properties of Chem.	1/16 in	All N/A None N/A GMAW F22 ER5356 5.10		Filel	All thic	messes
Specification type and grade of Specification type and grade of Chem. Analysis and Mech. Properties of Hase Metal Groove Titing Impact of Pass >1/2 in (13 mm) of Little Metal Title (QW-404) Welding Process of Metal Title SFA Specification of Metal Classification	1/16 in	All N/A None N/A GMAW F22 ER5356 5.10 ER5356		Filel	All thic	messes
Specification type and grade of Specification type and grade or Chem. Analysis and Mech. Properties of Chem. Analysis and Mech. Properties of Chem. Analysis and Mech. Properties Thickness Range Hase Metal Groove Pipe Diameter Groove Tituds Impact (Pass > 1/2 in (13 mm)) Titumis (Scor. and) FILLER METALS (QW-404) Welding Process Titler Metal Tivo SFA Specification Titler Metal Classification Titler Metal Classification Titler Metal Size	1/16 in	All N/A None N/A GMAW F22 ER5356 5.10 ER5356 0.035 In (0.9 mm)		Filel	All thic	messes
Specification type and grade of Specification type and grade of Chem. Analysis and Mech. Properties of Chem. Analysis and Mech. Properties of Chem. Analysis and Mech. Properties to Chem. Analysis and Mech. Properties to Chem. Analysis and Mech. Properties thickness Range Hase Metal Groove Pripe Diameter Groove Thinds Impact t Prass > 1/2 in (13 mm) thints (Scorrad) FILLER METALS (QW-404) Welding Process tiller Metal Tillo FA Specification tiller Metal Classification tiller Metal Classification tiller Metal Size foresamable Inserts	1/16 in	All N/A None N/A GMAW F22 ER5356 5.10 ER5356 0.035 in (0.9 mm) None		Filel	All thic	messes
Specification type and grade or Chem. Analysis and Mech. Properties of Chem. Analysis and Mech. Properties of Chem. Analysis and Mech. Properties of Chem. Analysis and Mech. Properties Thickness Range Hase Metal Groove Pipe Diameter Groove Tituds Impact (Pass > 1/2 in (13 mm)) Titumits (S. oir and) Titumits	1/16 in	All N/A None N/A GMAW F22 ER5356 5.10 ER5356 0.035 In (0.9 mm)		Filel	All thic	messes
Specification type and grade or Chem. Analysis and Mech. Properties of Chem. Analysis and Mech. Properties of Chem. Analysis and Mech. Properties of Chem. Analysis and Mech. Properties Thickness Range Hase Metal Groove Pipe Diameter Groove Tituits Impact (Pass >1/2 in (13 min)) Tituits (Scor. and.) FILLER METALS (QW-404) Metiding Process Title Wetal Tivo Filler Wetal Tivo Filler Wetal Classification Filler Metal Product Form Deposit Wetal Metal thickness (i)		All N/A None N/A GMAW F22 ER5356 5.10 ER5356 0.035 In (0.9 mm) None Solid wire	.7 mm)	Filel	All thic	messes
Specification type and grade o Specification type and grade or Them. Analysis and Mech. Properties of Chem. Analysis and Mech. Properties of Thickness Range Thickness Titzen (13 mm) of Thickness Titzen (13 mm) of Thickness Titzen Metal. Thickness Andrews of Thickness Titzen Metal. Thickness Andrews of Thickness Titzen Metal. Chastingation of Thickness Titzen Metal. Product Form.		All N/A None N/A GMAW F22 ER5356 5.10 ER5356 0.035 In (0.9 mm) None Solid wire	.7 mm)	Filel	All thic	messes
Specification type and grade o Specification type and grade o Specification type and grade o Chem. Analysis and Mech: Properties o Chem. Analysis and Mech: Properties Thickness Range Hose Metal Groove Pipe Diameter Groove T Limits (Inpact 1 Pass > 1/2 in (13 mm)) 1 Limits (S- on etc.) FILLER METALS (QW-404) Welding Process Filler Metal T No Filler Weld metal analysis A No SFA Specification Filler Metal Classification Filler Metal Product Form Deposit Weld Metal thickness (I) Groove Filler		All N/A None N/A GMAW F22 ER5356 5.10 ER5356 0.035 In (0.9 mm) None Solid wire	.7 mm)	Filel	All thic	messes
Specification type and grade o Specification type and grade o Specification type and grade o Chem. Analysis and Mech: Properties o Chem. Analysis and Mech: Properties Thickness Range Hose Metal Groove Pipe Diameter Groove T Limits (Inpact 1 Pass > 1/2 in (13 mm)) 1 Limits (S- on etc.) FILLER METALS (QW-404) Welding Process Filler Metal T No Filler Weld metal analysis A No SFA Specification Filler Metal Classification Filler Metal Product Form Deposit Weld Metal thickness (I) Groove Filler		All N/A None N/A GMAW F22 ER5356 5.10 ER5356 0.035 In (0.9 mm) None Solid wire	.7 mm)	Filel	All thic	messes
Specification type and grade o Chem. Analysis and Mech: Properties Thickness Range Hose Metal Groove Pipe Diameter Groove T Limits (Properties) T Limits (Scion and) FILLER METALS (QW-404) Welding Process Filter Metal T No Filter Weld metal analysis A No SFA Specification Filter Metal Classification Filter Metal Product Form Deposit Weld Metal thickness (I) Groove		All N/A None N/A GMAW F22 ER5356 5.10 ER5356 0.035 In (0.9 mm) None Solid wire 0.5 in (12.7 mm) max. All sizes	.7 mm)	Filel	All thic	messes

NATIONAL ENERGY EQUIPMENT INC.
D AND A NEW OCH AND AND

Quality Control Manual in accordance with CSA B620

	m decordance with early 2020
Document Number: NEE-QCM- NL -001	Revision Number: 05
Prepared by / Approved by:	Arash Navidan / Zanyar Farhadi
Date of Issue: 2019/04/12	Page Number: 83 of 122

			QW-	482 (BACK)				
					WPS no.	GMA	W-AL-01	Rev. 0
POSITIONS (QW-40	05)			POSTWELD HE	AT TREATMENT	(QW-407)		
Position(s) of Groove		All		PWHT	None			
Welding Progression		Up		Temperalure	N/A	Time	N	A
Position(s) of Fillet		All		T Limits	N/A			
PREHEAT (QW-406)	Good Act		GAS (QW-408)				
Preheat Temp. Min.		65°F (18°C)			Dec 200	- Sunder	and Section	10x1. You 75
nlerpass Temp Max		180°F (82°C)		GMAW	Gas (es)	Percent Con	nposition (Modure)	Flow rate (cfp
Preheal Maintenance		As Above		Shielding	Argon	100	% Argon	20-30
continuous or special heating	g where applicable	N/A	*****************	Trailing	None		·/	
should be recorded)				Backing	None			
ELECTRICAL CHAP	RACTERISTICS	(QW-409)						*
Max Heal Input (KJ/in)			ng parameters		74.21			
Current AC or DC		DC		Polarity	RP (EP)			
Amps (range)		See below		Volts (range)	See below			
Mode of Transfer		Global, Spray or	Pulsed	(American Control of C				
Fungsten Electrode		N/A		inn.				
Other					-			
Other TECHNIQUE (QW-4	110)							
	10)		G	MAW				
TECHNIQUE (QW-4	10)			MAW slight weave			-	
TECHNIQUE (QW-4 Welding Process	110)		Stringer /				-	
TECHNIQUE (QW-4 Welding Process String or weave bead	110)		Stringer / 9/16 in	slight weave				
TECHNIQUE (QW-4 Welding Process String or weave bead Onfide or gas gup size	110)	Grindi	Stringer / 9/16 in Brushin	slight weave n (14 mm)	ouging			
TECHNIQUE (QW-4 Welding Process String or weave bead Online or gas cup size Method cleaning	110)	Grindi	Stringer / 9/16 in Brushin ng, Plasma Ard	slight weave n (14 mm) g, grinding c or Mechanical G lone	ouging			
TECHNIQUE (QW-4 Welding Process String or weave bead Online or gas cup size Welhod cleaning Welhod of back gouging Decillation		Grindi	Stringer / 9/16 in Brushin ng, Plasma Ard	slight weave n (14 mm) g, grinding c or Mechanical G	ouging			
TECHNIQUE (QW-4 Welding Process String or weave bead Orifice or gas cup size Method cleaning Method of back gouging Decillation Multiple to single pass (per s		Grindi	Stringer / 9/16 in Brushin ng, Plasma Ard N Single / Multi	slight weave n (14 mm) g, grinding c or Mechanical G lone	ouging			
TECHNIQUE (QW-4 Welding Process String or weave bead Orifice or gas cup size Method cleaning Method of back gouging Decillation Multiple to single pass (per s Single to multi electrode	ide)	Grindi	Stringer / 9/16 ir Brushin ng, Plasma Aro N Single / Multi Si	slight weave n (14 mm) g, grinding or Mechanical G lone pass, as required	ouging			
TECHNIQUE (QW-4 Welding Process String or weave bead Orifice or gas cup size Method cleaning Weithod of back gouging	ide)	Grindi	Stringer / 9/16 ir Brushin ng, Plasma Arc N Single / Multi Si 0.75 in - 1 in	slight weave n (14 mm) g, grinding or Mechanical G lone pass, as required ngle	ouging			
TECHNIQUE (QW-4 Welding Process String or weave bead Onfide or gas GUp size Method of leaning Method of back gouging Decillation Multiple to single pass (per s Single to multi-electrode Contract tube to work distance	ide)	Grindi	Stringer / 9/16 ir Brushin ng, Plasma Arc N Single / Multi Si 0.75 in - 1 in	slight weave n (14 mm) g, grinding or Mechanical G lone pass, as required ngle (19 mm - 25 mm)	ouging			
TECHNIQUE (QW-4 Welding Process String or weave bead Onfide or gas dup size Method of earling Method of back gouging Decillation Multiple to single pass (per s Single to multi-electrode Contract tube to work distance Electrode specing Manual or automatic	ide)	Grindi	Stringer / 9/16 ir Brushin ng, Plasma Arc N Single / Multi Si 0.75 in - 1 in	slight weave n (14 mm) g, grinding or Mechanical G lone pass, as required ngle (19 mm - 25 mm) N/A	ouging			
TECHNIQUE (QW-4 Welding Process String or weave bead Onfice or gas cup size Method of learning Method of back gouging Decillation Multiple to single pass (per s Single to multi-electrode Contract tube to work distance	ide)	Grindi	Stringer / 9/16 ir Brushin ng, Plasma Arc N Single / Multi Si 0.75 in - 1 in Semi-/	slight weave 1 (14 mm) g, grinding or Mechanical Golone pass, as required ingle (19 mm - 25 mm) N/A	ouging			
TECHNIQUE (QW-4 Welding Process String or weave bead Onfride or gas dup size Method of leaning Method of back gouging Decillation Multiple to single pass (per is Single to multi-electrode Contract tube to work distant Electrode specing Manual or automatic Peening	ide)	Grindi	Stringer / 9/16 ir Brushin ng, Plasma Arc N Single / Multi Si 0.75 in - 1 in Semi-/	slight weave 1 (14 mm) 13, grinding 2 or Mechanical Grilone 10 pass, as required 119 mm - 25 mm) 10/A 14 pass	ouging			
TECHNIQUE (QW-4 Welding Process String or weave bead Onfrice or gas cup size Melhoid cleaning Melhoid of back gouging Decillation Multiple to single pass (per s Single to multi electrode Contract tube to work distant Electrode spacing Manual or automatic Peening Use of thermal processes Other Layers	ide)	Filler Metal	Stringer / 9/16 in Brushin ng, Plasma Arc N Single / Multi Si 0.75 in - 1 in Semi-	slight weave 1 (14 mm) g, grinding or Mechanical Grione bass, as required ngle (19 mm - 25 mm) N/A Automatic Jone	T	Vofts	Wire-Feed Speed	ĀTS (tram)
TECHNIQUE (QW-4 Nelding Process String or weave bead Onfice or gas cup size Velhod cleaning Velhod of back gouging Decillation Multiple to single pass (per s Single for multi-electrode Contract tube to work distent Electrode specing Jeening Jeening Jeening Jeening Layers /Passes	ide) ce Fracess	Filler Metal Classification	Stringer / 9/16 in Brushin ng, Plasma Arc N Single / Multi Si 0.75 in - 1 in Semi- N Filler Metal Diameter in	slight weave n (14 mm) g, grinding c or Mechanical Gone bass, as required ingle (19 mm - 25 mm) N/A Automatic lone lone	Amps	****	(mqi)	ATS (pm)
TECHNIQUE (QW-4 Nelding Process String or weave bead Onfrice or gas cup size Method cleaning Method of back gouging Decillation Multiple to single pass (per s Single to multi electrode Contract tube to work distant Electrode specing Variual or automatic Peening Use of thermal processes Other Layers	ide) De	Filler Metal	Stringer / 9/16 in Brushin ng, Plasma Arc N Single / Multi Si 0.75 in - 1 in Semi-	slight weave 1 (14 mm) g, grinding or Mechanical Grione bass, as required ngle (19 mm - 25 mm) N/A Automatic Jone	T	Volts 21-25 21-25	The second secon	ATS (pm)


Welding Notes:

Base metal shall be clean, dry & without water stain. Prepare weld joints by mechanical means (cutting, sawing, shearing etc), plasma arc cutting, laser cutting or water jet cutting. It is recommended to use acetone as a cleaning agent prior to welding (before removal of the oxide layer) and between passes. Immediately prior to welding remove oxide using either a stainless steel brush or a non-resin bonded grinding disk (resin bonded disks may be used for post weld operations only). Remove smut between passes with a stainless steel wire brush. Ideally aluminum welding operations will be kept separate from welding on other materials. Do not use equipment for the welding of Aluminum that has been previously used for the welding or cleaning of other materials.

Manufacturer National Energy Equipment Inc.

Certified by Manufacturer Zanyar Farhadi, National Quality Systems Manager

2019-02-13



QW-483 suggested format for procedure qualification records (PQR) (see QW-200.2, Section IX, ASME Boiler and Pressure Vessel Code)
Record Actual Conditions Used to Weld Test Coupons

Company Name National Energy Equi	Ву:	SKC ENGINEERING		
Procedure Qualification Record (PQR) No.: Welding Procedure Specification (WPS) No.: Welding Process(es): GMAW-AL-01 GMAW Type(s) (Manual, Automatic, Semi-automatic): Semi-automatic		Revision: Issue Date: WO:	0 4-Feb-2019 W13939-D2	
JOINTS (QW-402)				
G = 1/64 in (0.4mm) Rf = 3/32 in (2.4mm) Side 1	GTSM	Side 1	Typical for T = 0.25 in 2 Layers, 2 Passes	
Side 2		Side 2		
G	Groove Design of Test Coupe	D/R		
(Car combination out	itications, the deposited weld metal thickness shall be	a recorded for each filler motal or re	ecose usad	

BASE METALS (QW-403)			POST WELD HEAT TREATMENT (QW-407)				
Material Spec	ASTM B209	ASTM B209	PWHT		None	-	
Type or Grade	5052	5052	Temperature	N/A	Time	N/A	
Pino,	P22	P22			,		
Group no	N/A	N/A	GAS (QW-408)				
Thickness of lest coupon	0.25 in (6	5.4 mm)		Gases	Percent Composition	Flow Rate (cfbh)	
Qualified	N/A	A	9	Charen	(Mixture)	Liow is all forting	
- Limits impact	N/A	Д	Shielding Gas (GTAW)	Argon	100% Ar	25	
Pass > 1/2 in (13 mm)	Nor	ne	Backing Gas	N/A	N/A	N/A	
F. Limits (S. cir. arc.)	N/A	A	Trailing Gas	N/A	N/A	N/A	
FILLER METALS (QW-404)			ELECTRICAL CARACTER	RISTICS (QW-	409)		
	All Pa	8888			All Passes		
SFA Specification	5.1	0	Heat (nput (KJ/in) , Max		21.8		
Filler Metal Classification	ER5	356	Current		DC	***************************************	
iller Metal F no.	F2	2	Polanty		RP (EP)		
Weld Metal Analysis A No.	ER5	356	Amperes		210		
Size of Filer Motal	0.035 in (0,9 mm)	Volts		23		
Filler Metal Product Form	Solid Wire		Mode of Transfer		Spray		
Consumable insert	None		Tungsten electrode		N/A		
Weld Metal Thickness (I)	0.25 in (6	5.4 mm)	Wire Feed Speed (ipm)		525		
Supplemental Filler Metal	Nor	10	Other ATS (ipm)		13.3-17.1		
Alloy Element	No	ne	Technique (QW-410)	e (QW-410)			
Limits (S. cir. arc.)	N/A	Α		1		Tour III was a surface	
Other/Brand name	Linde E	R5356	String or Weave Bead	Stringer			
POSITION (QW-405)			Onifice, cup, or Nozzle Size		9/16 in (14 mm)		
Welding Process	GMA	AW .	Cleaning Method		Grinding, brushing		
Position of groove	1G (F	lat)	Back Gouge Method	Grinding			
Netd Progression	N/A	A	Oscillation		None		
Other			Multipass or Single Pass/side.		Single		
PREHEAT (QW-406)		No. of the last of	Single or Multiple electrodes		Single		
Preheat Temperature	65°F (18°C)	Contact Tube to Work Distance		1 in (25 mm)	
Vin Interpass Temperature	65°F (18°C)	Electrode spacing		N/A		
Vlax Interpass Temperature	80°F (27°C)	Manual or automatic		Semi-automa	tic	
Other			Peening		None		
			Use of thermal processes		None		

QW 483 Page 1 of 2

NATIONAL ENERGY EQUIPMENT INC.	Quality Control Manual in accordance with CSA B62		
Document Number: NEE-QCM- NL -001	Revision Number: 05		
Prepared by / Approved by:	Arash Navidan / Zanyar Farhadi		

Page Number: 85 of 122

				2VV-48	3 (BACK)	PQR No.	GMAN	N-AL-01
			TEN	ISILE T	EST (QW-150)			
Specimen No.	Thickness mm	Wild Wild	th Area	i jir	Ullimate Force kN	Ultimale Stress Mpa		ofFailure ocation
5T1	6.15	18.	9 116		22.5	194	Base Me	tal - Ductile
5T2	6.15	18.	9 116		22.8	196	Base Me	tal - Ductile
Comments	Specified UT	S: 170 M	oa min. SKC Repo	rt No. V	V13939-P19013	01125T, dated 29/	01/2019	# · · · · · · · · · · · · · · · · · · ·
			GUIDE	E BEND	TEST (QW-160	0)		
Specimen No	Type of Te	st	Figure Number		Eleriding Angle	Results	Co	mments
5F1	Transverse	Face	QW-462.3(a)		180°	Acceptable	Discontinuit	ties within limit
5F2	Transverse	Face	QW-462.3(a)		180°	Acceptable	Discontinuit	ies within limit
5R1	Transverse	Root	QW-462.3(a)		180°	Acceptable	Discontinuit	ies within limit
5R2	Transverse	Root	QW-462.3(a)		180°	Acceptable	Discontinuit	ies within limit
Comments :	SKC Report	No. W139	39-P1901301156B	, dated	30/01/2019			
			TOUG	HNESS	TEST (QW-17)	0)		
Specimen No	Notch Localio		Test Temperature	Impa	ct Energies	Average Energy	Shear Fracture	Lateral Expansio
Specimental	110 to 11 Educatio		°C		J	1	%	mils
N/A								
Comments .								
				Hardn	ess Test			
Traverse	Hase Mei (HV10)	ai	Heat affected sone (HV10)		Weld Metal (HV10)	Heaf affected sone (HV10)	Base N	fetal (HV10)
N/A								
Comments							7	
			WELDING EQUI	PMENT	AND SETTING	SDETAILS		
Process	GMAV	/						
ower Source	cv							
Nite Feed	N/A							
Program Number	N/A							
nm Value	N/A							
Melder's Name		Mic	hael Critchlow		Welder's ID		BCSA Reg.	# 384846
esl coupon No.		1	G MC 13939		Date test coupon i	velded	18-Jan-	2019
Mechanical test conducted	by	SKC	Engineering Ltd.					Charles A
Velding Supervised by		Christoph	er Ross, Applus F	RTD	Laboratory Tests N	lo	W13939-P190 W13939-P190	
Votes:					1			

welded, and tested in accordance with the requirements of ASME IX .

Dr. M. J. SMITH

Manufacturer National Energy Equipment Inc.

Zanyar Farhadi, National Quality Systems Manager

Approval

te 2019-02-13

Date of Issue: 2019/04/12


Authorized by Mathew Smith, P. Eng.

SKC ENGINEERING
SKC WELDING • MATERIALS • MECHANICAL • INSPECTION • TESTING

SKC ENGINEERING 19165 94th AVENUE, SURREY, BC, V4N 3S4 P (504) 862 1889 • F (504) 862 1811 • vww.skcsiu.com


NATIONAL ENERGY EQUIPMENT INC.	Quality Control Manual in accordance with CSA B620
Occument Number: NEE-QCM- NL -001	Revision Number: 05
repared by / Approved by:	Arash Navidan / Zanyar Farhadi
ate of Issue: 2019/04/12	Page Number: 86 of 122
This Page in in	ntentionally left blank

L



NATIONAL ENERGY EQUIPMENT INC.	Quality Control Manual in accordance with CSA B620
Occument Number: NEE-QCM- NL -001	Revision Number: 05
repared by / Approved by:	Arash Navidan / Zanyar Farhadi
ate of Issue: 2019/04/12	Page Number: 88 of 122
This Page in i	ntentionally left blank

L



PATIONAL ENERGY EQUIPMENT INC.	Quality Control Manual in accordance with CSA B620
Document Number: NEE-QCM- NL -001	Revision Number: 05
Prepared by / Approved by:	Arash Navidan / Zanyar Farhadi
Date of Issue: 2019/04/12	Page Number: 90 of 122

NATIONA EQUIPME	L ENERGY NT INC.	TC 331	tank 1-year inspection checklist
Form Number:NEE-FR-L-010		Revision: 0	
Tank Owner:Address:		Phone #: Unit #:	Page 1 of
Serial #:	M.A.W.P.: Hose Test	MFG Date: Test Pressu Next 5-year	afacturer:
Tank and attachments m		nspection	
**Working from Heights po			
External Visual -Inspect data plate [12.2] (le	"V" gible, permanently affi	ixed, has all informatio	n required in 12.2) PassFailN/A
-Inspect tank inspection dec	rals [12.2] (verify what	tests are required, 1 ye	
			listortions, defects in welds, leakage, damage ids on bottom of tank are not capped and Pass Fail N/A
-Inspect fenders and attachi mounting)	nents [12.2] (Ladder/d	lrop hose compartment	s latch, cracks, damage to fenders or PassFailN/A
	fvehicle and outward e		damage, correct dimensions, distance tt exceed 18" distance between bottom of Pass Fail N/A
-Inspect rear tank sills/fram		is)	Pass Fail N/A
-Inspect placards (correct pr	oduct, legible, all 4 pre	esent)	PassFailN/A
-Inspect tank mounts [12.2] [wood/rubber etc.])	(unable to loosen with	wrench, welds on brac	kets, condition of sill fil material PassFailN/A
valves/air switches work corr -Inspect slam latches/door s -Inspect cabinet doors (dam: -Inspect all air switches (ma -Inspect emergency switches -Inspect underneath tank [1]	ectly, grasshopper spring afety latches [12.2] (all age, seal properly when the sure all switches were serviced operation of a 2.2] (dents, corrosion,	ngs) Il latch correctly) In closed) Ork) Il) leaks,ISC vics, cracks	Pass Fail N/A NO outriggers/cross members, make sure of PTO shaft) Check or shear section on Pass Fail N/A
-Inspect on top of tank [12.2 wearing tank, obvious signs of		l protection functions (if equipped), anti-slip grating insecure or Pass Fail N/A
Leakage Test "H	C "		Test Pressure
Dedicated service, the test pre	essure shall be the max	imum normal operating	g pressure of the tank,
MC 330, MC 331 or TC 331			
- Pressure test compartment a	nd all associated,		
- Spray with soapy water all v	velds pipe connections	, meter and pump equip	oment for signs and observe for signs of leaks.
TANK [12.5] Pass Fa	il N/A	PIPING [12.5]	PassFailN/A
PUMP [12.5] Pass Fa	ilN/A	METER [12.5]	Pass Fail N/A

NATIONAL ENERGY EQUIPMENT INC.	Quality Control Manual in accordance with CSA B620
Document Number: NEE-QCM- NL -001	Revision Number: 05
Prepared by / Approved by:	Arash Navidan / Zanyar Farhadi
Date of Issue: 2019/04/12	Page Number: 91 of 122

NATIONAL ENERGE	TC 331 tank 1-year inspection checklist
orm Number:NEE-FR-L-010	Revision: 0
Emergency Discharge Control [12.2]	Pass Fail N/A Page 2 of
-TC 331 tanks that transport liquefied compress designed to transport Class 2.2, non-flammable	sed gas (LPG) are required to have Emergency discharge controls, except and non-toxic gases.
-Tanks that are 13,250L or less, equipped for m	netered Service, need an off-truck emergency shutdown system.
-Tanks that are 13,250L or more, equipped for remergency shutdown system in addition to an o	metered service, will need either a monitoring feature or a passive off-truck emergency shut down system.
-The system will be tested at the time of inspect	tion,
	ughout the metering system, activate the off-truck Emergency shutdown eering product). Observe the meter to determine how long it takes to stop w and close the ISC within 30
seconds or sooner. No meter creep after 5 secon	nds.
-The same process for testing the Emergency D	sischarge Controls shall be used on both ON and OFF truck applications.
-The emergency shut down system shall function	on reliably at a distance of 46 m (150ft) and
-When the Emergency shutdown has been activ	rated, the ISC can't be reactivated remotely.
-Indicate results on Test and Inspection Report	(Form No: NEE-FR-L-007).
leakage. Hose Test [12.2 & 12.9]	
-Perform visual inspection of all hoses (look t	for kinks, exposed re-enforcement, damaged ends, gaskets)
-Pressure test all hoses (hold pressure for 5 mi	Pass Fail N/A inutes) Pass Fail N/A
Hose I.D. :	
Test Press. : (Test/MAWP)	
Test Medium :	
	Foilune Connected
Fail Items	Failure Corrected Y N
	Y N Y N
	<u> </u>
	Y N Y N
	Y N Y N
	Y N Y N Y N Y N Y N Y N Y N Y N Y N
	Y N Y N
	Y N Y N Y N Y N Y N Y N Y N Y N Y N Y N
Fail Items	Y N Y N Y N Y N Y N Y N Y N Y N Y N Y N

r.

NATIONAL ENERGY EQUIPMENT INC.	Quality Control Manual in accordance with CSA B620
Document Number: NEE-QCM- NL -001	Revision Number: 05
Prepared by / Approved by:	Arash Navidan / Zanyar Farhadi
Date of Issue: 2019/04/12	Page Number: 92 of 122

III NUI	mber:NEE-FRM-011	Revision:	1	
	PANY:			
ADDF	RESS:			
D 47F			11111 + 11	
DATE			UNIT No.:	
TC SI	PEC.: DESIGN P	RESSURE:	MANUFACTU	JRER:
VENE	R OF MANUFACTURE:	TANK SERIA	I No:	
	ACITY BY COMPARTMENT:	- TANK SEKIA	L NO	
1	2 3	4	5	6
	SERVICE ON:	1.30	10	10
_, .01	J., .,		Certified by:	
Inspe	ction Conducted by:			
	The state of the s			
No.	INSPECTION ACTIVITY	COMPLIES	REPAIR	HOLD POINT
1	Drawings			
2	Materials			
3	Welding	1 1		
4	External Visual Inspection			
5	Internal Visual Inspection			
6	Rollover Protection	11 =		
7	Emergency Flow Control & Piping			
8	Safety Relief Valves	1.		
9	Vapour Tightness Test			
10	Lining Inspection			
11	Leakage Test			
12	Ultrasonic Thickness Test			
13	Wet Fluorescent Test			
14	Hose Assembly			
15	Hydrostatic Retest			
16	Cold Vacuum Retention Test			_
17	Helium Detection Test			
18 19	Manhole Covers			
13	Manufacture / Repair / Recertification Plate			
	Other (detail)	1		

NATIONAL ENERGY EQUIPMENT INC.	Quality Control Manual in accordance with CSA B620
Document Number: NEE-QCM- NL -001	Revision Number: 05
Prepared by / Approved by:	Arash Navidan / Zanyar Farhadi
Date of Issue: 2019/04/12	Page Number: 93 of 122
21.1.12	

NATIONAL ENERGY EQUIPMENT INC. Hose assembly test and inspection report Form Number:NEE-FR-L-012 Revision: 0 **FACILITY NAME:** TEST DATE: ADDRESS: **FACILITY REG. NO.:** HOSE OWNER: UNIT# ADDRESS: **HOSE SERIAL #** COMPLIES VISUAL INSPECTION COMPLIES COMPLIES EXPOSED REINFORCEMENT YES YES NO YES KINKED, FLATTENED OR PERMANENTLY DEFORMED YES NO YES NO YES NO WIRE BRAID SOFT SPOTS WHEN NOT UNDER YES NO YES NO YES NO PRESSURE, BULGING UNDER PRESSURE OR LOOSE OUTER COVERING DAMAGED, SLIPPING OR YES NO YES NO YES NO EXCESSIVELY WORN HOSE COUPLINGS LOOSE OR MISSING BOLTS OR FASTENINGS ON BOLTED HOSE YES NO YES NO YES NO COUPLING ASSEMBLIES DETERIORATED LEGIBILITY OR ABSENCE OF SERIAL OR ID YES NO YES NO YES NO NUMBER OR HAWP **HOSE PRESSURE TEST** TEST PRESSURE HOSE SERIAL# HAWP (PSI) **TEST MEDIUM** PASS FAIL (PSI) DESCRIPTION OF DEFECTS FOUND AND METHODS USED TO REPAIR: TESTER NAME: SIGNATURE: DATE:

NATIONAL ENERGY EQUIPMENT INC.	Quality Control Manual in accordance with CSA B620
Document Number: NEE-QCM- NL -001	Revision Number: 05
Prepared by / Approved by:	Arash Navidan / Zanyar Farhadi
Date of Issue: 2019/04/12	Page Number: 94 of 122

orm Number:NEE-FR-L-013		Revision: 0	
Jan Wall			
Facility Address:			
Registration #:			
Owner's Serial #:			
Manufacture:			
MFR Date:	Material:	T	ank Spec:
Welding Process(es):	Carnes	WPS:	
Welding Process(es): Welder Qualification Verifie			
	d YES		REJECT
Welder Qualification Verifie	d YES	NO	The water
Welder Qualification Verifie	d YES	NO	The water
Welder Qualification Verifie ITEM Porosity and/or Inclusions	d YES	NO	The water
Welder Qualification Verifie ITEM Porosity and/or Inclusions Complete Fusion	d YES	NO	The water
Welder Qualification Verifie ITEM Porosity and/or Inclusions Complete Fusion Start and End Complete	d YES	NO	The water
ITEM Porosity and/or Inclusions Complete Fusion Start and End Complete Full Penetration Welder Identification	A YES	CCEPT	REJECT
Welder Qualification Verifie ITEM Porosity and/or Inclusions Complete Fusion Start and End Complete Full Penetration	A YES	CCEPT	REJECT

NATIONAL ENERGY EQUIPMENT INC.	Quality Control Manual in accordance with CSA B620	
Document Number: NEE-QCM- NL -001	Revision Number: 05	
Prepared by / Approved by:	Arash Navidan / Zanyar Farhadi	
Date of Issue: 2019/04/12	Page Number: 95 of 122	

NATIONAL ENERGY EQUIPMENT INC.	Gauge Calibration Log	
Form Number:NEE-FR-L-014	Revision: 0	

Mobile gauges for B620

Gauge #	Date	Method	Pass	Fail	Next Due Date	10р
			4			
				+		
					1	
			2 2			
	-		+	*		
			+			
	-			+		
				+		
	1					
	-					
	+			+	+	

1-15 PSI gauges are to be used.

NATIONAL ENERGY EQUIPMENT INC.	Quality Control Manual in accordance with CSA B620
Document Number: NEE-QCM- NL -001	Revision Number: 05
Prepared by / Approved by:	Arash Navidan / Zanyar Farhadi
Date of Issue: 2019/04/12	Page Number: 96 of 122

orm Number:NEI	F-FR-1-015	-	Revision: 0		
omi Namber.NE	L-1 K-L-010		RC1131011. U		
I.D. Number	Description	Calibration Date	Due Date	Calibrated By	Result
					1
					+
			7, 17		
					1
					4
					4
		=1 1 1			
			h :		1
				_	-
	_		J- 1		
T a					

NATIONAL ENERGY EQUIPMENT INC.	Quality Control Manual in accordance with CSA B620	
Document Number: NEE-QCM- NL -001	Revision Number: 05	
Prepared by / Approved by:	Arash Navidan / Zanyar Farhadi	
Date of Issue: 2019/04/12	Page Number: 97 of 122	

NATIONAL ENERGY EQUIPMENT INC.	Welder Continuity Log
Form Number:NEE-FR-L-016	Revision: 0
Welder:	

Date	Customer	Process	Date Qualified	Repair description
			1	
			k 1	
			3	
_				
*				
*				
1				

The Welder must use a Process once every 6 months, if not the Welders Qualification has expired.

NATIONAL ENERGY EQUIPMENT INC.	Quality Control Manual in accordance with CSA B620
Document Number: NEE-QCM- NL -001	Revision Number: 05
Prepared by / Approved by:	Arash Navidan / Zanyar Farhadi
Date of Issue: 2019/04/12	Page Number: 98 of 122

NATIONAL ENERGY EQUIPMENT INC.		pievei	ntative action report form
		Revision: 0	
	Type o	action/Status Preventive Action	
Corrective Action		Preventive Action	
Job#			
Issued To			
Reference Highway Tank/ Portable Tank			
Reference Area/Process			
Documents			
Name of Initiator:	Signature:		Date:
		nconformity	
Description of Nonconform	ty:		
	R	oot Cause	
		Preventive Acti	ion
Corrective Action		TICY CIMITE ACI	· · · · · · · · · · · · · · · · · · ·
Corrective Action Determination of Root Cause	se:	Treveniive Aci	
Determination of Root Caus		Treveniive Acii	
		The Vernive Acti	
Determination of Root Cause Description of Implemented	d Action:		
Determination of Root Caus			Date:
Determination of Root Cause Description of Implemented	d Action:		
Description of Implemented Signature:	Action: Position/Title	ewed and Conclusions	
Description of Implemented Signature:	Position/Title	:	
Description of Implemented Signature:	Position/Title	ewed and Conclusions	
Description of Implemented Signature:	Position/Title	ewed and Conclusions	
Description of Implemented Signature:	Position/Title	ewed and Conclusions	
Description of Implemented Signature: Follow up Is the action implemented?	Position/Title	ewed and Conclusions	

NATIONAL ENERGY EQUIPMENT INC.	Quality Control Manual in accordance with CSA B620
Document Number: NEE-QCM- NL -001	Revision Number: 05
Prepared by / Approved by:	Arash Navidan / Zanyar Farhadi
Date of Issue: 2019/04/12	Page Number: 99 of 122

21.1.18	Mandatory Document List
---------	--------------------------------

	111111111111111111111111111111111111111	bottiment List
-	NEE-FRM-001	Metal identification plate stamping Related Sections: 7 Manufacture, 8 Assembly
-	NEE-FRM-002	Modification plate stamping Related Section: 9 Modification
-	NEE-FRM-003	Specification plate information sheet for recertified tanks Related Sections: 7 Manufacture, 8 Assembly, 9 Modification
-	NEE-FRM-004	Certificate of compliance for new & assembled tanks Related Sections: 7 Manufacture, 8 Assembly
-	NEE-FRM-005	Modification certificate of compliance Related Section: 9 Modification
-	NEE-FRM-006	Repair report Related Section: 10 Repairs
-	NEE-FRM-007	Test and Inspection Report Related Section:12 Inspection and testing – examination
-	NEE-FRM-008	Metal identification plate replacement Related Section:12 Inspection and testing – examination
-	NEE-FRM-010	TC331 Tank 1-year Inspection Check List Related Section:12 Inspection and testing - examination
-	NEE-FRM-011	Test and inspection travel sheet Related Sections: 7 Manufacture, 8 Assembly, 9 Modification
-	NEE-FRM-012	Hose Assembly Test and Inspection Report Related Section:12 Inspection and testing - examination
-	NEE-FRM-013	Welding inspection report Related Sections:10 Repairs, 15 Welding / brazing control
-	NEE-FRM-014	Gauge Calibration Log Related Section:16 Calibration
-	NEE-FRM-015	Equipment Calibration Log Related Section:16 Calibration
-	NEE-FRM-016	Welder Continuity Log Related Section: 15 Welding control
-	NEE-FRM-017	Nonconformance corrective and preventative action report Related Section: 14 Nonconformities-Corrective action, 17 Quality audits

NATIONAL ENERGY EQUIPMENT INC.	Quality Control Manual in accordance with CSA B620
Document Number: NEE-QCM- NL -001	Revision Number: 05
Prepared by / Approved by:	Arash Navidan / Zanyar Farhadi
Date of Issue: 2019/04/12	Page Number: 100 of 122

21.1.19 List of registered design engineers

Name:	Ahmad Moaaz
Address:	1004 600 Setter St Winnipeg MB R2Y 2H7
Registration No.:	35-0188
Date of Expiry:	01-February-2021
Telephone:	204-698-0657



Transport Canada Transports Canada

Certificate of Registration

This is to certify that

Ahmad Moaaz

residing at:

1004 600 Setter St Winnipeg, MB R2Y 2H7

is registered as a

Design Engineer


pursuant to the requirements of Clause 8.1.5 of CSA Standard B620-09.

EXPIRY DATE OF THIS REGISTRATION:

Unless otherwise notified this registration is valid until the date of expiry indicated below. A new application must be submitted where there is any substantive change in the information given on the application form filed with Transport Canada. Application for renewal must be made by email at least three months before expiry.

DATE OF ISSUE: 08-January-2016 DATE OF EXPIRY: 01-February-2021

REGISTRATION #: 35-0188



21.1.20 List of B620 personnel and their qualifications:

Name:	Jeremy Newhook
Position:	Tank inspector / Welder
Qualification Date:	Tank tester June 2009, Tank inspector June 2012.
Qualification Process:	Jeremy was hired at NEEI in May of 2008, After that he had proper training for 1 year under supervision of a qualified B620 inspector, Rod Walsh, in the facility 25-0580. Jeremy was then qualified as a tank tester in June 2009. He was qualified as a tank inspector in June of 2012. He has requalified as a B620 welder in May of 2018.
Name:	Jeffery Reid
Position:	Tank inspector
Qualification Date:	Tank tester December of 2010, Tank inspector January of 2014.
Qualification Process:	Jeff was hired at NEEI in November of 2009, After that he had proper training for 1 year under supervision of a qualified B620 inspector, Rod Walsh, in the facility 25-0580. Jeff was then qualified as a tank tester in December of 2010. He was qualified as a tank inspector in January of 2014.
Name:	Stephen Hillier
Position:	Tank Tester / Welder
Qualification Date:	Tank tester February of 2017.
Qualification Process:	Stephen was hired at NEEI in January of 2016, After that he had proper training for 1 year under supervision of a qualified B620 inspector, Jeremy Newhook, in the facility 25-0580. Stephen was then qualified as a tank tester in February of 2017. He has qualified as a B620 welder in August of 2018.

NATIONAL ENERGY EQUIPMENT INC.	Quality Control Manual in accordance with CSA B620
Document Number: NEE-QCM- NL -001	Revision Number: 05
Prepared by / Approved by:	Arash Navidan / Zanyar Farhadi
Date of Issue: 2019/04/12	Page Number: 102 of 122
21.1.21	







Table 7.1 of CSA B620 Periodic inspection and test intervals

(See Clauses 7.1.1, C.1, C.2, and C.6 of CSA-B620.)

Description of tank	Clause 7.2.1 External inspection	Clause 7.2.2 Internal inspection ⁽¹⁾	Clause 7.2.3 Lining inspection	Clause 7.2.5 Leakage test	Clause 7.2.7 Pressure test, hvdrostatic or pneumatic	Clause 7.2.11 Structural inspection
TC 306 or TC 406 tanks	I year	5 years ⁽²⁾	_	l year	5 years ⁽³⁾	_
TC 306 Crude or TC 406 Crude tanks	2.5 years	5 years	_	2.5 years	5 years ⁽³⁾	
TC 307 or TC 407 tanks	I year	5 years	_	I year	5 years	_
TC 312 or TC 412 tanks	I year	5 years	_	I year	5 years ⁽³⁾	_
TC 423 tanks	I year	I year	_	I year	5 years	5 years
TC 350 tanks	6 months	I year	_	I year	2 years	_
TC 350 Crude tanks	I year	l year	_	I year	2 years	_
TC 331 tanks	I year	5 years	_	I year ⁽⁴⁾	5 years ⁽⁴⁾	_
TC 338 tanks	I year	_	_	_	5 years	_
TC 341 tanks ⁽⁵⁾	I year	10 years	_	_	10 years	_
TC 11 portable tanks	I year	10 years ⁽⁶⁾	_	I year	5 years	_
TC 44 portable tanks	I year	5 years	_	I year	5 years	_
TC 51 portable tanks ⁽⁹⁾	2.5 years ⁽⁷⁾	5 years	5 years	_	5 years	_
TC 56 and 57 portable tanks ⁽⁸⁾	2.5 years	_	_	_	2.5 years	_
TC 60 portable tanks	2 years	Initial: 4 years Next 8 years: every 2 years After 12 years: annually	Initial: 4 years Next 8 years: every 2 years After 12 years: annually		Initial: 4 years Next 8 years: every 2 years After 12 years: annually	_

Notes:

- (1) Where a tank, other than a TC 341 tank, is not equipped with a manhole or inspection ports, a hydrostatic or pneumatic pressure test shall be performed at the interval for internal inspections. See also Note 5.
- (2) Highway tanks used only to refuel aircraft and that operate only on airport property shall be exempt from internal inspection, provided that they are clearly marked "Restricted to Use on Airport Property" in letters not less than 25 mm (1 in) high in a contrasting colour on each side of the tank where they will be clearly visible from the ground.
- (3)For TC 306, TC 406, TC 306 Crude, TC 406 Crude, TC 312, or TC 412 tanks, the pressure tests specified in Clause 7.2.7 shall not be required for uninsulated lined tank trucks and trailers with a design pressure or MAWP of 103 kPa (15 psi) or less, if an external inspection and a lining inspection have been performed annually.



- (4)TC 331 tanks in chlorine service shall be leak tested as specified in Clause 7.2.5 and pressure tested as specified in Clause 7.2.7 every two years. Pressure tests shall not be required on TC 331 tanks when in sodium metal service.
- (5)As an alternative to the inspection and test requirements of this Table for TC 341 tanks, owners may perform the tests and inspections described in Annex C.
- (6) The internal inspections specified in Clause 7.2.2 do not apply to TC 11 tanks that are less than 2350 L (620 US gal) and that do not have inspection openings.
- (7) The external inspection period may be extended to 3 years following a pressure test for tanks described in CSA B622, Clause 6.3, Specific Requirement 55.
- (8)TC 56 and TC 57 tanks shall be inspected and retested in accordance with Section 7 of CAN/CGSB-43.146.
- (9)A TC 51 portable tank that is loaded and off-loaded without being removed from the vehicle shall be inspected and tested according to the requirements for TC 331 tanks specified in this Table.
- (10) The pressure test period for tanks described in CSA B622, Clause 6.3, Specific Requirement 54 and Specific Requirement 55, is three years
- (11) TC 331 and TC 51 tanks shall be subjected to an internal inspection by the wet fluorescent magnetic particle method in accordance with Clause 7.2.8 when the conditions of Clause 7.2.8(a) are met.

NATIONAL ENERGY EQUIPMENT INC.	Quality Control Manual in accordance with CSA B620
Document Number: NEE-QCM- NL -001	Revision Number: 05
Prepared by / Approved by:	Arash Navidan / Zanyar Farhadi
Date of Issue: 2019/04/12	Page Number: 105 of 122

Table 7.2 of CSA B620 Additional periodic inspection and test intervals

(See Clauses 7.1.1 and C.6.)

Description of tank	Clause 7.2.1 External inspection	Clause 7.2.2 Internal inspection ⁽¹⁾	Clause 7.2.3 Lining inspection	Clause 7.2.5 Leakage test	Clause 7.2.7 Pressure test, hydrostatic or pneumatic	Clause 7.2.6 Thickness test ⁽⁶⁾	Clause 7.2.4 Upper coupler inspection
All tanks designed to be loaded by vacuum, with full opening rear heads	6 months ⁽⁵⁾			_	2 years	_	
All lined tank trucks and tank trailers in corrosive service	÷	1 year	1 year	-	-	-	7
All lined tank trucks and tank trailers not in corrosive service ⁽⁷⁾	-		5 years	-	-	-	-
All unlined tank trucks and tank trailers in corrosive service ⁽²⁾	- x	1 year	÷ .		=	2 years ⁽⁴⁾	=
All insulated tank trucks and tank trailers ⁽³⁾	+0	1 year	-	_		-	-
All insulated highway and portable tanks, lined or without manholes ⁽²⁾	Ť		-	-	1 year	-	7

Quality Control Manual in accordance with CSA B620 Document Number: NEE-QCM- NL -001 Revision Number: 05 Prepared by / Approved by: Arash Navidan / Zanyar Farhadi Date of Issue: 2019/04/12 Page Number: 106 of 122

Clause 7.2.7 **Clause 7.2.4** Clause 7.2.1 Clause 7.2.2 **Clause 7.2.3** Pressure test, Clause 7.2.6 Upper Description Lining hydrostatic **Thickness** coupler External Internal **Clause 7.2.5** inspection⁽¹⁾ or pneumatic test(6) of tank inspection inspection Leakage test inspection

5 years

2 years

Table 7.2 (Concluded)

trailers
Not in
corrosive
service

All tank

equipped with an upper coupler

All tank

trailers

in corrosive

service

equipped

with

an upper coupler

Notes:

- (1) Where the tank is not equipped with a manhole or inspection ports, a hydrostatic or pneumatic test shall be performed at the interval for internal inspections.
- (2) Except TC 338 and 341 tanks.
- (3) Except TC 331, 338, and 341 tanks.
- (4) If the thickness is such that less than 20% of the corrosion allowance remains, a thickness test shall be performed annually.
- (5) Except TC 350 crude tanks.
- (6) The thickness test does not apply to FRP tanks.
- (7) Lined tanks not in corrosive service shall have their lining visually inspected but the marking requirements of Clause 7.4.3(e) shall not apply.

NATIONAL ENERGY EQUIPMENT INC.	Quality Control Manual in accordance with CSA B620
Document Number: NEE-QCM- NL -001	Revision Number: 05
Prepared by / Approved by:	Arash Navidan / Zanyar Farhadi
Date of Issue: 2019/04/12	Page Number: 107 of 122
21.1.23 Table 7.3 of CSA B620 Test pressures (See Clauses 5.2.5, 5.5.2.4, 7.	2.7.7, and 7.2.7.8.)

Tank specification Pressure, kPa (psi)

TC 306 or MC 21 kPa (3 psi) or design pressure, whichever is greater

TC 307 or MC 307 275 kPa (40 psi) or 1.5 × design pressure, whichever is greater

TC 312 or MC 312 21 kPa (3 psi) or 1.5 × design pressure, whichever is greater

TC 331, MC 330, or MC 331 $1.5 \times$ design pressure

TC 406 $34.5 \text{ kPa } (5 \text{ psi}) \text{ or } 1.5 \times \text{MAWP}$, whichever is greater

TC 407 $275.8 \text{ kPa} (40 \text{ psi}) \text{ or } 1.5 \times \text{MAWP}$, whichever is greater

TC 412 $1.5 \times MAWP$

TC 423 $1.5 \times MAWP$

TC 338 According to calculation in Clause 5.2.5

TC 341 According to calculation in Clause 5.5.2.4

TC 350 $155 \text{ kPa } (22.5 \text{ psi}) \text{ or } 1.5 \times \text{MAWP}, \text{ whichever is greater}$

TC 11 According to calculation in Clause 6.4.11(c)

TC 44 $27 \text{ kPa } (4 \text{ psi}) \text{ or } 1.5 \times \text{MAWP}, \text{ whichever is greater}$

TC 51 or DOT 51 $1.5 \times \text{design pressure}$

TC 60 or DOT 60 415 kPa (60 psi)

TC Type 1, 2, and 3 $1.5 \times MAWP$

NATIONAL ENERGY EQUIPMENT INC.	Quality Control Manual in accordance with CSA B620
Document Number: NEE-QCM- NL -001	Revision Number: 05
Prepared by / Approved by:	Arash Navidan / Zanyar Farhadi
Date of Issue: 2019/04/12	Page Number: 108 of 122

Table 7.4 of CSA B620 Minimum thickness for TC and MC 306, 307, and 312 specification tanks manufactured with steel and steel alloys.

(See Clause 7.2.6.2.)

Minimum nominal thickness required in Tables 5.2 or 5.3, 5.4 or 5.5, and 5.6 or 5.7, as applicable, for the specification, US gauge or mm (in)	Nominal decimal equivalent for reference, mm (in)	In-service minimum thickness, mm (in)
19	1.06 (0.0418)	0.97 (0.038)
18	1.21 (0.0478)	1.09 (0.043)
17	1.37 (0.0538)	1.22 (0.048)
16	1.52 (0.0598)	1.37 (0.054)
15	1.71 (0.0673)	1.55 (0.061)
14	1.90 (0.0747)	1.70 (0.067)
13	2.28 (0.0897)	2.06 (0.081)
12	2.66 (0.1046)	2.39 (0.094)
11	3.04 (0.1196)	2.74 (0.108)
10	3.42 (0.1345)	3.07 (0.121)
9	3.80 (0.1495)	3.43 (0.135)
8	4.18 (0.1644)	3.76 (0.148)
7	4.55 (0.1793)	4.09 (0.161)
4.76 (3/16)	4.76 (0.1875)	4.29 (0.169)
6.35 (1/4)	6.35 (0.2500)	5.72 (0.225)
7.94 (5/16)	7.94 (0.3125)	7.14 (0.281)
9.53 (3/8)	9.53 (0.3750)	8.59 (0.338)

NATIONAL ENERGY EQUIPMENT INC.	Quality Control Manual in accordance with CSA B620
Document Number: NEE-QCM- NL -001	Revision Number: 05
Prepared by / Approved by:	Arash Navidan / Zanyar Farhadi
Date of Issue: 2019/04/12	Page Number: 109 of 122

21.1.25

Table 7.5 of CSA B620 Minimum thickness for TC and MC 306, 307, and 312 specification tanks manufactured with aluminum and aluminum alloys.

(See Clause 7.2.6.2.)

Minimum nominal thickness required in Tables 5.2 or 5.3, 5.4 or 5.5, and 5.6 or 5.7, as applicable, for the specification, US gauge or mm (in)	In-service minimum thickness, mm (in)
1.98 (0.078)	1.78 (0.070)
2.21 (0.087)	1.98 (0.078)
2.44 (0.096)	2.18 (0.086)
2.77 (0.109)	2.49 (0.098)
3.30 (0.130)	2.97 (0.117)
3.58 (0.141)	3.23 (0.127)
3.84 (0.151)	3.54 (0.136)
4.37 (0.172)	3.94 (0.155)
4.39 (0.173)	3.96 (0.156)
4.93 (0.194)	4.45 (0.175)
5.49 (0.216)	4.93 (0.194)
6.02 (0.237)	5.41 (0.213)
6.86 (0.270)	6.17 (0.243)
9.14 (0.360)	8.23 (0.324)
11.43 (0.450)	10.29 (0.405)
13.72 (0.540)	12.34 (0.486)

NATIONAL ENERGY EQUIPMENT INC.	Quality Control Manual in accordance with CSA B620
Document Number: NEE-QCM- NL -001	Revision Number: 05
Prepared by / Approved by:	Arash Navidan / Zanyar Farhadi
Date of Issue: 2019/04/12	Page Number: 110 of 122
·	·

21.1.26

orm Number:NF	E-FR-L-102-(R	EV3)	Page 1 of 1	Revision: 3		
Date of Issue: Time Of Entry:				Of Issue: ipated Time Out	Δ.	
Entrant:				ict Last Containe		-
Standby Person	1			Supervisor:		
Type of Work: Type of Work I	□Hot Work		ork []Wel	lding	irs	ion/Cleaning
□□□ Safe	ewed materials Access to Conf Cleared of Haz	ined Space ards	leets	☐ GFI & Seale ☐ Hearing Pro ☐ Face Shield	ools Grounded T ed Extension Cor tection Required /Glasses Require	ds
Resp Space Spa	LEI	on Required for to Entry ion d During Entry LTS OF ATM Acceptable 0% C	Atmospheric O < 5 ppm	Protective F Emergency Emergency Workers Av C/EXPLOSIM /Explosimeter F H ₂ S	Eye Wash/Show Extraction Kit vare of Condition ETER TESTI Readings Oppm TV	ıs
Responder Resp	piratory Protection Pr	on Required for to Entry ion d During Entry LTS OF ATM Acceptable 0% C	Atmospheric O < 5 ppm Daily Bump	Protective F Emergency Emergency Workers Av C/EXPLOSIM /Explosimeter F H2S (Ex clothing Eye Wash/Show Extraction Kit ware of Condition ETER TESTIF Readings Oppm TV By	ns NG OC 0 ppm or similar to ba
Resp Space Space Nature Nature Nece	piratory Protection e Ventilated Prince Ventilation hanical Ventilation hanical Ventilation Required RESUI LEI	on Required for to Entry ion d During Entry LTS OF ATM Acceptable 0% C	Atmospheric O < 5 ppm	Protective F Emergency Emergency Workers Av C/EXPLOSIM /Explosimeter F H ₂ S	R clothing Eye Wash/Show Extraction Kit ware of Condition ETER TESTI Readings Oppm TV	ns NG OC 0 ppm or
Resp Spac Nath Mec Ven Coz% 20.9%	piratory Protection Pr	on Required for to Entry for d During Entry LTS OF ATM Acceptable 0% Con Date:	Atmospheric O < 5 ppm Daily Bump	Protective F Emergency Emergency Workers Av C/EXPLOSIM /Explosimeter F H2S (Ex clothing Eye Wash/Show Extraction Kit ware of Condition ETER TESTIF Readings Oppm TV By	ns NG OC 0 ppm or similar to ba
Resp. Space	piratory Protection Pr	on Required for to Entry for d During Entry LTS OF ATM Acceptable 0% Con Date:	Atmospheric O < 5 ppm Daily Bump	Protective F Emergency Emergency Workers Av C/EXPLOSIM /Explosimeter F H2S (Ex clothing Eye Wash/Show Extraction Kit ware of Condition ETER TESTIF Readings Oppm TV By	ns NG OC 0 ppm or similar to ba
Resp Resp Resp Resp Natu Rec	piratory Protection Pr	on Required for to Entry for d During Entry LTS OF ATM Acceptable 0% Con Date:	Atmospheric O < 5 ppm Daily Bump	Protective F Emergency Emergency Workers Av C/EXPLOSIM /Explosimeter F H2S (Ex clothing Eye Wash/Show Extraction Kit ware of Condition ETER TESTIF Readings Oppm TV By	ns NG OC 0 ppm or similar to ba
Resp Resp Resp Resp Natu Rec	piratory Protection Pr	on Required for to Entry for d During Entry LTS OF ATM Acceptable 0% Con Date:	Atmospheric O < 5 ppm Daily Bump	Protective F Emergency Emergency Workers Av C/EXPLOSIM /Explosimeter F H2S (Ex clothing Eye Wash/Show Extraction Kit ware of Condition ETER TESTIF Readings Oppm TV By	ns NG OC 0 ppm or similar to ba
Resp Spac Nath Mec Ven Ven O2% 20.9%	piratory Protection Pr	on Required for to Entry for d During Entry LTS OF ATM Acceptable 0% Con Date:	Atmospheric O < 5 ppm Daily Bump	Protective F Emergency Emergency Workers Av C/EXPLOSIM /Explosimeter F H2S (Ex clothing Eye Wash/Show Extraction Kit ware of Condition ETER TESTIF Readings Oppm TV By	ns NG OC 0 ppm or similar to ba
Resp Spac Nath Mec Ven Ven O2% 20.9%	piratory Protection Pr	on Required for to Entry for to Entry for to Entry for to Entry for the	Atmospheric O < 5 ppm Daily Bump ' H ₂ S	Protective F Emergency Emergency Workers Av C/EXPLOSIM /Explosimeter F H2S Test Completed TVOC	ER clothing Eye Wash/Show Extraction Kit ware of Condition ETER TESTIF Readings Oppm TV By Date/Time	ns NG OC 0 ppm or similar to ba
Resp. Space	piratory Protective Ventilated Private Ventilated Private Ventilation hanical Ventilation Required RESUL LEL Calibratio LEL %	on Required for to Entry for to Entry for to Entry for to Entry for the	Atmospheric O < 5 ppm Daily Bump ' H ₂ S	Protective F Emergency Emergency Workers Av C/EXPLOSIM /Explosimeter F H2S Test Completed TVOC	ER clothing Eye Wash/Show Extraction Kit ware of Condition ETER TESTIF Readings Oppm TV By Date/Time	ns NG OC 0 ppm or similar to ba
	piratory Protective Ventilated Private Ventilated Private Ventilation hanical Ventilation Required RESUL LEL Calibratio LEL %	on Required for to Entry for to Entry for to Entry for to Entry for the	Atmospheric O < 5 ppm Daily Bump ' H ₂ S	Protective F Emergency Emergency Workers Av C/EXPLOSIM /Explosimeter F H2S Test Completed TVOC	ER clothing Eye Wash/Show Extraction Kit ware of Condition ETER TESTIF Readings Oppm TV By Date/Time	NG OC 0 ppm or similar to be
	piratory Protective Ventilated Private Ventilated Private Ventilation hanical Ventilation Required RESUL LEL Calibratio LEL %	on Required for to Entry for to Entry for to Entry for to Entry for the	Atmospheric O < 5 ppm Daily Bump ' H ₂ S	Protective F Emergency Emergency Workers Av C/EXPLOSIM /Explosimeter F H2S Test Completed TVOC	ER clothing Eye Wash/Show Extraction Kit ware of Condition ETER TESTIF Readings Oppm TV By Date/Time	NG OC 0 ppm or similar to be
	piratory Protective Ventilated Private Ventilated Private Ventilation hanical Ventilation Required RESUL LEL Calibratio LEL %	on Required for to Entry for to Entry for to Entry for to Entry for the	Atmospheric O < 5 ppm Daily Bump ' H ₂ S	Protective F Emergency Emergency Workers Av C/EXPLOSIM /Explosimeter F H2S Test Completed TVOC	ER clothing Eye Wash/Show Extraction Kit ware of Condition ETER TESTIF Readings Oppm TV By Date/Time	NG OC 0 ppm or similar to be

NATIONAL ENERGY EQUIPMENT INC.	Quality Control Manual in accordance with CSA B620
Document Number: NEE-QCM- NL -001	Revision Number: 05
Prepared by / Approved by:	Arash Navidan / Zanyar Farhadi
Date of Issue: 2019/04/12	Page Number: 111 of 122
21.1.27	
r C	

Confined Space Entry Program




Document Number: NEE-CSEP-MB-001

Prepared by: Arash Navidan

Approved by: Zanyar Farhadi


Date of Issue: 2017/06/30 Rev. No.: 3 Sheet: 1 of 7



Item No.	Subject	Page No
1	Scope	3
2	Definitions and Glossary of Abbreviations	3
3	Responsibilities	4
4	Procedures	5
4-1	Confined Space Entry Program	5
4-2	Confined Space Entry, Rescue and Ventilation Procedure	5
4-3	Confined Space Hazard Assessment	5
4-4	Records	6
5	Training Requirements	6
	<u>Appendices</u>	
A	Confined Space Entry and Rescue Procedure for the inspection of propane delivery highway tanks	-
В	Confined Space Entry and Rescue Procedure for the inspection of petroleum delivery highway tanks	1.41
C	Confined Space Entry and Rescue Procedure for repairs including hot work of petroleum delivery highway tanks	-
D	Confined Space Entry and Rescue Procedure for the inspection of chemical delivery highway tanks	-
E	Confined Space Hazard assessment for the inspection of propane delivery highway tanks	-
F	Confined Space Hazard assessment for the inspection of petroleum delivery highway tanks	3
G	Confined Space Hazard assessment for repairs including hot work of petroleum delivery highway tanks	
Н	Confined Space Hazard assessment for the inspection of chemical delivery highway tanks	*



Document Number: CSE	P-MB-001		
Prepared by:		Arash Navidai	í.
Approved by:		Zanyar Farha	di
Date of Issue: 2017/06/30	Rev. No.: 3		Sheet: 2 of 7



NATIONAL ENERGY EQUIPMENT INC.	Confined Space Entry Program
Document Number: NEE-CSEP-MB-001	Date of Issue: 2017/06/30
Prepared by: Arash Navidan	Revision Number: 3
Approved by: Zanyar Farhadi	Sheet Number: 3 of 7

SECTION - 1 Scope

This program governs the entry into Confined Spaces at National Energy Equipment Inc. (NEEI) facilities. It shall be followed by all NEEI employees or employees of any sub-contractors while on mentioned NEEI property.


This program is meant to satisfy the requirements of the Work Safe BC, Occupational Health & Safety Regulation (OHSR), and all provincial legislation related to Confined Space Entry.

SECTION - 2 Definitions and Glossary of Abbreviations

- "adjacent piping" means a device such as a pipe, line, duct or conduit which is connected to a confined space or is so located as to allow a substance from within the device to enter the confined space;
- "blank" means a solid plate installed through the cross-section of a pipe, usually at a flanged connection;
- "blanking or blinding" means the absolute closure of adjacent piping, by fastening across its bore a solid plate or cap that completely covers the bore and that is capable of withstanding the maximum pressure of the adjacent piping;
- "blind" means a solid plate installed at the end of a pipe which has at that point been physically disconnected from a piping system;
- "clean respirable air" when used to describe the atmosphere inside a confined space, means an atmosphere which is equivalent to clean, outdoor air and which contains
- (a) about 20.9% oxygen by volume,
- (b) no measurable flammable gas or vapour as determined using a combustible gas measuring instrument, and
- (c) no air contaminant in concentrations exceeding either 10% of its applicable exposure limit in section 4.6, or an acceptable ambient air quality standard established by an authority having jurisdiction over environmental air standards, whichever is greater;

"confined space" means an area, other than an underground working, that

- (a) is enclosed or partially enclosed,
- (b) is not designed or intended for continuous human occupancy,
- (c) has limited or restricted means for entry or exit that may complicate the provision of first aid, evacuation, rescue or other emergency response service, and
- (d) is large enough and so configured that a worker could enter to perform assigned work;



NATIONAL ENERGY EQUIPMENT INC.	Confined Space Entry Program
Document Number: NEE-CSEP-MB-001	Date of Issue: 2017/06/30
Prepared by: Arash Navidan	Revision Number: 3
Approved by: Zanyar Farhadi	Sheet Number: 4 of 7

"disconnecting" means physically disconnecting adjacent piping from a confined space to prevent its contents from entering the space in the event of discharge;

"double block and bleed" means the closure of adjacent piping by locking out a drain or vent in the open position in the line between 2 locked out valves in the closed position;

"harmful substance" means a WHMIS hazardous product, a substance referred to under section 4.6, or a substance which may have a harmful effect on a worker in a confined space;

"high hazard atmosphere" means an atmosphere that may expose a worker to risk of death, incapacitation, injury, acute illness or otherwise impair the ability of the worker to escape unaided from a confined space, in the event of a failure of the ventilation system or respirator;

"inerting" means intentionally flooding the atmosphere inside a confined space with an inert gas such as nitrogen to eliminate the hazard of ignition of flammable vapours inside the confined space but thereby creating an oxygen deficient atmosphere;

"low hazard confined space" means a confined space which is shown by pre-entry testing or otherwise known to contain clean respirable air immediately prior to entry to a confined space and which is not likely to change during the work activity, as determined by a qualified person after consideration of the design, construction and use of the confined space, the work activities to be performed, and all engineering controls required. For example, all brand new B620 tanks and water tanks.


"moderate hazard confined space" means a confined space that is not clean respirable air but is not likely to impair the ability of the worker to escape unaided from a confined space, in the event of a failure of the ventilation system or respirator.

SECTION - 3 Responsibilities

The people who are involved in the process of confined space entry are as follows:

- Entry Supervisor
- Standby Person
- Entrants

Please refer to the section 7 (responsibilities) of the related confined space entry and rescue procedures (NEE-CSP-001, NEE-CSP-002, NEE-CSP-003 or NEE-CSP-004) that accompanies this program for the specific responsibilities details.



NATIONAL ENERGY EQUIPMENT INC.	Confined Space Entry Program
Document Number: NEE-CSEP-MB-001	Date of Issue: 2017/06/30
Prepared by: Arash Navidan	Revision Number: 3
Approved by: Zanyar Farhadi	Sheet Number: 5 of 7

SECTION- 4 Procedures

4.1 Confined Space Entry Program

This program provides:

- A method for identifying each confined space at NEEI projects and facilities.
- A review of every confined space to determine the Hazard ratings of each related confined space.
- A method for identifying and evaluating the hazards to which workers may be exposed in confined spaces before allowing entry.
- The development of confined space entry procedures.
- General and plan-specific training of workers.
- The duties of the various workplace parties in the confined space program.
- A hazards assessment that sets out measures, procedures and practices to be followed for safe entry operations when work is to be performed in a confined space.
- Monitoring to test the confined space atmosphere for hazards, such as Oxygen, Combustible gases/vapours, Toxic gases/vapours, total volatile organic compounds (TVOC).
- The means for ensuring unprotected workers are not exposed to hazardous atmospheres.
- A rescue plan and rescue procedures in place before entry into a Confined Space occurs.
- An accountability system, such as a log of authorized entrants into a Confined Space.


4.2 Confined Space Entry, Rescue and Ventilation Procedure

A confined space entry permit must be completed prior to entry. A confined space warning sign must be posted at the entrance to the space. Entry, Rescue and Ventilation procedures of the delivery highway tanks are conducted by the mentioned persons in the section 3 of this document for the following purposes:

- Confined Space Procedure-Propane tanks inspection and grinding only. (NEE-CSP-NA-001)
- Confined Space Procedure Petroleum tanks inspection only. (NEE-CSP-NA-002)
- Confined Space Procedure Petroleum tanks repairs including hot work. (NEE-CSP-NA-003)
- Confined Space Procedure Chemical tanks inspection only. (NEE-CSP-NA-004)

4.3 Confined Space Hazard Assessment

The confined space hazards assessments for the aforementioned confined space entry and rescue procedures are prepared and reported as following Confined space hazard assessment (CSHA) documents:



NATIONAL ENERGY EQUIPMENT INC.	Confined Space Entry Program
Document Number: NEE-CSEP-MB-001	Date of Issue: 2017/06/30
Prepared by: Arash Navidan	Revision Number: 3
Approved by: Zanyar Farhadi	Sheet Number: 6 of 7

- Confined Space Hazards Assessment Propane tanks inspection and grinding only (NEE-CSHA-NA-001)
- Confined Space Hazards Assessment Petroleum tanks inspection only (NEE- CSHA- NA-002)
- Confined Space Hazards Assessment Petroleum tanks repairs including hot work (NEE-CSHA-NA-003)
- Confined Space Hazards Assessment Chemical tanks inspection only (NEE- CSHA- NA-004)

4.4 Records

A copy of the signed confined space entry permits, and any other related information will be kept on file at the NEEI facility for a period of no less than three years after completion of the project if no incident or unplanned event occurred during the entry. For any instance where an incident or unplanned event occurred during entry, a record of the permit, test results, and any related information will be kept on file and available for inspection for a period of no less than five years after completion of the project.

SECTION-5 Training Requirements

Prior to permitting workers to work in or around confined spaces, the employer shall ensure that workers are trained in the requirements outlined within in this program.

Training shall be given by a qualified individual or agency.


When there is reason to believe that any worker who has been previously trained does not have the understanding or skill required by this procedure, the employer shall consider re-training.

Every contractor or 3rd party worker having the potential to work in confined spaces shall be made aware of the requirements of the program through initial orientation training and periodic reviews during weekly safety meetings, through the use of bulletins and other communication strategies, etc.

Training certificates will be kept and updated as required.

List of trainings are as follows:

- Safety trainings including:
 - o WHMIS 2015 or the most current version,
 - Confined Spaces,
 - o LOTO,
 - Transport of Dangerous Goods,
 - o FALL ARREST,



NATIONAL ENERGY EQUIPMENT INC.	Confined Space Entry Program
Document Number: NEE-CSEP-MB-001	Date of Issue: 2017/06/30
Prepared by: Arash Navidan	Revision Number: 3
Approved by: Zanyar Farhadi	Sheet Number: 7 of 7

- o POST Certified,
- o First Aid.
- Confined space entry program (this document) training.
- Gas monitor instructions.
- B620 Quality manual training.
- Respiratory protection training.
- Respirator fit testing.
- Equipment manufacturing training.

Quality Control Manual in accordance with CSA B620 Document Number: NEE-QCM- NL -001 Revision Number: 05 Prepared by / Approved by: Arash Navidan / Zanyar Farhadi Date of Issue: 2019/04/12 Page Number: 118 of 122

21.1.28

Required information on the Identification Plate checklist

The following information shall appear on the plate(s) (parenthetical abbreviations are authorized):

Note: This information may be provided and marked in accordance with the ASME Code.

- (a) tank manufacturer (Tank mfr.);
- (b) date of tank manufacture month and year (Date of mfr.);
- (c) assembler;
- (d) completion and certification date month and year (Cert. date);
- (e) original test date month and year (Orig. Test Date);
- (f) TC Specification (TC Spec.);
- (g) Transport Canada Registration Number (TCRN);(1)
- (h) Manufacturer's Design Identification Number (MDIN);(2)
- (i) tank serial number (Ser. No. or S/N);
- (i) vehicle identification number (VIN);
- (k) tank maximum allowable working pressure in kPa (MAWP);
- (1) tank test pressure in kPa (Test P);
- (m) tank design temperature range ___oC to ___oC (Design temp. range);
- (n) maximum design density of lading in kilograms per litre (Max. lading density);
- (o) vessel material specification number(3) all numbers to be marked where the material for the shell is different from the material for the heads (Shell & Head Matl. yyy zzz or Shell Matl. yyy zzz and Head Matl. yyy zzz, where "yyy" is replaced by the alloy designation and "zzz" by the alloy type);
- (p) weld material (Weld Matl.);(3)
- (q) minimum allowable thickness of shell in millimetres (Min. shell thick.). When minimum shell thicknesses are not the same for different areas, mark variances (Top Side..... Bottom......);
- (r) minimum allowable thickness of heads in millimetres (Min. head thick.);
- (s) manufactured thickness of shell in millimetres (Mfd. shell thick.);(4)
- (t) manufactured thickness of heads in millimetres (Mfd. head thick.);(4)
- (u) exposed surface area in square metres;
- (v) volumetric capacity in litres (Cap. Litres);
- (w) maximum product load in kilograms (Max. payload);
- (x) maximum loading rate in litres per minute and optionally in US gallons per minute [Max load. rate, L/min (US GPM) at maximum loading pressure XX kPa (psi)];(5)
- (y) maximum unloading rate in litres per minute and optionally in US gallons per minute [Max. unload. rate, L/min (US GPM) at maximum unloading pressure XX kPa (psi)];(5)

Annotations:

- (1)Required for all tanks including: (a) TC 331; (b) TC 407 with a MAWP greater than 240 kPa (35 psi) or designed to be loaded by vacuum,
- (2)Required for all tanks other than those outlined in above.
- (3) For FRP tanks, "NA" shall be marked.
- (4)Required when additional material is provided for corrosion allowance
- (5)Does not apply to TC 331 highway tanks.

NATIONAL ENERGY EQUIPMENT INC.	Quality Control Manual in accordance with CSA B620				
Document Number: NEE-QCM- NL -001	Revision Number: 05				
Prepared by / Approved by:	Arash Navidan / Zanyar Farhadi				
Date of Issue: 2019/04/12	Page Number: 119 of 122				

21.1.29

Magnetic Particle Inspection Procedure With

Wet Fluorescent Magnetic Particles


In Accordance With ASME Section V



Document Number: NEE-MPI-WF-001

Prepared by: Qualimet ** Outside Control of Control of

Approved by: NEEI



Item No.	Page No	
1	Subject	4
2	Responsibilities	4
3	RESOURCES	4
3-1	Qualification of Personnel	4
3-2	Equipment	4
4	CALIBRATION	4
4-1	Calibration Blocks	4
4-2	Electromagnetic Yoke	4
4-3	AC Yoke Calibration	5
4-4	DC Yoke Calibration	5
4-5	Black Light Meter Calibration	5
4-6	Black Light Calibration	6
4-7	Stationary/Portable Unit Calibration	6
4-8	Wet Particle Assessment	6
5	TEST PREPARATION	6
5-1	Magnetizing Current	6
5-2	Magnetizing Direction	6
5-3	Magnetizing Medium	6
6	Surface Preparation	7
6-1	Procedure	7
6-2	Examination at Elevated Temperatures	7
7	MAGNETIC PARTICLE EXAMINATION PROCEDURE	7




Magnetic Particle Inspection Procedure With Wet Fluorescent Magnetic Particles

Document Number: NEE-MPI-WF-001

Prepared by / Approved by: Qualimet / NEEI

Date of Issue: 2018/05 Rev. No.: 01 Sheet: 3 of 13




Item No.	Subject	Page No
7-1	AC or DC Continuous Magnetic Particle Examination Method	8
7-2	Indication Interpretation	9
7-3	Demagnetization	9
7-4	Post Examination Cleaning	9
8	REPORT AND RECORDING	10
9	APPENDIX	13
9-1	Types of Magnetic Particle Application Procedures	13
9-2	Types of Magnetic Current	13



Magnetic Particle Inspection Procedure With Wet Fluorescent Magnetic Particles

Document Number: NEE-MPI-WF-001

Prepared by / Approved by: Qualimet / NEEI



NATIONAL ENERGY EQUIPMENT INC.	Magnetic Particle Inspection Procedure With Wet Fluorescent Magnetic Particles		
Document Number: NEE-MPI-WF-001	Date of Issue: 2018/05		
Prepared by: Qualimet Superior (April 1981)	Revision Number: 01		
Approved by: NEEI	Sheet Number: 4 of 13		

1.0 SCOPE

This procedure defines the requirements to carry out magnetic particle examination on welded joints and weld bevels of ferromagnetic materials in order to detect discontinuities open to the surface through the use of the yoke technique with wet fluorescent magnetic particles.

2.0 RESPONSIBILITIES

The NDE inspector shall be responsible for conducting and reporting the results in accordance with this procedure.

3.0 RESOURCES

3.1 Qualification of Personnel

All personnel involved with performing tests and signing reports under this magnetic particle inspection shall be certified in accordance with SNT-TC-1A or ASNT CP-189 or equivalent certification meeting ISO 9712.

Inspectors carrying out magnetic particle examinations shall not only meet the qualifications as per CSA B620 8.1.6, but meet the requirements of ASME Section VIII Division 1, Appendix 6, 6-2 as well.

3.2 Equipment

The following equipment shall typically be used in performing magnetic particle examinations

- 1) AC electromagnetic yokes,
- 2) Suitable container and vehicle for wet magnetic particle (black) contrast paint application.
- 3) Blacklight
- 4) Field Indicator


4.0 CALIBRATION

4.1 <u>Calibration Blocks</u>

Calibration blocks shall be verified by weight using a certified scale. The weight of each calibration block shall be stenciled with the applicable actual weight and identification numbers prior to first use.

4.2 Electromagnetic Yoke

- 4.2.1 Each Electromagnetic Yoke (AC) will be given an Individual Serial Number, This Serial number will be recorded in the equipment log.
- 4.2.2 The lifting power of each yoke will be checked prior to use each day the yoke is used. This information will be recorded and records maintained on file.
- 4.2.3 A calibration tag shall be affixed to the yoke with the calibration date, due date for recalibration and the initials of the person carrying out the check.
- 4.2.4 New yokes will be calibrated for lifting power prior to use.
- 4.2.5 Any yoke that fails calibration will be removed from service until a repair is completed and the yoke recalibrated to an acceptable standard.



NATIONAL ENERGY EQUIPMENT INC.	Magnetic Particle Inspection Procedure With Wet Fluorescent Magnetic Particles		
Document Number: NEE-MPI-WF-001	Date of Issue: 2018/05		
Prepared by: Qualimet	Revision Number: 01		
Approved by: NEEI	Sheet Number: 5 of 13		

4.3 AC Yoke Calibration


- 4.3.1 Each Yoke that operates on alternating current will have its lifting power determined as specified in ASME Section V, Article & Paragraph T-762
- 4.3.2 The yoke poles (legs) will be set at 6" (150mm) spacing with the legs straight and having the contact ends in maximum possible surface contact with the 10 lb (4.5 kg) AC Calibration Block.
- 4.3.3 This calibration will be carried out using National Energy Equipment Inc.'s Yoke calibration block. The calibration results will be recorded and kept on file.

4.4 Black Light Meter Calibration

- 4.4.1 National Energy Equipment Ltd.'s Black Light calibration meters will be verified to equipment that is traceable to a national standard.
- 4.4.2 This calibration will be carried out annually by an independent supplier. A calibration certificate will be affixed to the meter with the calibration date and due date for recalibration.
- 4.4.3 Results of the calibration will be recorded and kept on file along with the supplier's calibration form and results.

4.5 Black Light Calibration

- 4.5.1 The initial checks that are carried out on each Black Light are:
 - 1) A check for integrity;
 - 2) A check that the correct bulb is being used according to specifications.
- 4.5.2 The black light will be allowed to warm up for a minimum of five minutes prior to the use, or measurement of the intensity of the ultraviolet light emitted.
- 4.5.3 During continuous use, the intensity of the Black Light will be checked every 8 hours, or if the workstation is changed, or whenever the bulb is changed.
- 4.5.4 The black light intensity at the examination surface shall not be less that $1000 \,\mu\text{W/cm}^2$
- 4.5.5 The black light intensity will be calibrated after maintenance or a repair procedure, and at a minimum every year or as required by the applicable code.
- 4.5.6 New black lights will be calibrated prior to use.
- 4.5.7 Any black light, which fails calibration, will be removed from service until a repair procedure is carried out and the item is recalibrated to the required standard.
- 4.5.8 The calibration information shall be recorded and records maintained, showing:
 - 1) Equipment serial number and manufacturer
 - 2) Date of calibration and date next calibration is due
- 4.5.9 National Energy Equipment Inc.'s black light calibration meters will be independently verified by equipment traceable to a national standard.
- 4,5.10 When a bulb is changed, the reflectors and filters shall be cleaned and checked for integrity.
- 4.5.11 Cracked or broken UV filters should be replaced immediately. Defective bulbs shall also be replaced prior to use.



NATIONAL ENERGY EQUIPMENT INC.	Magnetic Particle Inspection Procedure With Wet Fluorescent Magnetic Particles		
Document Number: NEE-MPI-WF-001	Date of Issue: 2018/05		
Prepared by: Qualimet Section (A) Section	Revision Number: 01		
Approved by: NEEI	Sheet Number: 6 of 13		

4.6 Stationary/Portable Unit Calibration

The Portable Unit calibration will be carried out in accordance with the procedures as specified in ASME Section V, Article 25, SE-709 Section 20.2.

4.7 Wet Particle Assessment

- 4.7.1 A Certificate of Compliance to applicable specification shall accompany each batch of Wet Powder particles purchased. Each Batch shall meet the applicable requirements for Quality, content and size of particle in the following codes:
 - 1) AMS 3041 (AMS 3043 for Aerosol Cans)
 - 2) ASME Section V, Article &, Section T-731
 - 3) ASTM E-709
 - 4) ASTM E-1444
 - 5) MILStd. 2132
- 4.7.2 Any batch for which compliance certification is not available shall be tested on a representative test piece.
- 4.7.3 The bath concentration and particle suspension test will be checked in accordance with ASME V, Article 25, SE-709, Section 20.6
- 4.7.4 Test results obtained shall be as follows:
 - Fluorescent particles 0.1 = 0.4 mL per 100 mL;
- 4.7.5 The test piece will be examined with a yoke and fluorescent particles as detailed in this procedure
- 4.7.6 If resultant indication(s) match the standard test piece report for the applicable test piece, the results shall be recorded and retained on file.
- 4.7.7 If the standard is not met, the test will be repeated. If the test fails once more, then the entire batch of wet particles will be removed from service and returned to the supplier.

5.0 TEST PREPARATION

5.1 Magnetizing Current

The magnetizing current shall be in accordance with the applicable specification. Where this is not given, the power shall be as follows:

• Pole spacing of 75-150 mm (3 – 6 inches) and 4.5 kg (10 lbs) lifting power for AC hand yokes.


5.2 Magnetizing Direction

The direction of magnetizing shall be as given in the applicable specification. Where no direction is specified, two examinations shall be made of the same surface such that the lines of magnetic force will be at right angles to each other for each examination.

5.3 Magnetizing Medium

5.3.1 Wet Particles

The magnetizing current shall be turned on after the particles have been applied. Flow of particles shall stop with the application of current. Wet particles applied from aerosol spray cans may be applied before and/or after magnetizing current is applied. Wet particles may be applied during the application of magnetizing



NATIONAL ENERGY EQUIPMENT INC.	Magnetic Particle Inspection Procedure With Wet Fluorescent Magnetic Particles		
Document Number: NEE-MPI-WF-001	Date of Issue: 2018/05		
Prepared by: Qualimet Section (According to According to	Revision Number: 01		
Approved by: NEEI	Sheet Number: 7 of 13		

current if they are not applied directly to the examination area and are allowed to flow over the examination area with low velocities insufficient to remove accumulated particles.

5.3.2 Fluorescent Particles

If fluorescent particles are being used, then the black light will be allowed to warm up for a period of at least five minutes. The examination area should be sufficiently darkened before attempting to evaluate any examination results. The technician will allow sufficient time (approximately three minutes) for the eyes to become accustomed to the darkened room. The flow of the magnetizing current will be initiated prior to the application of the fluorescent particles. No indicating medium will be sprayed after the removal of the magnetizing force. The part will be examined with the use of a calibrated black light.

6.0 SURFACE PREPARATION


6.1 Procedure

- All adjacent areas within 1 2 in. (25 50 mm) of the surface to be examined shall be dry and free of all dirt, grease, lint, scale, welding flux and spatter, oil, or other extraneous contaminants which may mask defects or unnecessarily reduce particle movement and inspection sensitivity.
- 2) Cleaning of the surface may be accomplished by using detergents, organic solvents, descaling solutions, paint removers, vapor degreasing, sand or grit blasting, or ultrasonic cleaning methods.
 - For heavy grease, mineral spirits may be used. If light oil remains, isopropyl alcohol may be used.
- 3) Thin, non-conductive coatings such as paint, in the order of 0.02 to 0.05 mm (1 to 2 mil), should not normally interfere with the formation of indications.
- 4) If a non-conductive coating/paint is left on the surface to be examined that has a thickness greater than 0.05mm (2 mil), then it must be demonstrated that discontinuities can be detected through the maximum coating thickness applied to that surface.
- 5) The part to be examined will be cleaned to achieve these standards prior to starting the examination process.
- 6) Surface requirements are as detailed in ASME Section V, Article 25, (Magnetic Particle Standards), SE 709, Paragraph 9, "Part Preparation".
- 7) For conductive coatings, because of their ability to mask discontinuities, it must be demonstrated that the unacceptable discontinuities can be detected through the maximum thickness applied on the part.
- 8) For the AC Yoke technique, the demonstration shall be in accordance with Clause I-741 of Mandatory Appendix I in ASME Section V Article 7.

6.2 Examination at Elevated Temperatures


- 6.2.1 If the temperature of the item under examination is outside the recommended temperature range as determined by the manufacturer, or as previously qualified, then the technician will inform the client that time must be given for the item to cool down in order for wet particle MPI to be performed. If necessary, (LPI Developer may be used as a contrast to aid interpretation).
- 6.2.2 When the item is cooled sufficiently, the initially requested method will be used to examine the entire item.

7.0 MAGNETIC PARTICLE EXAMINATION PROCEDURE



NATIONAL ENERGY EQUIPMENT INC.	Magnetic Particle Inspection Procedure With Wet Fluorescent Magnetic Particles		
Document Number: NEE-MPI-WF-001	Date of Issue: 2018/05		
Prepared by: Qualimet and compet to the day	Revision Number: 01		
Approved by: NEEI	Sheet Number: 8 of 13		

- 7.1 AC Continuous Magnetic Particle Examination Method
 - 1) The wet fluorescent magnetic particle inspection shall include
 - a. All welds in or on the interior surface of the tank, and the adjacent base plate extending 2 in (50mm) from either side of such welds;
 - b. The entire interior surface of tank heads; and
 - c.All interior surfaces at least 2 in (50mm) in all directions from exterior welds that are visibly discernible on the interior of the tank.
 - d. If disturbances such as grinding, or other repairs are found through a visual inspection of the entire interior surface, a wet fluorescent magnetic particle inspection shall be used to inspect these disturbances. If cracks are found, the entire interior surface shall also be inspected.
 - 2) The black light will be allowed to warm up for a period at least five minutes. Before attempting to evaluate any examination results, the technician will allow sufficient times (approximately three minutes) for the eyes to become accustomed to the darkened room.
 - 3) Before the magnetic particle examination is conducted, a check of the examination surface shall be conducted to locate any discontinuity surface openings which may not attract and hold magnetic particles because of their width.
 - 4) The flow of the magnetizing current will be initiated prior to the application of any indicating medium.
 - If necessary, the adequacy or direction of the magnetizing field shall be demonstrated as per T-764 of ASME Section V, Article 7.
 - 6) The indicating medium will be applied so that a light uniform coating or spray settles on the surface of the part while it is being magnetized.
 - 7) After application, and before removing the magnetizing force, all excessive liquid will be removed by means of a dry air current. This should be of sufficient force to remove excess particles without disturbing any of the particles attracted to a relevant indication or a discontinuity by flux leakage (blowing air is sufficient for this purpose)
 - 8) No indicating medium will be sprayed after the removal of the magnetizing force.
 - 9) The part will be examined with the use of a calibrated black light to ensure adequate lighting at the surface of the part. The intensity requirement of the white light will be a minimum of $1000 \, \mu \text{W/cm2}$ on the surface of the part being examined throughout the examination.
 - 10) The examination area should be sufficiently darkened.
 - 11) The examination will be performed twice, the second examination with the yoke pole positions at approximate right angles to the first, to ensure that discontinuities orientation, at any angle to the poles, will be detected.
 - 12) Overlapping of at least 1" (25mm) of the magnetized areas will be carried out to ensure 100% coverage at the required sensitivity.
 - 13) The interpretation shall identify an indication as false, non-relevant, or relevant. False or non-relevant indications shall be proven as false or non-relevant. Interpretations shall be carried out to identify the locations of indications and the character of the indications.
 - 14) All indications shall be evaluated in terms of the acceptance standards of the referencing code sections.
 - 15) When residual magnetizing in the part could interfere with subsequent processing or usage, the part shall be demagnetized any time after completion of the examination.
 - 16) When post examination cleaning is required, it should be conducted as soon as practical as per 7.4.



NATIONAL ENERGY EQUIPMENT INC.	Magnetic Particle Inspection Procedure With Wet Fluorescent Magnetic Particles		
Document Number: NEE-MPI-WF-001	Date of Issue: 2018/05		
Prepared by: Qualimet Section (Section Section	Revision Number: 01		
Approved by: NEEI	Sheet Number: 9 of 13		

7.2 <u>Indication Interpretation</u>

7.2.1 Ultraviolet Light Intensity at the Examination Surface

A minimum light intensity of 1000 μ W/cm² is required on the surface to be examined so that adequate sensitivity will be ensured during the examination and evaluation of indications. The distance from the work surface, which provides that minimum light intensity, will be maintained throughout the examination process.

7.2.2 Procedure


- 1) The indication detected will either be relevant, non-relevant, or false.
- 2) False and non-relevant indications have to be determined as either false or non-relevant by the technician.
- Relevant indications will be evaluated with regard to acceptance standards agreed upon with the client prior to commencement of work.
- 4) The DC sub-surface indications can look very much like at non-relevant indication, being broad and fuzzy. Great care will be exercised in watching the formation of the indications during the application of the particles and removal of the excess.
- Confirmation of suspect sub-surface indications shall be carried out by a Level II Ultrasonic Technician using Shear Wave angle beam methods.
- 6) Light blowing during AC magnetic field application is an acceptable practice, as the particles will not readily be blown out of a surface breaking discontinuity.
- Light blowing during magnetization will normally blow away non-relevant indications but DC type subsurface indications will retain the particles in the area of interest.
- 8) It must be reiterated that the Magnetizing Force will be continuously applied during any blowing action.

7.3 Demagnetization

- 7.3.1 If demagnetization is required to remove any or all of the residual magnetism, the following method will be followed:
 - 1) Use a Y5 or Y6 yoke or a coil if part size permits.
 - 2) Use a field indicator to check if the demagnetization was successful.
- 7.3.2 The amount of residual magnetism in the part should not exceed 3G (240m-1) anywhere in the piece examined.
- 7.3.3 Any removal of residual magnetism will be recorded on the final report.
- 7.3.4 Demagnetization Using a Yoke
 - 1) Demagnetization using a yoke will be carried out utilizing only AC current in accordance with the procedure specified in ASME Section V, Article 25, SE 709 Section 18.2.3.
 - The amount of residual magnetism in the part will be checked with a field indicator.

7.4 Post Examination Cleaning

- 7.4.1 After demagnetization, post examination cleaning shall be conducted when magnetic particle material(s) could interfere with subsequent processing or servicing requirements.
- 7.4.2 Post examination cleaning shall be conducted using one of the techniques below:
 - 1) Drying off wet particles and then brushing or using compressed air to blow the dried wet particles off the surface.
 - 2) Flushing the wet particles away with a solvent, or
 - Another suitable post examination cleaning technique may be used if it does not interfere with subsequent requirements nor adversely affect the part.



NATIONAL ENERGY EQUIPMENT INC.	Magnetic Particle Inspection Procedure With Wet Fluorescent Magnetic Particles Date of Issue: 2018/05		
Document Number: NEE-MPI-WF-001			
Prepared by: Qualimet Superior (Aprilla Table Control	Revision Number: 01		
Approved by: NEEI	Sheet Number: 10 of 13		


8.0 REPORT AND RECORDING


For each examination, the following information shall be recorded, and attached to the Test and Inspection Report:

- 1) Date of examination
- 2) Procedure identification and revision
- 3) Magnetic Particle equipment and type of current
- 4) Magnetic Particles (Visible or fluorescent, wet or dry) Batch #
- 5) Examination personnel identity and if required by referencing code Section qualification level
- 6) Map or record of indications
- 7) Indication type, location, and extent
- 8) Material and Thickness
- 9) Lighting equipment
- 10) Date & Location of examination
- 11) Report #, Owner, and Job #
- 12) Identification of object under examination, including A#, Serial # etc.
- 13) Surface condition of the item under examination
- 14) National Energy Equipment procedure number
- 15) Acceptance standard code
- 16) Examination surface temperature
- 17) Demagnetization techniques if required
- 18) Post examination cleaning if required
- 8.1 The results of the examination will be recorded on a Magnetic Particle Examination Report and kept on file for future reference. Copies are distributed as required. Reports may be distributed electronically.
- 8.2 The report will include interpretation of all relevant defects and discontinuities and will also state acceptance or rejection of each weld or item examined. If defects are detected during the examination, then a drawing sketch of all defects located will be included in the report.
- 8.3 For TC 331 tanks, the following information shall also be included:
 - A statement indicating whether the tank is constructed of quenched and tempered steel (QT) or other than
 quenched and tempered steel (NQT);
 - · A statement indicating whether the tank was stress relieved after manufacture; and
 - A statement indicating whether the tank was stress relieved after repair, and if so, whether complete or local stress relieving was performed,
- 8.4 Digital Photographs may also be included in the Electronic Report

NATIONAL ENERGY EQUIPMENT INC.	Quality Control Manual in accordance with CSA B620				
Document Number: NEE-QCM- NL -001	Revision Number: 05				
Prepared by / Approved by:	Arash Navidan / Zanyar Farhadi				
Date of Issue: 2019/04/12	Page Number: 129 of 122				

NATIONAL ENERGY EQUIPMENT INC.					Magnetic Particle Inspection Procedure With Wet Fluorescent Magnetic Particles			
Prepared by: Qualimet same on an			Date of Issu	Date of Issue: 2018/05				
			Revision Nu	mber: 01				
pproved by: N		The Later of the L	, , , , , , , , , , , , , , , , , , , ,		Sheet Numb	er: 11 of 13		
	N	IAGNET	IC PARTIC	CLE EX	AMINATI	ON REP	OR'	Γ
Examination	Date:		NAME OF THE PARTY	100				Page of
Owner:					oject No.:			
Report No.: Order/Dwg I	No.				equest No.: ark/Item No:			
	rocedure Spec	ification:		141	arkitem 140.			
Reference St								
Location:								
Material:								
Thickness								
Surface Con	2010/10/10/20							
Surface Tem	p.:							
			Method De	escription				
Examination					Fluorescent			
Magnetizing			Continuous		Residual			
	Field Direction		ongitudinal.		Circular			
Current Typ	e:		AC .		DC			
Lighting:								
Demagnetiza		2						
Post Cleanin	g:							
				Equipme				
	Type:		Manu		erial Number:			
	rticles:				Manufacturer:			
Contrast Me		Take 1			Manufacturer:		FI 55 FT 1	
Joint No.	Welder No.	Tested	Evaluation	Result				tions (if any) Extent
		Length			Type (Linear or roun	ded) Loca	uon	(length/diameter/aligned)
							_	70 - 70
		+						
		*						
Evaluation N			Porosity S = S	lag ID I	goomplata Banatr	ation		
LF - Lack of	Fusion UC -		11 0103Hy 5 = 5	108 1F = 11	complete Fellett			
NDE Inspecto					(mm/	Date: dd/yyyy)		
Approved by:				Date: (mm/dd/yyyy)				
Approved by					(mm/	dd/yyyy)		





NATIONAL ENERGY EQUIPMENT INC.	Magnetic Particle Inspection Procedure With Wet Fluorescent Magnetic Particles				
Document Number: NEE-MPI-WF-001	Date of Issue: 2018/05				
Prepared by: Qualimet Successive No.	Revision Number: 01				
Approved by: NEEI	Sheet Number: 13 of 13				

9.0 APPENDIX

9.1 Types of Magnetic Particle Application Procedures

9.1.1 Continuous Magnetization

- 1) The magnetizing current is applied and sustained throughout both the application of the medium and examination of the part when using portable equipment.
 - When using the stationary equipment, the magnetizing current will be applied only momentarily while the examination medium is applied.

9.1.2 Residual Magnetization

The examination medium is applied after the magnetizing force has been discontinued. This method can be used only if the material being tested has relatively high retention so that the residual leakage field will be of sufficient strength to attract and hold the particles and preserve any detected indications.

9.2 Types of Magnetic Current

9.2.1 AC (Alternating Current)

The inductance associated with alternating current results in a "Skin Effect" which confines the magnetic field to the surface of the part. This method has limited magnetic field penetration into the part, but provides great mobility of magnetic particles during the application and is very sensitive to surface defects. (e.g. fatigue cracking).

9.2.2 DC (Direct Current)

- 1) This method has good magnetic field penetration into the item being examined and is more effective on nonsurface breaking defects than AC current magnetism.
- Unless experiments with different parts indicate that the residual field has sufficient strength to produce satisfactory indications, it shall not be used.

NATIONAL ENERGY EQUIPMENT INC.	Quality Control Manual in accordance with CSA B620
Document Number: NEE-QCM- NL -001	Revision Number: 05
Prepared by / Approved by:	Arash Navidan / Zanyar Farhadi
Date of Issue: 2019/04/12	Page Number: 132 of 122

21.1.30 Testing in-service cargo tank manway covers procedure

21.1.30.1 Purpose

The purpose of this test procedure is to qualify, by means of a pressure test, the structural integrity of inservice manways and fill openings.

21.1.30.2 Qualifying Test

- In-service manways and/or fill opening covers not marked as certified by the manufacturer shall be tested using the equipment described in 21.1.30.3 and the procedure described in 21.1.30.4.
- Manway and/or fill opening covers successfully meeting this test per 21.1.30.5 and prior to reinstallation on the cargo tank may be permanently marked by stamping or other means. The name of the tester and date of the test should be recorded and retained.
- Any device, such as a pressure relief valve, which becomes a part of the manway cover assembly, shall be evaluated separately for compliance.

21.1.30.3 Test Equipment (See Figure 1)

- The test fixture for the test consists of 16" diameter, 20" diameter, or 12"x 16" elliptical collars with a suitable material welded to the bottom. The test fixture collar shall be the same size, thickness, and material as that collar on the tank to which the manway cover assembly is to be installed.
- Gauges:

One (1) applicable pressure gauge, which should be more than the required tank's test pressure regarding table 7.3 of CSA B620 (see section 21.1.23) for leakage test of other tanks.

- Pipe fittings:

One (1) ½" NPT globe valve

One (1) ½" ball valve

One (1) 1/2" cross

Five $(5) \frac{1}{2}$ pipe nipples

- Rubber membranes of 1/8" thickness to fit outside diameter of manway collar.
- Steel plate with guides to block fill opening only if fill opening cover acts as a pressure relief valve. Please note that some old manway covers have fill covers that do not provide pressure relief and those fill covers should not be blocked closed.
- Vent plugs, flanges, or other devices to block holes in manway cover.

NATIONAL ENERGY EQUIPMENT INC.	in accordance with CSA B620
Document Number: NEE-QCM- NL -001	Revision Number: 05
Prepared by / Approved by:	Arash Navidan / Zanyar Farhadi
Date of Issue: 2019/04/12	Page Number: 133 of 122

- Manway gaskets One (1) for each size manway assembly to be tested.
- Gasket for the 10-inch diameter pressure relief valves.
- 21.1.30.4 Manway Cover Test Procedures
 - 21.1.30.4.1 Remove manhole cover assembly and clamping ring assembly to be tested from the cargo tank.
 - 21.1.30.4.2 Remove any normal pressure/Vacuum vents, sensors, high capacity vents or any other appurtenance that protrudes below the manhole cover.
 - 21.1.30.4.3 Block the openings in the manhole cover with the devices listed in 21.1.30.3.
 - 21.1.30.4.4 Fill test fixture base with air or water.
 - 21.1.30.4.5 Lay rubber membrane on test base.
 - 21.1.30.4.6 Open 10" diameter pressure relief valve. Install steel plate with guides to underside of 10" diameter opening. Use vice grips to hold this plate in position while placing manhole cover assembly on rubber membrane.
 - 21.1.30.4.7 Install 1 0-30 psig gauge in test base.
 - 21.1.30.4.8 Attach manhole cover assembly with its clamping ring assembly to the test fixture. While tightening clamping ring bolt, tap the ring at various points to ensure equal clamping.
 - 21.1.30.4.9 Slowly increase pressure in tank to the proper test pressure for that tank type, indicated in the Table 7.3 of CSA B620 (see section 21.1.23) for a period of at least 5 minutes: CAUTION: WATCH PRESSURE. DO NOT OVER-PRESSURIZE.
 - 21.1.30.5 Inspection
 - 21.1.30.5.1 Any leakage will be considered a failure of this cover and others of its type and condition.
 - 21.1.30.5.2 If the cover does not pass this test in its original condition, but the manhole cover assembly manufacturer has components available that will enable the cover to pass the test, covers using such components are considered satisfactory.
 - 21.1.30.5.3 Before reinstalling the manhole cover to the cargo tank, the collar and gasket shall be inspected. If damage, distortion, corroded areas or other conditions exist that could impair its product retention capability, the collar and/or gasket shall be replaced.

NATIONAL ENERGY EQUIPMENT INC.	Quality Control Manual in accordance with CSA B620
Document Number: NEE-QCM- NL -001	Revision Number: 05
Prepared by / Approved by:	Arash Navidan / Zanyar Farhadi
Date of Issue: 2019/04/12	Page Number: 134 of 122








Figure 1 Fixture used in the test.









NATIONAL ENERGY EQUIPMENT INC.	Quality Control Manual in accordance with CSA B620
Document Number: NEE-QCM- NL -001	Revision Number: 05
Prepared by / Approved by:	Arash Navidan / Zanyar Farhadi
Date of Issue: 2019/04/12	Page Number: 139 of 122

21.2 Equipment, signs and decals

Equipment:

Test Gauge Calibration Devices:

- 15# Gauge
- 300# Gauge
- Air Pressure Regulator
- Hose Testing Test Tee





10" Fill Test Fixture



16" and 20" Manway Bench Test Fixture



12"x16" Elliptical Manhole Bench Test Adapter



Hydrostatic Test Pump






0-5 PSI Manometer



Assorted Hose Test Adapters





Air Compressor



Multigas Detector



Tank Under Pressure Signs



Test and Inspection Decals



Calibration Decal

CALIBRATION

Date:		
Technician:		

Due:

ZE	PUIPMENT INC.	Quality Control Manual in accordance with CSA B620						
Document Numb	er: NEE-QCM- NL -001	Revision Number: 05						
Prepared by / Ap	proved by:	Arash Navidan / Zanyar Farhadi						
Date of Issue: 2	019/04/12 Pa	Page Number: 141 of 122						
21.3 Sam	ples of actual completed documents							
	ng documents are SAMPLES only. Latest que refer to facilities' completed records for me Test and Inspection Report in Accordance							
	Facility Name: National Energy Equipment Inc Address: XXXXXXX,	TEST DATE: XXXXXXXX,						
	Telephone XXXX	Facility Registration No : XX-XXX						
	Tank O Address John Doe XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX	Owners Signature						
	Telepho 111111	Date:						
	OWNERS UNIT : XXX MANUFACTURI XXX MFG DATE: 11/89 MATERIAL: 545	RIAL No : XXX-XXX-XXX 135 4 TANK SPEC: TC 306						
	MC/TC331 & TC51 QT ☐ NQT	□ PWHT □						
	COMP. CAPACITY 1 2000 L IG/L 2 3600 L 4 4500 L IG/L 5 2400 L							
	TESTS PERFORMED "V" \(\text{ "I"} \(\text{ \text{ \text{"I"}}} \)	"K" ⊠ "P" ⊠ "T" □ "U/C" □						
	EXTERNAL VISUAL INSPECTION "V" Item inspected	QC Man Complies Reject Retest Ref. Complies						
	Data plate, present and legible Shell & Heads, corrosion abrasion dents overlay patches leal	8.1.3						
	Structural members, outriggers, crossmembers etc	8.1.5						
	Piping and valves for leakage, damage, corrosion Remote closures, thermal devices	8.1.7 🔘 🗎 🗎 8.1.7 🗍 🕅 🖂						
	Hoses for defects, identification and test dates	8.1.8						
	Tank attachments to frame or running gear	8.1.9						
	Ladders, walkways etc	8.1.10						
	Fill covers, manways and closure devices Relief valves and vents (replace or test if tank in service when	8.1.11						
	lading corrosive to relief device)	2 2						
	Accident damage protection	8.1.13						
	Inspector- Tom T Signature C	Date- Nov 30 2015						
	INTERNAL VISUAL INSPECTION "I" Item inspected	QC Man Complies Reject Retest Ref. Complies						
	Interior surface, corrosion, distortion overlay patches, crackin Interior welds for defects, cracking etc Internal supports and attachments Internal valves, piping and vents for leakage, damage, etc							
	Inspector- Tom T Signature/	Date- Nov 30 2015						
	Note: Rejection Criteria for Visual Inspections							
	Any of the following conditions shall cause the tank	to be rejected						
	Less than minimum material thickness under any content with a depth greater than ½" where it inclusions any dent with a depth greater than 10% of the length of leakage any repairs made using overlay patches Defective, unidentified or out of test Hose Assembli	eut, dig or gouge udes a weld hth of the dent mplete fusion of the weld						

NATIONAL ENERGY EQUIPMENT INC.					Quality Control Manual in accordance with CSA B620										
ent Number: N	EE-QCM- NL -(001			Revision Number: 05										
d by / Approved by:					Arash Navidan / Zany	Arash Navidan / Zanyar Farhadi					Arash Navidan / Zanyar Farhadi				
of Issue: 2019/0	04/12				Page Number: 142 of	122									
Tes	t and Inspec	tion Rep	ort in	Accordance	with CSA B620		Pag	ne 2 of 3							
UPP	PER COUPLER	INSPECTION	ON "U/C	C" (QC Manual	Reference 8.1.5 and 8.1	.6) omplies	Reject	Retest							
U	pper coupler remo	oved from ta	nk and ir	nspected (includi	ng tank areas above)			Complies							
U	pper coupler insp	ected in plac	ce												
Inspe	ector-			Signature		Date-									
LEA	KAGE TEST "K	QC M	fanual R	Reference 8.3)											
TES	T PRESSURE	2.4 PSI		(80% of MAWF	MIN) TEST MEDIUM	AIR									
	Item Tested	Pass	Fail	Retest Complies	Item Tested	Pass	Fail	Retest Complies							
C	ompartment No. 1				Compartment No. 1 piping										
	ompartment No. 2				Compartment No. 2 piping										
	ompartment No. 3 ompartment No. 4			Pro Pro Contract	Compartment No. 3 piping Compartment No. 4 piping	-									
	Mary Committee of the C				Compartment No. 5 piping										
	ompartment No. 5														
	ompartment No. 6				Compartment No. 6 piping										
Co Tank	ompartment No. 6 k Tester- Tom T	S 🗆		Signature_											
Co Tank THIC	ompartment No. 6 k Tester- Tom T CKNESS TEST	5 □ "T" <i>(</i> QC M	□ Nanual R	SignatureReference 8.5)	Compartment No. 6 piping	□ Date-	□ Nov 30 20	15							
Co Tank THIC	ompartment No. 6 k Tester- Tom T CKNESS TEST kness Tester Ca	"T" (QC Malibrated in	☐ fanual R accorda	SignatureReference 8.5)	Compartment No. 6 piping	□ Date-	Nov 30 20	□ 15 esting							
Ci Tank THIC Thic	ompartment No. 6 k Tester- Tom T CKNESS TEST kness Tester Ca	5 □ "T" <i>(</i> QC M	☐ fanual R accorda	Signature	Compartment No. 6 piping	□ Date-	□ Nov 30 20	□ 15 esting							
Ca Tank THIC Thic devi	ompartment No. 6 k Tester- Tom T CKNESS TEST kness Tester Ca ce	"T" (QC Malibrated in	☐ flanual R accorda	Signature	ctions provided by the n	□ Date-	Nov 30 20	□ 15 esting							
Tank THIC Thic device	ompartment No. 6 k Tester- Tom T CKNESS TEST kness Tester Ca ce	"T" (QC Malibrated in	☐ flanual R accorda	Signature	ctions provided by the m	□ Date-	Nov 30 20	□ 15 esting							
Ca Tank THIC Thic devi	ompartment No. 6 k Tester- Tom T CKNESS TEST kness Tester Ca ce	"T" (QC Malibrated in	☐ flanual R accorda	Signature	ctions provided by the n	□ Date-	Nov 30 20	□ 15 esting							
Tank THIC Thic devic	ompartment No. 6 k Tester- Tom T CKNESS TEST kness Tester Ca ce	"T" (QC Malibrated in	☐ flanual R accorda	Signature	ctions provided by the n	□ Date-	Nov 30 20	□ 15 esting							
Tank THIC Thick device 1 2 3 4 5	ompartment No. 6 k Tester- Tom T CKNESS TEST kness Tester Ca ce	"T" (QC Malibrated in	☐ flanual R accorda	Signature	ctions provided by the n NO HEAD 1 2 3 4 5	□ Date-	Nov 30 20	□ 15 esting							
Tank THIC Thic device 1 2 3 4 5	ompartment No. 6 k Tester- Tom T CKNESS TEST kness Tester Ca ce	"T" (QC Malibrated in	☐ flanual R accorda	Signature	ctions provided by the n NO HEAD 1 2 3 4 5 6	□ Date-	Nov 30 20	□ 15 esting							
Tank THIC Thick device 1 2 3 4 5	ompartment No. 6 k Tester- Tom T CKNESS TEST kness Tester Ca ce	"T" (QC Malibrated in	☐ flanual R accorda	Signature	ctions provided by the n NO HEAD 1 2 3 4 5	□ Date-	Nov 30 20	□ 15 esting							
Tank THIC Thic device 1 2 3 4 5 6 7	ompartment No. 6 k Tester- Tom T CKNESS TEST kness Tester Ca ce	"T" (QC Malibrated in	☐ flanual R accorda	Signature	ctions provided by the n NO HEAD 1 2 3 4 5 6 7	□ Date-	Nov 30 20	□ 15 esting							
Tank THIC Thic device 1 2 3 4 5 6 7 8 9 10	ompartment No. 6 k Tester- Tom T CKNESS TEST kness Tester Ca ce	"T" (QC Malibrated in	☐ flanual R accorda	Signature	ctions provided by the n NO HEAD 1 2 3 4 5 6 7 8 9	□ Date-	Nov 30 20	esting HEAD							
Tank THIC Thic device 1 2 3 4 5 6 7 8 9	ompartment No. 6 k Tester- Tom T CKNESS TEST kness Tester Ca ce	"T" (QC Malibrated in	☐ flanual R accorda	Signature	Compartment No. 6 piping ctions provided by the n NO HEAD 1 2 3 4 5 6 7 8 9 10 11	□ Date-	Nov 30 20 Fer of the to	esting HEAD							
Tank THIC Thic device 1 2 3 4 5 6 7 8 9 10	ompartment No. 6 k Tester- Tom T CKNESS TEST kness Tester Ca ce	"T" (QC Malibrated in	☐ flanual R accorda	Signature Reference 8.5) ance with instru YES	ctions provided by the n NO HEAD 1 2 3 4 5 6 7 8 9	□ Date-	Nov 30 20 Fer of the to	esting HEAD							
Tank THIC Thic device 1 2 3 4 5 6 7 8 9 10	ompartment No. 6 k Tester- Tom T CKNESS TEST kness Tester Cace	"T" (QC Malibrated in FRONT 3:00	Manual R accorda	Signature Reference 8.5) ance with instru YES	Compartment No. 6 piping ctions provided by the n NO HEAD 1 2 3 4 5 6 7 8 9 10 11	□ Date-	Nov 30 20 Fer of the to	esting HEAD							
Tank THIC Thic device 1 2 3 4 5 6 7 8 9 10	ompartment No. 6 k Tester- Tom T CKNESS TEST kness Tester Cace	"T" (QC Malibrated in FRONT 3:00	Manual R accorda	Signature Reference 8.5) ance with instru YES	Compartment No. 6 piping ctions provided by the n NO HEAD 1 2 3 4 5 6 7 8 9 10 11	□ Date-	Nov 30 20 Fer of the to	esting HEAD							
Tank THIC Thic device 1 2 3 4 5 6 7 8 9 10	ompartment No. 6 k Tester- Tom T CKNESS TEST kness Tester Cace	"T" (QC Malibrated in FRONT 3:00	Manual R accorda	Signature Reference 8.5) ance with instru YES	Compartment No. 6 piping ctions provided by the n NO HEAD 1 2 3 4 5 6 7 8 9 10 11	□ Date-	Nov 30 20 Fer of the to	esting HEAD							
Tank THIC Thic device 1 2 3 4 5 6 7 8 9 10	ompartment No. 6 k Tester- Tom T CKNESS TEST kness Tester Cace	"T" (QC Malibrated in FRONT 3:00	Manual R accorda	Signature Reference 8.5) ance with instru YES	Compartment No. 6 piping ctions provided by the n NO HEAD 1 2 3 4 5 6 7 8 9 10 11	□ Date-	Nov 30 20 Fer of the to	esting HEAD							
Tank THIC Thic device 1 2 3 4 5 6 7 8 9 10	ompartment No. 6 k Tester- Tom T CKNESS TEST kness Tester Cace 12:00 12:00	"T" (QC Malibrated in FRONT 3:00	fanual R accorda	Signature Reference 8.5) ance with instru YES 9:00 9:00	Compartment No. 6 piping ctions provided by the m NO HEAD 1 2 3 4 5 6 7 8 9 10 11 HEAD	□ Date-	Nov 30 20 Per of the to	esting HEAD							
Tank THIC Thic device 1 2 3 4 5 6 7 8 9 10	ompartment No. 6 k Tester- Tom T CKNESS TEST kness Tester Cace	"T" (QC Malibrated in FRONT 3:00	Manual R accorda	Signature Reference 8.5) ance with instru YES 9:00 9:00	Compartment No. 6 piping ctions provided by the n NO HEAD 1 2 3 4 5 6 7 8 9 10 11	□ Date-	Nov 30 20 Fer of the to	esting HEAD							

LYJOHIJVIEN	GY		Quality Control Manual in accordance with CSA B620						
Number: NEE-QCM- NL -00		Revision N	Revision Number: 05						
by / Approved by:		Arash Nav	vidan / Zanya	r Farhad	i				
ssue: 2019/04/12		Page Num	lber: 143 of 12	22					
Test and Inspect	tion Report in	Accordan	ce with CSA	B620		Pa	age 3 of 3		
PRESSURE TEST "F	o" (QC Manual)	Reference 8.4,)						
Test Pressure (Tank) (Refer to Table 7.3 of		3 for appropria	te test pressure	∍)					
Test Pressure (Piping	3) 2.4 PSI (80%	Tank Test)	T	est Medium	AIR				
Item Tested	Pass Fail	Retest Complies	Item Te	ested	Pass	Fail	Retest Complies		
Compartment No. 1 Compartment No. 2 Compartment No. 3 Compartment No. 4 Compartment No. 5			Compartment I Compartment I Compartment I Compartment I Compartment I	No. 2 piping No. 3 piping No. 4 piping					
Tank Tester- Tom T		Signature	22	2	Date-	Nov 30 20	015		
Description of defe	ete found and m		renair			7111213001111			
1 2 3 1 7 1 7 1 7 1		etilous useu te	Терап						
Hose out of date, rete Replace vents in all l									
Replace lids for out of									
Weld cracks on left r		NATIONAL PROPERTY OF THE PROPE							
Repair emergency re Repair roll over rail of									
repair foir over fair o	on right side for de	onto una craoko							
Tank successfully ret	ested after repai	ir YES 🏻	N	10 🗆	N/A				
Tank successfully ret				10 🗆	N/A N/A				
	nspection report a	attached YE				_			
Written repair weld in	nspection report a	attached YE	s 🛭 N	10 🗆		_			
Written repair weld in	nspection report a	attached YE om Service (Specification	S 🛛 N	10 🗆	N/A				
Written repair weld in TANK DISPOSITION	nspection report a Removed fro Safety Mark	attached YE om Service (Specification Service	S ⊠ N □ Indication) rem	10 🗆	N/A				
Written repair weld in TANK DISPOSITION	Removed fro Safety Mark Returned to s	attached YE om Service (Specification Service	S ⊠ N □ Indication) rem	O D	N/A	□ NO			
Written repair weld in TANK DISPOSITION TC/MC330/331 PW	Removed fro Safety Mark Returned to S WHT AFTER REF	attached YE om Service (Specification Service PAIRS YE FULL	Indication) rem	oved YES	N/A	□ NO			

NATIONAL ENERGY EQUIPMENT INC.	Quality Control Manual in accordance with CSA B620 Revision Number: 05					
Document Number: NEE-QCM- NL -001						
Prepared by / Approved by:	Arash Navidan / Zanyar Far	hadi				
Date of Issue: 2019/04/12	Page Number: 144 of 122					
Facility Address XXXXXXXXXXX	PECTION REPORT					
OWNERS SERIA MANUFA(MFG DATI Location of welds to be inspected (Provide Weld cracks on both frame rails at front slice All positions	sketch if required)	X1XXX				
John Doe Welding Process(es): GMAW	XXX Wps: neep zz-01					
Welder Qualification Verified	Accept	Reject				
Porosity and/or inclusions						
Complete Fusion	\boxtimes					

This Report must be attached to the Test and Inspection Report for this unit

Signature:

 \boxtimes

X

 \boxtimes

XXX

Date: Nov 18 2015


Start and End Complete


Full Penetration


Welder Ident XXX


Welder Name: XXX

Inspector Name: Tom T










NATIONAL ENERGY EQUIPMENT INC.	Quality Control Manual in accordance with CSA B620
Document Number: NEE-QCM- NL -001	Revision Number: 05
Prepared by / Approved by:	Arash Navidan / Zanyar Farhadi
Date of Issue: 2019/04/12	Page Number: 149 of 122

SECTION - 22 Revision Control Sheet

_				on Numbe				_				on Numbe			
Page	0	1	2	3	4	5	6	Page ↓	0	1	2	3	4	5	6
•	Nov 2016	May 2017	Aug 2017	Jan 2018	May 2018	Apr 2019		*	Nov 2016	May 2017	Aug 2017	Aug 2017	May2018	Apr 2019	
1	X	X	X	X	X	X		51	X		X	X	X	X	
2	X	X	X	X	X	X		52	X		X	X	X	X	
3	X	X	X	X	X	X		53	X		X	X	X	X	
4	X	X	X	X	X	X		54	X		X	X	X	X	
5	X	X	X	X	X	X		55	X		X	X	X	X	
6	X	X	X	X	X	X		56	X		X	X	X	X	
7	X	X	X	X	X	X		57	X		X	X	X	X	
8	X	X	X	X	X	X		58	X		X	X	X	X	
9	X	X	X	X	X	X		59	X		X	X	X	X	
10	X	X	X	X	X	X		60	X		X	X	X	X	
11	X	X	X	X	X	X		61	X		X	X	X	X	
12	X	X	X	X	X	X		62	X		X	X	X	X	
13	X	X	X	X	X	X		63	X		X	X	X	X	
14	X	X	X	X	X	X		64	X		X	X	X	X	
15	X	X	X	X	X	X		65	X		X	X	X	X	
16	X	X	X	X	X	X		66	X		X	X	X	X	
17	X	X	X	X	X	X		67	X		X	X	X	X	
18	X	X	X	X	X	X		68	X		X	X	X	X	
19	X	X	X	X	X	X		69	X		X	X	X	X	
20	X	X	X	X	X	X		70	X		X	X	X	X	
21	X	X	X	X	X	X		71	X		X	X	X	X	
22	X	X	X	X	X	X		72	X		X	X	X	X	
23	X	X	X	X	X	X		73	X		X	X	X	X	
24	X	X	X	X	X	X		74	X		X	X	X	X	
25	X	X	X	X	X	X		75	X		X	X	X	X	
26	X	X	X	X	X	X		76	X		X	X	X	X	
27	X	X	X	X	X	X		77	X		X	X	X	X	
28	X	X	X	X	X	X		78	X		X	X	X	X	
29	X	X	X	X	X	X		79	X		X	X	X	X	
30	X	X	X	X	X	X		80	X		X	X	X	X	
31	X	X	X	X	X	X		81	X		X	X	X	X	
32	X	X	X	X	X	X		82	X		X	X	X	X	
33	X	X	X	X	X	X		83	X		X	X	X	X	
34	X	X	X	X	X	X		84	X		X	X	X	X	
35	X	X	X	X	X	X		85	X		X	X	X	X	
36	X	X	X	X	X	X		86	X	İ	X	X	X	X	
37	X	X	X	X	X	X		87	1	İ	X	X	X	X	
38	X		X	X	X	X		88		İ	X	X	X	X	
39	X		X	X	X	X		89		İ	X	X	X	X	
40	X		X	X	X	X		90	·	<u> </u>	X	X	X	X	
41	X	ч	X	X	X	X		91	†	<u> </u>	X	X	X	X	
42	X	with	X	X	X	X		92		ļ	X	X	X	X	
	X	al v	X	X	X	X		92	-	 	X	†	†	† -	
43		pages of manual pages of exhibits				ļ			 	 	÷	X	X	X	
44	X	ma xh	X	X	X	X		94	-		X	X	X	X	
45	X	of e	X	X	X	X		95		ļ	X	X	X	X	
46	X	pages of pages of	X	X	X	X		96	ļ	ļ	X	X	X	X	
47	X	age	X	X	X	X		97		ļ	X	X	X	X	
48	X	37 p 50 p	X	X	X	X		98			X	X	X	X	
49	X	w w	X	X	X	X		99	1		X	X	X	X	
50	X		X	X	X	X		100			X	X	X	X	

x



Page 101 102	0	Revision Number and Latest Issue Date							Revision Number and Latest Issue Date							
101		1	2	3 4		5	6	Page ↓	0	1	2	3 4 5			6	
	Nov 2016	May 2017	Aug 2017			Apr 2019			Nov 2016	May 2017	Aug 2017	Jan 2018	May2018	Apr 2019		
102			X	X	X	X		151								
			X	X	X	X		152								
103			X	X	X	X		153								
104			X	X	X	X		154								
105			X	X	X	X		155								
106			X	X	X	X		156								
107			X	X	X	X		157								
108			X	X	X	X		158								
109				X	X	X		159								
110				X	X	X		160								
111				X	X	X		161								
112				X	X	X		162								
113				X	X	X		163								
114				X	X	X		164								
115				X	X	X		165								
116				X	X	X		166								
117				X	X	X		167								
118						X		168								
119						X		169								
120						X X		170								
121						X		171								
122						X		172								
123						X		173								
124						X		174								
125						X		175								
126						X		176								
127						X		177								
128				<u> </u>		X		178								
129						X		179								
130						X		180								
131				1		X										
132						X										
133				1		X										
134				1		X										
135						X										
136				†	İ	X										
137						X		<u> </u>								
138				-	İ	X						-				
139				†	 	X		l	1			†				
140				-	 	X			·							
141				+				l	 			-				
142				+		X X		l	1			-				
143				+		X		l	-			-				
144				+	<u> </u>	X		l	-			 				
145			ļ	-	 	X			 							
146				+	 					,		1	<u>. i</u>			
147				+	 	X X		Signature: El								
			ļ	+	 	X		-	V	Ca						
148 149				+	ļ	X		<u>Date:</u> 2019-04-12								
149			ļ	 	 	X										