



Confined Spaces Entry Permit

Form Number: NEE-FRM-102

Page 1 of 1

Revision: 0

Date of Issue:	Time Of Issue:
Time Of Entry:	Anticipated Time Out:
Entrant:	Product Last Contained:
Standby Person:	Entry Supervisor:

Type of Work: Hot Work Cold Work Welding Repairs Inspection/Cleaning

Type of Work **NOT TO BE PERFORMED**

Y N NA

- Job Planning Complete
- Lockout Procedure Followed
- C.S. Product / MSDS Reviewed
- Reviewed Materials MSDS Sheets
- Safe Access to Confined Space
- Area Cleared of Hazards
- Lines Isolated and Blocked
- Respiratory Protection Required
- Space Ventilated Prior to Entry
- Natural Ventilation
- Mechanical Ventilation
- Ventilation Required During Entry

Y N NA

- Safety Harness / Life line Required
- Fire Fighting Equipment on Hand
- Liquid Present
- Electrical Tools Grounded Type
- GFI & Sealed Extension Cords
- Hearing Protection Required
- Face Shield/Glasses Required
- Head Protection Required
- Protective Clothing
- Emergency Eye Wash/Shower
- Emergency Extraction Kit
- Workers Aware of Conditions

RESULTS OF ATMOSPHERIC/EXPLOSIMETER TESTING

Acceptable Atmospheric/Explosimeter Readings

O2% 20.9% **LEL 0%** **CO < 5 ppm** **H₂S 0 ppm** **TVOC 0 ppm or similar to background**

Instrument # Calibration Date: Weekly Field Test Completed By

Oxygen %	LEL %	CO	H ₂ S	TVOC	Date/Time	Time Out

ENTRANT AND SAFETY WATCH SIGNATURES

Entrant	Safety Watch	Time In	Expected Time out	Time Out

Permit Approved By:

*Permit Valid Until Midnight on Issue Date
Or Beginning of next shift (whichever comes first)*